AD-A077 361

AIR FORCE GEOPHYSICS LAB HANSOM AFB MA
CIRRUS PARTICLE DISTRIBUTION STUDY, PART 5. (U)
JUL 79 I D COHEN
AFGL-TR-79-0155

F/8 4/2

NL



DOC FILE COPY


AFGL-TR-79-0155
AIR FORCE SURVEYS IN GEOPHYSICS, NO. 414



Cirrus Particle Distribution Study, Part 5

IAN D. COHEN, Capt, USAF

13 July 1979



Approved for public release; distribution unlimited.

METEOROLOGY DIVISION

PROJECT 317J

AIR FORCE GEOPHYSICS LABORATORY

HANSCOM AFB, MASSACHUSETTS 01731

AIR FORCE SYSTEMS COMMAND, USAF



79 11 26 151

This report has been reviewed by the ESD Information Office (OI) and is releasable to the National Technical Information Service (NTIS).

This technical report has been reviewed and is approved for publication.

FOR THE COMMANDER

Chief Scientist

Qualified requestors may obtain additional copies from the Defense Documentation Center. All others should apply to the National Technical Information Service.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
AFGL-TR-79-0155 AFGL- AFSG-4	3. RECIPIENT'S CATALOG NUMBER
TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVER
CIRRUS PARTICLE DISTRIBUTION STUDY.	Scientific. Interim.
PARI 5.	6. PERFORMING ORG. REPORT NUMBER
AUTHOR(s)	AFSG No. 414
Ian D. Cohen, Capt, USAF	B 81
PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TAS
Air Force Geophysics Laboratory (LYC)	36305F (17/ ha)
Hanscom AFB Massachusetts 01731	317,0901
Air Force Geophysics Laboratory (LYC)	13 July 1979
Hanscom AFB Massachusetts 01731	13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)	15. SECURITY CLASS. (of this report)
Air Force	Unclassified
surveys in geophysics,	15a. DECLASSIFICATION/DOWNGRADING
Approved for public release; distribution unlimite	ed.
Approved for public release; distribution unlimite	
Approved for public release; distribution unlimited to the abstract entered in Block 20, if different from the abstract entered in Block 20, if different entered in	
Approved for public release; distribution unlimite 17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, 11 different fro	
Approved for public release; distribution unlimited to the abstract entered in Block 20, if different from the abstract entered in Block 20, if different entered in Block	
Approved for public release; distribution unlimite 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, 11 different fro	
Approved for public release; distribution unlimited to the abstract entered in Block 20, if different from the supplementary notes	
Approved for public release; distribution unlimite 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, 11 different fro 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side II necessary and identify by block number,	om Report)
Approved for public release; distribution unlimited in the state of th	om Report)
Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from the statement of the abstract entered in Block 20, if different from the statement of the abstract entered in Block 20, if different from the statement of the	om Report)
Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from the supplementary notes. 18. Supplementary notes. 19. KEY WORDS (Continue on reverse side if necessary and identify by block number, Cirrus.)	om Report)
Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, 11 different for the supplementary notes. 18. SUPPLEMENTARY NOTES. 19. KEY WORDS (Continue on reverse side if necessary and identify by block number, Cirrus Altostratus Cloud structure. Particle distribution Cloud physics	S & O S F
Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from the state of the state o	ned ice particle data in cirr
Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, il different from the state of the state o	ned ice particle data in cirralso obtained from a high
Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, il different from the state of the state of the abstract entered in Block 20, il different from the state of the state o	ned ice particle data in cirralso obtained from a high article size and average
Approved for public release; distribution unlimited in the special provided in Block 20, if different from the supplementary notes 18. Supplementary notes 19. Key words (Continue on reverse side if necessary and identify by block number, Cirrus Altostratus Cloud structure Particle distribution Cloud physics 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) On 19 March 1978 an MC-130E aircraft obtain clouds near Albuquerque, N. M. Some data were altostratus layer below the cirrus. Printouts of p number distribution for consecutive 30-sec period	ned ice particle data in cirralso obtained from a high article size and average s during the flight are pre-
Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, 11 different from the statement of the abstract entered in Block 20, 11 different from the statement of the abstract entered in Block 20, 11 different from the statement of the abstract entered in Block 20, 11 different from the statement of th	ned ice particle data in cirralso obtained from a high article size and average s during the flight are prege particle spectra and 2-D
Approved for public release; distribution unlimited in the abstract entered in Block 20, il different for the abstract entered in Block 20, il different for the supplementary notes 18. Supplementary notes 19. Key words (Continue on reverse side if necessary and identify by block number, Cirrus Altostratus Cloud structure Particle distribution Cloud physics 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) On 19 March 1978 an MC-130E aircraft obtain clouds near Albuquerque, N. M. Some data were a altostratus layer below the cirrus. Printouts of p number distribution for consecutive 30-sec period sented. Additionally, graphical displays of average and identify by block number)	ned ice particle data in cirralso obtained from a high article size and average s during the flight are prege particle spectra and 2-D

DD FORM 1473 EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

409 578 pt.

Preface

This report continues the series of examinations of cloud particle spectra obtained during specific flights for the Air Force Weapons Laboratory by AFGL personnel. The aid of the pilots and crew of the 4950th Test Wing, who flew the instrumented MC-130E during the 19 March 1978 flight discussed herein, is greatfully acknowledged. I wish to thank Lt Col Donald J. Varley for his many suggestions which have been most useful in writing this report. I also want to thank Dr. Arnold A. Barnes, Jr. for reviewing the manuscript and for his helpful suggestions. The Mission Director for the flight was Capt Donald D. Cameron. His notes and observations greatly aided in assembling the data for the report. The technicians who monitored and maintained the sampling equipment aboard the aircraft were MSgt James F. Bush, TSgt Marshall B. Wright and SSgt Dennis L. LaGross, all of AFGL. The work of Mrs. Pat Sheehy and Ms Barbara Main in compiling and preparing the manuscript for publication was invaluable.

Acces	sion For	1
	GAM&I	1
DDC I	'AB	
Unann	ounced	
Justi	fication	
By		-
	Control of the Contro	419
Distr	ibution/	***
Avai	lability Codes	
	Availand/or	
Dist.	special	-
1		Campion
H		Sabran
1		500
		1

			Contents
1.	INTRODUCT	TION	7
2.	SYNOPTIC	SITUATION	8
3.	THE FLIGH	T	12
4.	EXAMPLES	OF DATA	16
5.	CONCLUDI	NG COMMENTS	22
API	PENDIX A:	Mission Director's Comments	23
API	PENDIX B:	Data for Specific Cases	25
API	PENDIX C:	30-Second Data Averages	29
		1	lustrations
		"	103114110113
1.	Surface Mar	o at 1200Z on 19 March 1978	8
2.	•	at 1200Z on 19 March 1978	9
3.		at 1200Z on 19 March 1978	9
4.		at 1200Z on 19 March 1978	10
5.	GOES East	Visible Satellite, Picture at 1800Z on 19 March 1978	11
6.	Portion of the	he Radiosonde Sounding Taken at Albuquerque, N. M. on 19 March 1978	12

5

		Illustration
_		
7.	Profile of Altitude and Temperature During the MC-130E Flight of 19 March 1978	12
8.	Photograph of Clouds at 1722Z on 19 March 1978	13
9.	Photograph of Clouds at 1730Z on 19 March 1978	14
0.	Variation of IWC Calculated From Measurements of 3 PMS Probes During Flight of 19 March 1978	15
1.	Variation of IWC as Determined From Probes Measuring Particles Approximately 17 to 5400 μm in Size During Flight of 19 March 1978	16
2.	Particle Size Distribution for 19 March 1978; 1705-1708Z	17
3.	Particle Size Distribution for 19 March 1978; 1717-1720Z	19
4.	Particle Size Distribution for 19 March 1978; 1813-1818Z	20
5.	Particle Size Distribution for 19 March 1978; 1835-1838Z	21
		Tables
1.	Surface Weather Observations	10

Cirrus Particle Distribution Study Part 5

1. INTRODUCTION

This is the fifth report in a study of cirriform cloud particle distributions measured by an MC-130E of the 4950th Test Wing which was equipped with AFGL cloud physics instrumentation. The capabilities and limitations of the instrumentation on this aircraft have been discussed in the first report of this series by Varley. The particular mission described here was flown on 19 March 1978 in support of the Air Force Weapons Laboratory's (AFWL) Advanced Radiation Technology Program.

The sampling flight of 19 March originated and terminated at Kirtland AFB, New Mexico, and lasted about two hours. It was flown in the area south of Albuquerque where there were extensive layers of altostratus and cirrostratus clouds. The main regions sampled consisted of a high altostratus deck, a relatively clear area between mid-level and higher clouds, and a cirrostratus layer. The five Particle Measuring System (PMS) spectrometers aboard the aircraft recorded large numbers of particles during most of the flight except when the aircraft was neither in, nor under, visible clouds. Such conditions were rare on this flight.

⁽Received for publication 12 July 1979)

Varley, D. J. (1978) Cirrus Particle Distribution Study, Part 1, AFGL-TR-78-0192, AD A061485.

A description of the general weather situation on 19 March and a discussion of the significant data obtained during the flight are outlined in the following section.

2. SYNOPTIC SITUATION

During the evening of 18 March and the morning of 19 March, a weak cold front moved south and west from the central plains towards New Mexico. Figure 1 shows its position at 1200Z on 19 March. By 1800Z, it became nearly stationary over eastern New Mexico. A weak low pressure area along the front was centered in the Texas Panhandle at that time. The polar air mass north of the front was overrun by warm moist air that resulted in extensive middle level cloudiness from western Texas to central New Mexico. The southerly flow of warm air near 700 mb (see Figure 2) contributed to the creation of this cloudiness. A short wave at middle and high levels plus a 300 mb jetstream over the southern boarders of Arizona and New Mexico resulted in cirrus and cirrostratus clouds over southern New Mexico. Figures 3 and 4 show the location of the short wave over Nevada at 1200Z.




Figure 1. Surface Map at 1200Z on 19 March 1978




Figure 2. 700 mb Map at $1200 \mathrm{Z}$ on 19 March 1978. Values are tens of of geopotential meters




Figure 3. $500~\mathrm{mb}$ Map at $1200\mathrm{Z}$ on $19~\mathrm{March}$ 1978. Values are tens of geopotential meters




Figure 4. 300 mb Map at $1200\mathrm{Z}$ on 19 March 1978. Values are tens of geopotential meters

Figure 5 is a GOES visible satellite picture of the southern U.S. at about the mid-point of the flight (1800Z). It shows extensive high cloudiness over central New Mexico. Some middle level cloud is also evident.

Surface reports during the flight showed extensive broken to overcast middle and high cloud throughout the area. The following are representative surface observations.

Table 1. Surface Weather Observations

Time	Station	Cloud Ht* and Extent	Vsby (mi)	Temp (°F/C)	Dew Pt (°F/C)	Wind (Dir/kt)
1700Z	Albuquerque	140 broken 200 broken	60	59/15	18/-8	160/04
1700Z	Holloman AFB	150 broken 250 overcast	40	70/21	14/-10	100/06
1700Z	Roswell	100 broken 150 overcast**	20	65/18	20/-7	100/07
1800Z	Albuquerque	140 broken 200 broken	60	63/17	18/-8	100/07

^{*}in hundreds of feet

^{**}thin



Figure 5. GOES East Visible Satellite Picture at 1800Z on 19 March 1978

The Albuquerque sounding for 1200Z on 19 March is shown in Figure 6. The moist layer from 7 to 9 km indicates a layer of clouds at 23,000 ft. An inversion at 7 km marked the base of this layer.

During its ascent, at 1700Z, the aircraft observed a similar inversion at 6 km. This indicates warm advection was occurring in the layer between 6 and 7 km. The dotted line on Figure 6 shows the temperatures reported by the aircraft during its ascent.

By 00Z on 20 March the 500-mb short wave shown in Figure 3 had moved over the Albuquerque area. As a result, the cloudiness increased and the moist layer had descended to the 500-mb level. The 500-mb dew point depression went from 17 deg at 1200Z to 0 deg at 00Z.




Figure 6. Portion of the Radiosonde Sounding Taken at Albuquerque, N.M. at 1200Z on 19 March 1978. The tropopause was at 16 km. The dotted line shows the temperature observed by the sampling aircraft between 1700Z and 1800Z

3. THE FLIGHT

The area south of Albuquerque was covered by layers of middle and high clouds on the morning of 19 March. The flight discussed here was made in order to sample both layers and the area between them. Profiles of the aircraft altitude and outside temperature during the flight are presented in Figure 7.




Figure 7. Profiles of Altitude and Temperature During the MC-130E Flight of 19 March 1978. Letters are at times for which data are examined in text

The aircraft departed Kirtland AFB at 1645Z and began a stepwise ascent. By 1705Z it was in an ice particle cloud at 7.3 km (24,000 ft) that appeared to be the upper part of an altostratus layer. At 1710Z a climb to 8.0 km (26,000 ft) began. Upon reaching this altitude the aircraft was between the altostratus and the cirriform clouds as seen in Figure 8. At 1752Z the aircraft climbed to 8.5 km (28,000 ft), where it was just below the base of a cirrus layer (see Figure 9). At 1740Z the climb was continued to 9.0 km (29,500 ft), where the aircraft was in the cirrus deck. A final climb to 9.3 km (30,500 ft) put the aircraft near the top of the cirrus. During this time, the aircraft remained in the area between Albuquerque and Socorro. See Appendix A for a transcription of some of the flight director's taped comments during the mission.

Particle sampling was conducted for the period from 1705Z (approximately 20 min after takeoff) until 1845Z, when the aircraft completed its last data pass and prepared to return to Kirtland AFB. A variety of crystal types was recorded as the aircraft moved from the mid-level altostratus clouds to the relatively clear layer between cloud decks and then to the higher cirrus layer.



Figure 8. Photograph of Clouds at 1722Z on 19 March 1978. Aircraft was in clear air between two cloud decks



Figure 9. Photograph of Clouds at 1730Z on 19 March 1978. Upper deck was somewhat thinner than in Figure 8, and particle counts had dropped considerably in a short time

The traces of the variation of ice water content (IWC) determined from the scatter, cloud, and precipitation probes from 1705Z to 1845Z are shown in Figure 10. A similar plot of the ice water content computed from the sum of the cloud and precipitation probe values is shown in Figure 11. Generally, water content was high as could be expected from a flight which was in clouds most of the time. Even while in the higher clouds, the precipitation probe registered large ice water content values. There were several short periods during which IWC was unusually low. These generally corresponded to times the aircraft was between layers.

As in previous cirrus sampling flights reported in this series, the PMS axial scattering, 1-D "cloud" and 1-D "precipitation" spectrometer probes were used. These recorded particles in the approximate ranges of 2 to 27 μm , 17 to 360 μm , and 320 to 5400 μm , respectively. The scatter probe is believed to overestimate the number of small ice crystals by an unknown amount. This uncertainty exists because the scattering properties of such crystals are not known. In addition to the 1-D probes, PMS 2-D "cloud" and "precipitation" probes provided "shadow-graphs" of particles as large as 800 μm and 6400 μm , respectively.




Figure 10. Variation of IWC Calculated From Measurements of 3 PMS Probes During Flight of 19 March 1978




Figure 11. Variation of IWC as Determined From Probes Measuring Particles Approximately 17 to 5400 μm in Size During the Flight of 19 March 1978


4. EXAMPLES OF DATA

To illustrate the different kinds of particle data obtained, five portions of the flight were selected for closer examination. The times chosen are shown by the arrows and letters at the bottom of Figure 7. The letters correspond to the letters of the subparagraphs below.

(A) Figure 12 shows the particle spectrum observed during the 3-min period beginning at 1705Z. During this time the aircraft was passing in and out of the top of the altostratus layer at 7.3 km. The data from the PMS 2-D spectrometer probes revealed a variety of round-shaped particles considered to be in the "small-snow" category. Examples of particles from both the PMS 2-D cloud and precipitation probes are included on Figure 12. The scale appropriate to the 2-D particle is shown at the right side of the 2-D example particles. (The maximum dimension of the 2-D displays on Figures 13, 14, and 15 is 800 μ m.)

Figure 12 (data averaged from 1705 to 1708Z) shows a large concentration of particles in the 2 to 27 $\,\mu\mathrm{m}$ range that were recorded by the scattering probe. The ice water content (IWC) computed from scattering probe data was one of the highest values recorded during the flight. Between 75 and 750 $\,\mu\mathrm{m}$ the concentration of particles was nearly uniform. This may be related to the stratified nature of the clouds being sampled. The averaged particle concentration data for the individual probes are given in Appendix B to correspond with the Figure 12 through 15 spectrum displays.

(B) Figure 13 reflects the particle spectrum and 2-D forms existing between the altostratus and cirrus layers. The gap between the cirrus and altostratus was






Figure 12. Particle Size Distribution for 19 March 1978; 1705-1708Z

small at this point, and the aircraft passed through occasional patches of thin cloud. The temperature at the time was -33°C, the frostpoint -36°C, and the dewpoint -39°C. As the 2-D cloud probe data show, the number of larger particles had diminished sharply from that indicated on Figure 12. Data from the precipitation probe indicated only a relatively few larger particles and none larger than 1100 μ m. This is also confirmed by the extent of the particle distribution curves averaged from 1717Z to 1720Z. The transition from the condition in Figure 12 to that in Figure 13 occurred about 1709Z, when the flight director's log indicates the aircraft emerged from the altostratus layer.

- (C) The photograph shown in Figure 9 was taken when the aircraft was climbing toward the cirrus through what appeared to be cloud free air. In fact, during the 5-min period between 1731 and 1735Z the only particles detected were 4 μm in size or smaller. Appendix B lists a printout of the few particles detected, but no graphical display is given here. The cloud conditions at the time were similar to those mentioned in (B) with thin cirrus above and altostratus below. However, the distance between the two cloud layers appears to have been larger. The computed IWC of the scatter probe fell to a very small 3×10^{-5} g m $^{-3}$. The temperature during this period was approximately -39°C, the frostpoint -43°C, and the dewpoint -47°C.
- (D) Figure 14 shows the averaged particle spectrum within the cirrus clouds at an altitude of 9 km (29,000 ft). The particle concentration drops nearly linearly from $10^6/\text{m}^3$ -mm at about 30 μm to $10^0/\text{m}^3$ -mm at 1300 μm . Each of three spectrometers recorded data that resulted in ice water content values between 4 and 8×10^{-3} g $^{\text{m}-3}$. At this time the temperature was -40°C and the dewpoint -43°C. This same general cloud condition was persistent over at least the 5-min period for which the data on Figure 14 were averaged.
- (E) Figure 15 presents data from the upper portion of the cirrus layer. At the time represented there, there was less of a variety of 2-D particle shapes than seen in the Figure 14 display. Bullet rosettes were more common in contrast to the small snow seen earlier. From the time represented by Figure 14 to that of Figure 15 the average ice water content (IWC) of both the scatter and cloud probes more than doubled.

The most noticeable difference between Figures 14 and 15 is the increase in particles of over 600 μm in size. The maximum particle size in Figure 15 is over 1900 μm , while in Figure 14, the maximum observed was only 1300 μm . In the range of the precipitation probe (above 380 μm) the median particle diameter changed relatively little because of the large number of smaller particles while the number and relative concentration of larger particles increased considerably as the aircraft moved from the base of the cirrus layer into the upper portion of that layer.

The median volume diameter for the cloud probe range (~17 to 360 μ m) decreased with height due to the large increase in the number of smaller size particles. In both cases, the Mission Director reported the visibility to be an estimated one mile.

ALTITUDE 8.0 km		PROBE	TEMPERAT	URE33.6 °C
ICE WATER CONTENT (g m ⁻³	SCATTER) 1.15 × 10 ⁻³	CLOUD(C) 6.09 x 10 ⁻³	PRECIP(P) 7.73 x 10-4	C + P 6.86 x 10 ⁻³
MED. VOL. DIAMETER (u m)	18	119	219	125

EXAMPLE 2-D PARTICLE FORMS



COMMENTS: In occasional patches of cirriform cloud between the altostratus and cirrus layers. Largest particles were 1100 $\mu\,\text{m}.$ Small snow is main crystal type.




Figure 13. Particle Size Distribution for 19 March 1978; 1717-1720Z

ALTITUDE 9.0 km		PROBE	TEMPERATU	JRE <u>-40.1</u> °C
ICE WATER CONTENT (g m ⁻³)	SCATTER 2.50 x 10 ⁻³	CLOUD(C)	PRECIP(P) 5.50 x 10 ⁻³	C + P 1.25 × 10 ⁻²
MED. VOL. DIAMETER (µm)	18	108	197	134



COMMENTS: Near base of the cirrus layer. The largest particles are about $1300\,\mu\,\text{m}$. Both bullet rosettes and small snow are common.




Figure 14. Particle Size Distribution for 19 March 1978; 1813-1818Z




Figure 15. Particle Size Distribution for 19 March 1978; 1835-1838Z

5. CONCLUDING COMMENTS

This flight provided a look at two kinds of ice clouds, altostratus and cirrostratus, as well as a relatively clear area between them. The data showed a large difference in the type and size of particles from one cloud type to another. Particles in the lower clouds were relatively large with a variety of shapes, while the cirriform clouds had small, more regular shaped crystals. Higher in the altostratus, the crystal size decreased, although the change in ice water content was quite small. Within the cirrus, however, crystal size was nearly constant while IWC increased somewhat with altitude.

The sampling aircraft was in varying densities of cloud most of the time. However, there were two periods when particle populations were very small. These can be seen on Figure 10 starting at 1730Z and 1755Z. Both the 1-D and 2-D data showed an abrupt decrease in particle size and ice water content at these times. Particle size and number rose appreciably 5 min after the times noted. These changes in particle counts are also to be inferred in the changes in the total IWC vs time plot in Figure 11.

Averaged cloud particle concentration data are presented in Appendix C for consecutive 30-sec periods during this flight. The particle type (bullet rosette or small snow) in these tabulations was determined by examining the 2-D data.

One change to the standard data format from previous part of this series is the addition of a particle number total, NT, on each printout in Appendices B and C. The NT figure is the average number of particles per cubic meter for particle sizes between approximately 17 and 5400 μ m.

Appendix A

Mission Director's Comments

The comments in this section have been transcribed from the voice tape recording made by Capt D. D. Cameron, the Mission Director aboard MC-130E $\rm S/N\,640571$ on 19 March 1978.

TIME (Z)	COMMENT
16:53:15	Flight level (FL) 121 (12,100 ft) and climbing. IAS 174 knots. Temperature = +1°C, dewpoint = -12°C. At haze layer, middle clouds to the right.
16:54:40	Getting crystals on the snow stick.
16:55:30	Flight level 150 (15,000 ft) in middle cloud and climbing to top. Ground barely visible. 0.5 mm small snow.
16:57:20	In clouds, still climbing. Temperature = -5 °C. Flight level 171 (17, 100 ft).
16:58:30	Looking brighter, but very gray a few miles south of Albuquerque. Flight level 184 (18,400 ft), 9 nm north of Socorro.
17:03:15	In continuous cloud. 0.4 mm small snow.
17:04:20	Brighter, but still in clouds.
17:07:35	Flight level 240 (24,000 ft), some icing.
17:08:30	Icing. Flight level 240 (24,000 ft). IAS 149 kt. In solid cloud.
17:09:30	Temporarily on top of one layer.
17:10:35	In clouds.
17:11:20	At the level of the tops of clouds.
17:13:30	In the clear, between layers.
17:19:30	500 ft below cirrus. Small snow, 0.3 mm. Wind 249 deg/29 kts.

TIME (Z)	COMMENT
17:20:50	At bases of cirrus. Bases lower to the south.
17:23:00	1000 ft below bases. Little data.
17:23:30	Cirrus thinner. No halo.
17:29:00	Flight level 275 (27,500 ft) and climbing. Temperature = -24°C. Cirrus is higher and thinner to the west.
17:31:00	Out of cloud.
17:32:25	In the clear.
17:37:35	Light cirrus. 0.1 mm sized particles.
17:37:55	Halo visible above.
17:39:30	Size and intensity has increased.
17:41:30	Climbing to flight level 290 (29,000 ft).
17:45:00	1000 ft below cirrus. Middle cloud below. Horizontal visibility 2 to 3 miles.
17:45:50	In cloud. Particles very small and uniform; less than 0.1 mm, occasional 0.2 mm.
17:48:30	Clouds thicker, some light icing.
17:49:00	Cannot see below or ahead.
17:50:35	In and out of tops.
17:52:30	Tops of cirrus, flight level 280 (28,000 ft).
18:00:30	Entering cloud. Gray sky above. Nice halo. IAS 150 kts. Temperature -27°C.
18:01:45	Blue sky occasionally visible above the gray.
18:02:25	1000 ft below tops. Sun off right wing. Position: 33°10'N/106°55'W.
18:04:00	At top of cirrus at flight level 290 (29,000 ft).
18:07:30	80 NM west of Roswell. In cirrus. Temperature -27°C.
18:08:15	Cirrus getting thicker. Good 0.1 mm size. Middle deck visible below.
18:09:20	Darker now, no halo.
18:09:30	Cannot see middle deck. Still 0.1 mm size. Good halo.
18:12:30	In the middle of a thinning cirrus deck.
18:14:00	Still good halo. Visibility 1 mi. Cannot see clouds below.
18:19:00	Still in cirrus.
18:28:00	IAS 150 kts. Flight level 299 (29,900 ft). Position: 33° 04'N/104° 55'W. $243/36$ kts.
18:28:45	Still in cirrus. Good halo, bright sun.
18:31:25	Visibility 1 to 2 miles.
18:35:15	Larger particles; 0.3 to 0.4 mm. Flakes almost melt when they hit.
18:38:20	Just on top of the clouds. Flight level 300 (30,000 ft).
18:42:50	Halo above. Particles of sizes 0.2 to 0.6 mm.
18:44:00	Skimming through tops. Darker blue above.
18:45:00	End of transcription. Flight level 300. Position: $33^{\circ} 52' N/105^{\circ} 11' W$.

Appendix B

Data for Specific Cases

Average particle distribution data from the 1-D PMS probe system are presented here for each of the five periods examined in Section 4 of this report. The data averaging interval is indicated on each of the listings.

Any of the normalized particle distribution figures in the Appendix, with units of $\mathrm{N/m}^3-\mathrm{mm}$, may be converted to unnormalized $\mathrm{N/m}^3$ by multiplying by the following number of millimeters.

	Probe					
	Scatter	Cloud	Precipitation (except smallest size)	Precipitation (smallest size)		
Small Snow Bullet Rosettes	1.8 × 10 ⁻³ 1.8 × 10 ⁻³	2.3×10^{-2} 2.0×10^{-2}	3.4×10^{-1} 3.1×10^{-1}	2.1×10^{-1} 2.3×10^{-1}		

AF4L CIRRJS STUDY BY AFGL FLIGHT E78-08 ON 19 4AR 78 180 SECOND AVERAGING INTERVAL START: #17:05:00 * PARTICLE SIZE DISTRIBUTIONS (NUMBER/M##3-MM) IYPE: SMALL SNOW

A.

SIZE	SCATTER	SIZE	0.000	SIZE	PRECIP	P (MB)
(MU)	SEOBE	(10)	PROBE	(HJ)	PROBE	394.3
2	2.182+08	26	6.58E+44	465	2.52E+03	ALT (KH)
3	3.28E+09	49	1.08E+05	743	1.94E+03	7.284
5	1.042+10	72	3.39E+03	1038	2.01E+02	
7	1.10E+10	95	2.41E+03	1433	1.61E+01	TEMP (C)
9	7.286+43	113	7.+2E+03	1778	1.76E+00	-28.8
11	4.95E+09	141	1.52E+03	2123	1.87E+00	
12	2.52E+09	164	1.77E+03	2468	1.32E+00	FROSTPOINT
14	9.536+08	187	1.44E+63	2813	0.	-26.2
16	1.70E+08	210	2.34E+03	3158	0.	
18	2.64E+07	233	3.43E+03	3503	0.	TAS (M/S)
19	1.69E+07	256	1.71E+03	3848	0.	116.1
21	1.48E+67	279	1.52E+63	4193	0.	
23	1.23E+07	342	2.19E+63	4538	0.	NT (N/M3)
25	1.30E+07	325	2.87E+03	4883	0.	4574.9
27	1.89E+07	348	2.81E+03	5228	0.	
						TOTALS
IWC	2.72E-02		8.87E-64		1.53E-02	1.62E-02
MED D	10		151		302	298

AFWL CIRRJS STUDY BY AFGL FLIGHT E78-08 ON 19 MAR 78 150 SECOND AVERAGING INTERVAL START: *17:17:30 * PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM) TYPE: SMALL SNOW

B.

SIZE	SCATTER	SIZE	0_1003	SIZE	PRECIP	P (MB)
(MU)	340BE	(AU)	380 Se	(MU)	PROBE	355.2
2	3.52E+08	25	1.12E+06	465	8.62E+32	ALT (KM)
3	1.16E+08	+9	8.57E+65	743	7.51E+00	8.013
5	1.24E+48	72	2.55E+44	1088	1.01E-01	
7	9.91E+07	95	4.90E+04	1433	0.	TEMP (C)
9	7.43E+07	113	1.12E+05	1778	0.	-33.6
11	5.79E+67	141	5.0JE+64	2123	0.	
12	3.69E+47	164	3.57E+0+	2468	0.	FROSTPOINT
14	4.1E+07	187	1.83E+04	2813	Ú.	-35.2
15	2.94E+07	21 0	3.46E+0+	3158	0.	
13	1.58E+07	233	2.51E+04	3503	0.	TAS (M/S)
19	1.20E+07	256	1.57E+64	3848	0.	120.6
21	9.50E+u5	273	9.15E+03	4193	0.	
23	1. U7 E+ U7	332	8.396+03	4538	0.	NT (N/M3)
25	8.73 =+06	325	8.84E+03	4883	0.	29290.8
27	5.99E+06	348	6.03E+03	5228	0.	
						TOTALS
IWC	1.156-03		6.49E-63		7.73E-14	6.86E-03
MED D	18		119		219	125

AF4L CIRRUS STUDY BY AFGL F_IGHT E78-08 ON 19 MAR 78 240 SECOND AVERAGING. INTERVAL START:#17:31:00* PARTICLE SIZE DISTRIBUTIONS (NUMBER/M##3-MM) IYPE# SMALL SNOW

SIZ=	SCATTER	SIZE	CLOUD	SIZE	PRECIP	P (MB)
(HU)	PROBE	(40)	PROBE	(HU)	PROBE	321.5
2	2.53E+09	26	0.	465	0.	ALT (KH)
2	1.29E+07	49	0.	743	0.	8.694
5	0.	72	0.	1088	0.	
5 7	0.	95	0.	1433	0.	TEMP (C)
•	0.	113	0.	1778	0.	-39.0
11	0.	141	0.	2123	0.	
12	0.	164	0.	2468	0.	FROSTPOINT
14	0.	187	0.	2813	0.	-43.2
16	0.	210	0.	3158	0.	
18	0.	233	0.	3 50 3	0.	TAS (M/S)
19	0.	256	3.	3848	0.	124.4
21	0.	273	J.	4493	0.	
23	0.	302	0.	4538	0.	NT (N/N3)
25	0.	325	0.	4883	0.	0.0
27	Û.	343	0.	5228	0.	
						TOTALS
INC	2.28E-05		0.		C .	0.
MED 0	2		0		0	0

AF4L CIRRUS STUDY BY AFGL FLIGHT E78-08 ON 19 MAR 78 300 SECOND AVERAGING INTERVAL START ** 18 * 13 * 02 * PARTICLE SIZE DISTRIBUTIONS (NUMBER/M** 3-MM) TYPE* BJLL-ROSE

[D						
	SIZE	SCATTER	SIZE	C-075	SIZE	PRECIP	P (MB)
	(MU)	> 30BE	(U)	PROBE	(MU)	PROBE	308.6
	2	6.33E+08	25	9.12E+05	437	5.75E+03	ALT (KY)
	3	3.46E+08	47	5.22E+05	706	1.14E+02	8.970
	5	3.06E+08	67	9.66E+04	1011	4.01E+00	
	3 5 7	2.39E+08	87	7.17E+04	1316	5.76E-12	TEMP (C)
	9	1.68E+08	108	1.295+05	1622	0.	-40.1
	11	1.28E+08	128	6.39E+04	1927	0.	
	12	7.90E+07	148	5.58E+04	2233	0.	FROSTPOINT
	14	9.00E+47	169	3.38E+04	2538	0.	-39.8
	16	6.73E+07	183	6.54E+C4	2843	0.	
	13	3. 22E+07	209	7.302+44	3149	0.	TAS (M/S)
	19	2.76E+07	231	7.25E+04	3454	u.	125.0
	21	2.04E+07	25 0	5.50E+04	3760	0.	
	23	2.02E+07	271	5.17=+64	4055	0.	NT (N/M3)
	25	1.80E+47	291	4.86E+04	4370	0.	29514.4
	27	1.44E+07	311	3.51E+C4	4676	0.	
							TOTALS
	INC	2.50E-03		6.98E-03		5.50E-13	1.25E-02
	MED D	18		108		197	134

AF4L CIRRUS STUDY BY AFGL F_IGHT E78-08 ON 19 MAR 78 180 SECOND AVERAGING INTERVAL START: *18:35:02* PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM) IYPE: BULL-ROSE

E.

SIZE	SCAFTER	SIZE	C_OUD	SIZE	PRECIP	P (MB)
(MU)	PROBE	(40)	PROBE	(MU)	PROBE	293.5
2	2.28E+08	26	2.935+06	437	8.00E+13	ALT (KM)
3	4.14E+08	47	2.03E+05	706	3.69E+J2	9.307
5	7.17E+48	67	2.15E+06	1011	2.97E+01	
7	6.77E+08	87	1.04E+06	1316	2.27E+00	TEMP (C)
9	4.92E+08	108	1.25E+06	1622	4.97E-31	-42.8
11	3.73E+08	128	4.51E+05	1927	1.06E-01	
12	2.23E+08	148	2.56E+05	2233	0.	FROSTPOINT
14	2.82E+48	169	8.37E+04	2538	0.	-43.3
1ó	2.02E+08	189	1.41E+65	2843	0.	
18	9.98E+07	209	1.20E+05	3149	0.	TAS (M/S)
19	8.26E+07	230	9.19E+04	3454	0.	127.9
21	6.31E+67	25 0	5.54E+04	3760	0.	
23	6.3dE+47	271	4.36E+04	4065	0.	NT (N/M3)
25	5.81E+07	291	4.27=+64	4370	ű.	158646.6
27	4.13E+47	311	3.38E+04	4676	0.	
						TOTALS
INC	7.49E-03		1.51E-02		9.10E-J3	2.52E-02
MED D	18		67		208	105

Appendix C

30-Second Data Averages

Data averaged over consecutive 30-sec intervals from 1705Z to 1848Z are presented here. The predominant type of crystal used for water content calculations is either bullet rosette or small snow—as indicated on individual printouts.

The method of determining unnormalized particle densities from the normalized values in this section is described in the introduction to Appendix B

AFML CIRRUS STUDY BY AFGL
FLIGHT F78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*17:05:00*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**5-MM)
TYPE: SMALL SNOW

t

AFML CIRRUS STUDY BY AFGL
19 MAR 78 30 SECOND AVERAGING
INTERVAL STAPT:*1716*10*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MM)
TYPE: SMALL SNOW

394.7	ALT (KM)	1.277	TEMP (C)	-28.6	FROSTPOINT	-25.0		147 501	115.0	NT (10.00 T)	100.781	3591.4		1.395-02
PPECIP	3.04F+03	1.76E+03 5.02E+02	1.62F + 01	2.94E+00	6.62F-01	.0	.0	• • •	•	•			.0	1.82F-02
SIZE	465	1088	1433	2123	2458	2813	3158	5563	2000	4130	42.00	4 8 8 3	5228	
340ad	3.30E+04	8.746+04	•0	4.96E+03	9.66F+02	7.94E+02	1.725.03	0.	1. 03+ +0 4	2000.00	C. 100 - 2	4. DOE + D3	3. 82E+03	7.546-04
SI7F (MU)	26	47	96	118	164	187	210	233	256	612	205	325	34.8	
SCATTER	1.97E+08	2.55E+09	1.27E+10	8.98E+09	3.036+09	1.08E+09	1.60E+0A	2.21E+07	1.27E+07	1.128+07	1.062+07	9.71E+06	1.94F+07	3.19F-02
SI7E (MU)	~	m u	2	σ ÷	12	14	16	13	10	21	52	52	27	CHI
405.3	ALT (KM)	256.	TEMP (C)	• • • •	FROSTPOINT	1.42-	(S/E) SVI	115.4		NT (N/M3)	5448.8		TOTALS	2.325-02
PPECIP	1.81E+03	2.78E+02	3.56E+01	3.11E+00	2.64E+00	• • •	. 0	0.	.0	0.	0.		•	2.245-02
SIZE	465	1088	1433	2123	2468	21 5 B	3503	3848	4193	4538	4883	522R	1	
SI														
CLOUD SI		1.235+04	2.43E+03	1.22E+03	2.90E+03	4- 305+03	5.625+03	2. 05E+03	0.	6.76F+92	1. 35E+03	1.42F+03		7.296-04
	3. 30E+04	72 1.235+04					-			•				7.29E-04 126
CLOUD	3. 30E+04	72		141		210	233	256		302				8.63E-03 7.29E-04

AFML CIRRUS STUDY BY AFGL
FLIGHT E79-DA ON 19 MAP 78 30 SECOND AVERAGING
INTENDAL STRAFF:17:165:30*
FARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: SMALL SNOH AFML CIRRUS STUDY BY AFGL

FLIGHT E73-08 ON 19 MAR 78 30 SECOND AVERAGING

FARTICLE TIME SYRVAL START:*17:05:30*

FARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: SMALL SNOW

389.68	7.569 TEMP (C) -29.4 FPOSTPOTINT -26.5 TAS M/S) NT (N/43)	2. (7E-02 236
PRECIP	2.89F+03 2.79F+03 1.43F+02 1.43F+02 2.35F+01 1.98F+00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	1.96E-02
SIZE	10 10 10 10 10 10 10 10 10 10 10 10 10 1	
CLOUD	9,95E+05 1,31E=05 4,12E=03 4,9E=03 2,9E=03 7,9E=03	1.116-03
SIZE	10000000000000000000000000000000000000	
SCATTER	2.155+10 1.355+10 1.355+10 9.67±10 9.67±10 1.356+10 1.356+10 1.376	3.755-02
SIZE	7727 T T T T T T T T T T T T T T T T T T	1100
6 (44) d	ALT (KM) 7,186 TEMP (C) -28.0 FROSIPOINT -25.6 TAS (M/S) 115.1 NT (N/31) 5853.0	2.216-02 296
PPECIP	3.87F.03 2.78E.03 2.78E.03 2.79E.01 3.12E.01 0.66E.00 0.00	2.186-02
3Z15		
PROBE	9.97F+04 1.31F+05 0. 1.66F+04 0.66F+04 0.66F+03 1.72F+03 1.07F+03	1.295-03
SI7E (MU)	30000000000000000000000000000000000000	
SCATTER	2 46 5 7 6 1 9 4 6 7 6 7 6 1 9 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9	1.845-02
SIZE	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	THC O HED O

AFML CIRRUS STUDY BY AFGL

BY ARR 78 30 SECOND AVERACING

INTERVAL STAFF ** 17107100**

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

AFML CIPRUS STUDY BY AFGL
19 MAR 7 8 30 SECOND AVERAGING
INTERVAL START:*17:03:00*
PARTICLE SIZE DISTREUTIONS (NUMBER/M**3-MM)

388.7	ALT (KM) 7.385 TEMP (C) -29.6	FROSTPOINT -26.8 TAS (4/S)	NT (N/43) 5969.7 TOTALS 7.96E-03	9 N L S
PRECIP PROBE	2.68E+03 6.41E+02 3.74E+01 5.44E+00		0. 0. 0. 5.55E-03	Y RY AFGL 30 SECOND AVERAGING 18130* INUMBER/W**3-MM)
SIZE	1086 1433 1433	2123 2468 2813 3158 3503	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	5 2 6
CLOUD	1.96E+05 1.81E+05 4.00E+03 4.71E+03	4.665.13 0.776.03 7.676.03 5.066.03	3.37E+03 4.31E+03 5.51E+03 4.90E+03 1.41E-03	AFML CIRRUS STUDY BY AFGL SO SECOND AVER INFRVAL STARTI*17:08:130* PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM) TYPE: SMALL SNOW
SIZE	420	1164 141 164 187 233	3222	INTER
SCATTER PR09E	2.29E+08 2.36E+09 9.55E+09 1.10E+10	7.15E+09 5.10E+09 3.26E+09 2.14E+09 6.94E+08	3.42E+07 7.96E+07 3.01E+07 4.27E+07 3.57E-02	FLIGHT E78 PARTICLE
STZE	222	6 1 2 1 4 8	19 21 23 25 27 INC	
388.3	ALT (KM) 7.392 TEMP (C)	-29.8 FROSTPOINT -27.4	117-11 NT (NZH3) 2 696-8 TOTALS 3.60E-03	ING
PRECIP	1.07E+03 3.33E+02 9.97E+00 5.41E-01		2.94E-03	F HY AFGL 30 SECOND AVERAGING 77 ±30* VUMBER/M**3-MM)
SIZE	1088	2123 2468 2813 3158	25 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	30 S 30 S 7:07:30 CNUMBE SNOW
CLOUD	6.55E+04 8.56E+04 0.	6. 56E+03 2. 42E+03 2. 89E+03 2. 35E+03 2. 55E+03	2.03EE-02 1.13E+03 1.48E+03 1.76E+03 6.60E-04	AFML CIPPUS STUDY BY AFGL 8 ON 19 MAY 78 30 SECOND AVER INTERVAL START**17*107**30** IZE DISTRIBUTIONS (NUMBER/M**3-MM) TYPE: SMALL SNOW
SIZE	45	118 141 154 154 154 154 154 154 154 154 154		AFN 1NTERV SIZE DI
SCATTER	2.58E+08 2.28E+09 1.03E+10	8.89E+09 6.78E+09 3.47E+09 1.26E+09	1.076+07 1.166+07 9.381+06 1.506+07 2.496+07 3.406-02	AFML CIPPUS S FLIGHT E78-08 ON 19 MAR 78 INFRVAL START: PARTICLE SIZE DISTRIBUTION TYPE: SMALL
SIZE	NMUN	6 1 2 4 9 9	19 21 23 25 27 1MC MED D	

389.0	ALT (KH) 7.379	TEMP (C)	FROSTPOINT -27.3 TAS (4/S)	114.5 NT (N/H3) 3967.3	TOTALS 4.01E-03 221
PRECIP	1.58E+03 2.38E+02 6.37E+00	5.58E-01 0.			2.89E-03
SIZE	1088	1433	2468 23 3158	434 4194 4538 4538	5228
CLOUD	1.33E+05 1.23E+05	0. 1.65E+03	5.63E+03 1.59E+03 0.	4. 16E+03 1. 15E+03 2.17E+03 4. 07E+03	3.49E+03 1.11E-03 150
STITE	52	118	167 210 210	256 279 302 325	348
SCATTER	3.396+09	1.41E+10 9.39E+09	2.03E+09 1.19E+09 4.68E+08	1.51E+07 1.33E+07 1.48E+07 1.33E+07	2,36E+07 3.14E-02 10
STZE	NMU		1211	118 21 23 25	ZY INC
388.3	ALT (KH) 7.392	TEHP (C)	FROSTPOINT -27.0	TAS (M/S) 118.8 NT (N/43)	TOTALS 6.65E-03 273
PRECIP	1.65E+03 7.68E+02	1.70E+01 1.09E+00 0.			6.87E-03
SIZE	743	1433	2123 2468 2813 3158	3503 4193 4538	5228
CLOUD	6.44E+04 9.27E+04	3.95E+03 4.71F+03 3.24E+03	2.38E+03 0. 2.31E+03 3.32E+03	1.00E+03 2.23E+03 2.32E+03	2,27E+03 7,84E-04
SIZE	56	95	164 164 187 210	233	8 4 8
SCATTER	2.37E+08 2.58E+09	1.02E+10 1.16E+10 7.73E+09	5.54E+09 3.23E+09 1.65E+09 3.61E+08	4.62E+07 1.91E+07 2.11E+07 1.88E+07	3.30E-02 11
SIZE	NM	2 1 6	112 12 11	23 24 3	TWC NED 0

FLIGHT E78-06 ON 19 MAR 78 30 SECOND AVERAGING
19 MAR 78 30 SECOND AVERAGING
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MH)
TYPE: SMALL SNOW

PARTICLE SEZE DISTRIBUTIONS (NUMBER/M**3-MM) TYPE: SHALL SNOW
PARTICLE SEZE DISTRI

389.6	ALT (KM) 7.369	TEAP (C)	FROSTPOINT -26.7	TAS M/S) 112.8 NT (N/43)	1.73E-03 1.73E-03
PRECIP	9.496+02				0. 0. 9.38E-04
SIZE	743	1433	2468 2813 3158	3503 3848 4193 4538	5228
96084	0. 1.25E+05	2.48E+03	2.97E+03 1.62E+03	7.65E+03 1.05E+03 0.9E+02	1.90E+03 1.69E+03 7.91E-04
SIZE	98	95	161	233 256 256 302	358
SCATTER PPOBE	2.89E+08	7.04E+09 5.19E+09	1.46E+09 4.99E+08 5.85E+07	2.40E+06 2.40E+06 6.02E+05	6.02E+05 2.41E+06 8.35E-03
SIZE	NM	~ ~ 0	127	22111	25 27 27 14C
388.9	ALT (KN) 7.381	TEMP (C)	FROSTPOINT -27.0	TAS (M/S) 113-1 NT (N/N3)	3258.9 TOTALS 2.08E-03
PRECIP	7.70E+02 2.15E+01			0000	0. 0. 8.19E-04
SIZE	743	1088	2123 2468 2813	3503	5228
CLOUD	1.686+05	4.15E+03 4.96E+03 6.71E+03	1.24E+03 1.96E+03 1.63E+03 4.38E+03	2.86E+03 3.17E+03 3.52E+03 4.01E+03	4.56E+03 3.41E+03 1.26E-03 153
SIZE	5.5	95	161	255	348
SCATTER	2.64E+08	1.22E+10 7.62E+09	3.58E+09 8.78E+08 1.02E+08	5.68E+06 5.40E+06 5.09E+06 3.69E+06	4.49E+16 5.19E+16 1.96E-12

AFML CIRRUS STUDY BY AFGL FLIGHT E78-08 ON 19 HAR? 78 30 SECOND AVERAGING CARTELE STATE TATE TO THE TABLE AND
19 MAR 78 RVAL START:

AVERAGING	O X
FLIGHT E78-08 ON 19 4MP 78 35 SECOND AVERAGING	PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3 TYPE: SHALL SNOW

389.4	ALT (KM) 7, 372	TEMP (C)	FROSTPOINT -25.9	14S (M/S)	1392.5	1.94E-03
98099 913399	7.13E+02 9.55E+01					1.20E-03
SIZE	74.3	1778	2468	3503	4538	9225
CLOUD	1.68E+05 5.33E+04	1.705+03	1.966+03	4.38E+03	1.516+03	7.418-04
SIZE	25.5	118	184	233 256	302	9 40
SCATTER	5.126+08	1.15E+10 7.17E+99	2.95E+09 8.22E+08	6.17E+07 8.39E+06 5.39E+06	8.09E+06 5.70E+06 9.88E+06	2.785-02
SIZE	N.M.	0 1 0	112	138	23	INC INC MED 0
389.7	ALT (KM)	TEMP (C)	FROSTPOINT -26.6	14S M/SI	NT (N/M3)	1.13E-03
PRECIP	5.16E+02 0.					5.13E-04
SIZE	743	1778	2458	3503	4538	\$228
PROBE	6. 28E+04	•••	0. 8.18E+02	9.60E+02 7.42E+03	1.56E+03 1.03E+03	9.22E+02 6.18E-04 141
SIZE	25	118	164	233	302	348
SCATTER PROBE	2.30E+07 8.16E+06	9.07E+06 8.16E+06	2.72E+06 2.12E+06	2.42E+06 1.21E+06 6.05E+05	1.516+06	6.05E+05 9.06E-05 19
SIZE	200		12 11 11 11 11 11 11 11 11 11 11 11 11 1	686	53	INC HED D

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL STAFF*17:11:00*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: SMALL SNOW

	AVERAGING		(NH-)	
AFML CIRRUS STUDY BY AFGL	FLIGHT F78-08 ON 19 MAR 78 30 SECOND	INTERVAL STARTI 17:12:00*	PARTICLE SIZE DISTRIBUTIONS (NUMBER/N**3-MM)	HUNU TABLE THE

388.8	ALT (KH) 7.363	TEMP (C)	FROSTPOINT -26.8	1AS (M/S)	NT (N/M3)	3.10E-05
PRECIP						•
SIZE	745	1778	2813	3503	4538	
Prond	1.73E+04	0. 1.64E+03	9.71E+02 0. f.			3. 20E-05
SIZE (MU)	25	11.8	187	233	325	
SCATTER	2.01£108 2.33£+09 2.81£+09	1.56E+09 5.13E+08	5.27E+07 1.40E+07	8.76E+05 1.17E+06		2.006-03
SIZE	200	r 6 ;	1224	118	3233	INC MED D
389.2	ALT (KM) 7.375	TEMP (C)	FROSTPOINT ~26.9	TAS (M/S)	NT (N/43) 4464.0	2.13E-03
PRECIP	7.01E+02 6.09E+00					6.26E-04
SIZE	743	1433	2468	3503	4538	5228
CLOUD	1.000+05	0. 2.45E+03 1.66E+03	3.71E+03 9.71E+02 0.	5. 20E +03 1.89E+03 4.15E+03	3.46E+03 4.96E+03 7.09E+03	4.85E+03 1.51E-03 159
SIZE	56	95	141	210 233 256	302	34.8
SCATTER	2.29E+08 5.09E+09	7.28E+09 4.82E+09 2.63E+09	1.15E+09 3.27E+08 6.01E+07	2.55E+07 1.30E+07 9.48E+06	6.51E+06 7.11E+06 4.44E+06	3.85E+05 A.09E-03
SIZE	NN	4 2 6	112	16 18	23	ZWC TWC

AFML CIRRUS STUDY MY AFGL NN 19 MM 78 30 SECOND FRVAL STADIG-17:12:30* E OTSTRIBUTIONS (NUMBER/M**)		AVERAGING		CHH)	
FLIGHT E78-08 (IN PARTICLE SIZE	AFWL CIRRUS STUDY MY AFGL	FLIGHT E78-08 ON 19 MAP 78 30 SECOND AVERAGING	INTERVAL STAPTI-17:12:30*	PARTICLE SIZE DISTRIBUTIONS (NUMBER/ W**3-MM)	TYPE: SMALL SNOW

388.5	ALT (KM)	TEMP (C) -28.7	FROSTPOINT	116.0	NT (N/43)	8. SE-06
9809º						•
SIZE	743	14.33	2468 2813 3158	3503	4538 4883 5228	
PROBE		1.64E+03			•••	8.50E-06
SIZE	50	113	187	233 256 279	302	
SCATTER	4.10E+08 2.05E+09	4.92E+08 1.28E+08	5.24E+06 0.	••••	5.85E+05 0.	7.21E-04
STZE	200		127	119	25 27 27	MED D
789.2	ALT (KM)	TEMP (C) -28.7	FROSTPOINT -26.5	TAS (M/S)	5798+3	707ALS 5.73E-03 198
PRECIP	3.825+03					3.80E-03
SIZE	143	1433	2468 2813	3503	4538	
CL000	0. 1.65E+05	0. 4.86E+03 4.97E+03	1.93E+03 0.	1.87E+03 5.15E+03	6-61E+03 7-64E+03	1.94E-03 158
SI7E	56	95	164	233	302	3
SCATTER	1.62E+07	4.476+07	2.53£+07 1.32£+07 1.85£+07	1.29E+07 7.06E+06 3.82E+06	5.00E+05 6.17E+06 3.53E+06	4.87E-04
SIZE	2 10	8 1 6	112	18	233	INC MED D

AFWL CIRRUS STUDY MY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INFRVAL START:*17:11:30*
PARTICLE STZE DISTRIBUTIONS (NUMBER/M**3-MN)
TYPE: SMALL SNOW

AFWL CIRRUS STUDY BY AFGL

RITERVAL START:*17:13:00*

INTERVAL START:*17:13:00*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MM)

TYPE: SMALL SNOW

AFML CIRRUS STUDY BY AFGL
19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*17:14:80*
PARTICLE SIZE DISTREBUTIONS (NUMBER/M**3-MM)
TYPE: SMALL SNOW

378.2	ALT (KH)	7.577		TEMP (C)	-29.8		FROSTPOINT	-30.4		TAS M/SI	116.5		NT (N/M3)	0.0		TOTALS	.0	0
PRECIP	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		.0	0
SIZE	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	.0	.0	•0	•0	•0	•	.0	•0	•0	•0	••	•	•0	•0	.0		•0	0
SIZE	56	64	72	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER PROBE	5.51E+08	.0	.0	.0	.0	.0	0.	.0	.0	.0	.0	.0	.0	.0	.0		4.80E-06	2
SIZE	2	m	2	1	6	11	12	14	16	18	19	21	23	52	27		THC	
387.9	ALT (KH)	7.398		TEMP (C)	-28.4		FROSTPOINT	-27.5		TAS (M/S)	117.5		NT CN/M31	0.0		TOTALS	.0	0
PRECIP	0.	0.	0.	.0	0.	0.	0.	.0	0.	0.	0.	0.	0.	0.	0.		.0	0
SIZE	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
PROBE	0.	0.	0.	0.	0.	0.	0.	.0	0.	0.	0.		0.	.0			0.	0
SIZE	36	5	12	. 6	118	141	154	187	210	233	256	579	302	325	348			
SCATTER	4.705+08	2.92E+05	0			9.		.0								,	4.116-06	2
STZE	•	m	r	1	. 0		12	14	1 2	000	0	21	23	25	22		THE	MED D

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECONO AVERAGING
INTERVAL STAPTI+17:13130*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

AFML CIRPUS STUDY BY AFGL
FLIGHT F78-08 ON 19 HAR 78 30 SECOND AVERAGING
INTERVAL START:*17:14:30*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: SMALL SNOW

P (48)	374.1	ALT (KH)	7.652		TEMP (C)	-30.4		FROSTPOINT	-33.1		TAS (M/S)	117.2		NT (N/43)	0.0		TOTALS	.0	0
PRECIP	PROBE	0.	.0	.0	0.	.0	0.	0.	.0	.0	0.	0.	.0	.0	0.	0.		.0	0
SIZE	(MD)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	PROBE	0.	.0	•0	.0	.0	.0	.0	.0	0.	.0	•0	0.	.0	0.	.0		.0	0
SIZE	(HC)	56	64	7.2	9.6	118	141	164	187	210	233	256	513	302	325	348			
SCATTER	36044	6.146+08	.0	0.	2.93E+05	.0	0.	.0	.0	.0	.0	.0	.0	.0	.0	.0		5.46E-06	2
SIZE	CHO.	2	2	r	_	6	11	12	14	16	18	19	21	23	25	27		INC	MED D
(8H) d	384.1	ALT (KH)	7.469		TEMP (C)	-29.0		FROSTPOINT	-29.3		TAS (M/S)	117.5		NT (N/43)	0.0		TOTALS	.0	0
PRECIP	PROBE	.0	.0	0.	.0	.0	.0	.0	0.	0.	0.	.0	.0	0.	.0	.0		.0	0
SIZE	(MI)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	PROBE	0.	0.	0.	0.	0.	0.	•0	0.	0.	.0	.0	0.	0.	.0	.0		0.	0
SIZE	(MA)	26	64	72	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	PROBE	5.316+08	0.	2.90E+05	0.	0.0	9.	0.		0.		0.	0.	0.	0.	0.		4.68E-06	2
STZE	(MO)	2	m	2	1	0	11	12	14	16		10	21	23	25	27		IMC	MED D

FLIGHT E78-06 ON 19 MAP 78 30 SECOND AVERAGING
1NTERVAL STRATI-1715100*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MM)

FLIGHT E78-06 ON 19 MAR 76 30 SECOND AVERAGING PARTICLE SIZE OISTRIBUTIONS (NUMBER/H**3-MH)
TYPE: SMALL SNOW

(48) d	362.5	ALT (KH)	7.871		TEMP (C)	-32.3		FROSTPOINT	-34.9		TAS MYSI	118.0		NT CN/439	13215.2		TOTALS	3.36E-03	121
PRECIP	PROBE	1.12E+03	.0	.0	.0	.0	.0	0.	.0	.0	.0	.0	.0	.0	0.	.0		1.106-03	217
SIZE	(AK)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	PROBE	9. 05E+05	3.57E+05	7.98E+03	3. 09E+04	8. 40E+04	3. 47E+04	2. 26E+04	6. 22E+03	8.39E+03	4.58E+03	2. 01E+03	1.12E+03	1.58E+03	2. 24E+03	2. 00E+03		2. 26E-03	6.8
SIZE	(AR)	56	64	72	96	118	141	164	187	210	233	256	612	302	325	348			
SCATTER	PPOBE	2.25E+08	7.01E+07	5.28E+07	4.80E+07	3.53E+07	2.81E+07	1.69E+07	1.55E+07	1.38E+07	6.03E+06	6.03E+06	5.17E+06	2.01E+06	4.31E+06	2.30E+06		4.88E-04	18
STZE	(MC)	2	m	2	^	6	11	12	14	16	18	19	21	23	52	22		INC	0 031
(48) d	570.2	ALT (KH)	7.725		TENP (C)	-31.0		FROSTPOINT	-33.8		TAS (N/S)	118.0		NT (N/N3)	0.0		TOTALS	.0	0
PRECIP	PROBE	0.	0.	0.	.0	0.	.0	0.	0.	0.	0.	0.	0.0	0.	.0	.0		.0	0
37.12	CHO	465	743	1088	1433	1778	2123	2468	2813	1158	3503	3848	4193	4538	4883	5228			
01000	PROBE	-	0.	0.	0.	0	0.					. 0		0.		0.		0.	0
SIZE	(HD)	36	9	72	4 6	11.8	141	194		210	211	25.5	279	302	325	348			
SCATTER	PROBE	A. 93F+0A	0				2. ARF+05			•								6-408-06	2
27.75	(MA)					. 0		13	10	* *	01		1.0	20	25	22		CAL	MED D

AFUL CIRRUS STUDY BY A FGL FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING	INTERAL STAFF1116130* PARTICLE SIZE 01STRIBUTIONS (NUMBER/N**3-MM) TYPE: SMALL SNOW
AFML CIRRUS STUDY BY AFGL SELIGHT E78-08 DN 19 MAR 78 30 SECOND AVERBGING	INTERVAL START:*17:15:30* PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM) TYPE: SHALL SNOW

(44) q	6.666	ALT (KH)	7.940		TEMP (C)	-32.8		FROSTPOINT	-35.8		TAS (M/S)	118.2		NT (N/M3)	20702.1		TOTALS	4.88E-03	131
PRECIP	PAURE	1.63E+03	.0	.0	.0	.0	.0	0.	0.	0.	.0	.0	.0	0.	.0	.0		1.62E-03	217
SIZE	1041	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	34034	7.41E+05	6.19E+05	1.998+04	4. 98E + 04	7.74E+04	3.34E+04	3. 01E+04	1. 32E + 04	1.51E+04	1. 09E+04	1. COF + 04	.0	1.63E+03	3.27E+03	2, 92E + 03		3. 26E-03	100
SIZE	100	92	64	72	98	118	141	164	187	210	233	256	513	302	325	348			
SCATTER	36026	3.29E+08	7.36E+07	5.53E+07	5.19E+07	3.09E+07	3.32E+07	2.06E+07	1.83E+07	1.32E+07	6.30E+06	8.02E+06	4.58E+06	3.44E+06	4.87E+06	4.58E+06		5.86E-04	19
SIZE	101	2	*	s	1	6	11	12	14	16	18	19	21	23	52	27		INC	MED D
(48) d	300.0	ALT (KM)	7.805		TEMP (C)	-31.6		FROSTPOINT	-31.6		TAS (M/S)	117.7		NT (N/M3)	1247.3		TOTALS	3.38E-04	154
PRECIP	PROBE	1.01E+02	4.936-01	0.	.0	0.	0.	0.	0.	0.	0.	0.	0.	0.	.0	0.		7.33E-05	218
SIZE	9	465	743	1088	1433	1778	2123	2468	2813	31.58	3503	3848	4193	4538	4883	5228			
crono	PROBE	.0	3. 43E+04	0.	2.405+03	4.88E+03	6.01E+03	1.90F+03	1.56F+03	8.435+02	0-	0.	0.0	4. 22E+02	8. 44E+02	5.96E+02		2.65E-04	106
SIZE	(AD)	56	64	72	95	118	141	164	187	210	211	256	279	302	325	348			
SCATTER	9808d	8.05E+08	6.345+06	3.466+06	6.35F+06	3.466+06	2.88F+06	1.445+06	5.766+05	1.155+06	1-445+06	8.65F+05	2.88F+05	2.89F+05	5.76E+05	2.88E+05		6.04E-05	18
SIZE	(HC)	2				σ	:	12	4 4	. 4		0	21	2.4	25	27		INC	4ED D

FLIGHT E78-06 ON 19 NR 75 30 SECOND AVERAGING PARTICLE SIZE DISTRIBUTIONS (NUMBER/N**3-MM) TYPE: SMALL SNOM

AFML CIRRUS STUDY BY AFGL

SECOND AVERAGING

INTERVAL STAFT:*I7:18:00*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

(48) d	355.0	ALT (KH)	A. 0.17	10.00	TEMP (C)	-33.7		FROSTPOTAL	- 15.2		TAS (M/S)	121.5		NT (N/MR)	22337.5		TOTAL	4 - 8 35 - 0	126
PPECIP	PROBE	4.86E+02	2.39F+00	0.	0.	.0	.0	0.	0.	0	.0	0	0.	0.	0	. 0		3.97E-04	218
SIZE	(HI)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	PROBE	6. 59E + 05	6.85E+05	1.935+04	3. 92E+04	7.84E+04	2.67E+04	2.47E+04	1.21E+04	2.44E+04	1.695 +04	1.56E+04	8.695+03	7. 18E+03	5.94E+03	3.94E+03		4.44E-03	122
SIZE	(HC)	36	64	72	36	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	PROBE	2.64E+08	1.13E+08	1.058+08	8.118+07	6.02E+07	4.658+07	2.796+07	3.26E+07	1.95E+07	1.00E+07	8.91E+06	6.96E+06	8.91E+06	5.57E+06	4.456+06		8.51E-04	1.8
51 ZE	CHO	2	m	5	7	6	11	12	14	16	18	19	21	23	52	27		INC	MED D
(8H) a	355.1	ALT (KM)	8.014		TEMP (C)	-33.5		FROSTPOINT	~35.0		TAS (M/S)	118.0		NT (N/M3)	39627.8		TOTALS	6.92E-03	105
PRECIP	PROBE	3.53E+02	4.89E-01	0.	0.	.0	.0	0.	0.	.0	0.	.0	.0	.0	0.	0.		2.36E-04	217
SIZE	CHO	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	522R			
CLOUD	PROBE	1.81E+06	1.19E+06	4. 38E+84	6.65E+04	1.796+05	7. 90E+04	4. 23E+04	2. 33E+04	3.44E+04	2. 11E+04	1.716+04	8.97E+03	7. 06E+03	5.56E+03	3.54E+03		6.68E-03	101
SIZE	(AU)	92	53	12	38	118	141	164	187	210	233	256	518	305	325	348			
SCATTER	PROBE	1.74E+08	1.40E+08	1.28E+08	1.135+08	8.27E+07	5.57E+07	3.82E+07	3.56E+07	3.44E+07	1.90E+07	1.41 E+07	1 . 03E+07	1.26E+07	1.036+67	5.17E+86		1.245-03	1.8
SIZE	(AD)	~	10	5	×	6	11	12	14	16	18	19	21	23	52	22		INC	MED D

FLIGHT E78-08 ON 19 MAP 78 30 SECOND AVERAGING PARTICLE SIZE DISTRIBUTIONS (NUMBER/4**3-MH)
TYPE: SHALL SNOW FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING TO THE THEORY START: 1717.1730*
PARTICLE SIZE DISTREBUTIONS (NUMBER/M**3-MM)

P (48)	355.1	ALT CKN	A 0 4 4	***	TEMP (C)	-33.6		FROSTPOTAT	-36-0		TAS (N/S)	120-6	2	NT CN/MZ	17262 1	21.545.53	TOTALS	131
PPECIP	PROBE	6.80F+02	1 - 3 0F + 0 1	5.07E-01	0.	0.	.0	0.	0.	0.	0.	0.	0.	0.	0.			221
SIZE	CHO	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228		
CLOUD	PROBE	5. 06E+05	5. 33F+05	3.91E+03	2. 09E+04	6.48E+04	2.93F+04	1.94E+04	1.14E+04	1. 54E+04	1.52E+04	6.90E+03	8.75E+03	6.50E+03	4. 81F+03	3. 49F + 03	7. 62F=01	122
SIZE	(HD)	26	63	72	9.6	118	141	164	187	210	233	256	279	302	325	348		
SCATTER	PROBE	5.23E+08	9.395+07	8.61E+07	5.96E+07	4.92E+07	3.748+07	2.05E+07	3.06E+07	1.946+07	1.29E+07	9.00E+06	5.34E+06	7.31E+06	2.81E+06	3.65E+06	7.265-04	17
SIZE		2	8	2	~	6	11	12	14	16	1.8	19	2.1	23	25	27	INC	MED 0
(44) d	354.9	ALT (KM)	6.018		TEMP (C)	-33.7		FROSTPOINT	-34.7		TAS (M/S)	121.7		NT (N/M3)	76498.1		1.79F-02	123
PPECIP	38086	1.96E+03	1.436+01	.0	.0	.0	.0	.0	0.	.0	.0	.0	.0	.0	.0	0.	1.756-03	218
SIZE	(MA)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228		
CLOUD	PROBE	2.98E+06	2.21E+06	8.92E+04	1.50E+05	2.99E+05	1.28E+05	9.95E+04	4.82E+04	9. 42E+04	7. 26E+04	4. 68E+04	2. 06E+04	2. 15E+04	2. 26E+04	1.51E+04	1.61E-02	119
SIZE	CHO	92	64	7.2	96	118	141	164	187	210	233	256	513	302	325	348		
SCATTER	38086	1.988+07	2.22E+08	3.06E+08	2.61E+08	1.88E+08	1.50E+08	9.55E+07	1.036+08	7.79E+07	4.03E+07	3.34E+07	2.78E+07	2.84E+07	2.33E+07	1.59E+07	3.025-03	18
SIZE	S C C C C C C C C C C C C C C C C C C C	2	M	in	1	0	11	12	14	16	1.8	13	21	23	52	27	INC	MED D

AFWL CIRRUS STUDY BY AFGL
30 SECOND AVERAGING
INTERVAL START**IZ*19100*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: SMALL SNOW

VERAGING	(H)
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING	PARTICLE SIZE DISTREBUTIONS (NUMBER/M**3-MM)

0	355.5	***	ALI (KH)	8.005		TEMP (C)	-33.5		PROSTPOINT	-35.1		TAS CHISS		110.0		1 1 1 N	8203.3		TOTALS	1.655-03	128
PRECTP	PROBE	2 585403	204306.2	2.446.00	•		.0			0.	.0	0.				. 0	• 0	.0		2.24E-04	219
SIZE	(UM)	777	10.	5000	1000	000	21.78	2163	0000	2813	3158	3503	4848	4107	1.570	0000	4883	5228			
CLOUD	PROBE	3.245+05	2 305 405	3 055 403	0 44.5	766.00	10.00.1	6 675403	20.00	8.471.03	7. 48E +03	5.45E+03	4. 00F+03	2.22F+03	2. 256 403	2000.00	Z. 28E+03	1.59E+03		1.436-03	120
SIZE	(MA)	26	0.7	12	5 6		144	164		101	210	233	256	279	302	100	352	348			
SCATTER	PPOBE	8.31E+08	4. 195+07	3.08F+07	2.45F+07	2. 39F + N7	1.625+07	9.98F+06	1.175+07	0 20 00 00	90.4302.0	4.28E+06	2.28E+06	1.71E+06	2.28E+06	3 125 105	3.135.16	1.045+06		3.08E-04	17
SIZE	(MC)	122	1,	r	1	g		12	14	**	01	18	19	21	23	36		27		INC	MED U
p (48)	355.4	ALT (KH)	8.009		TEMP (C)	-33.6		FROSTPOTNT	-35.4		TAC MACE	LAS CAL	120.1		NT (N/43)	11457.4	*******		TOTALS	Z.8ZE-03	121
PPECIP	PROBE	3.89E+02	1.93E+00	0.	.0	0.	0.	0.	0.			•	.0	.0	.0			• 0		3.146-04	210
SIZE	(a)	465	743	1088	1433	1778	2123	2468	2813	21 5.A	2502	2002	3848	4193	4538	4883	0000	0226			
CLOUD	PROBE	6. 04E+05	3. 34E+05	0.	1.87E+04	5. 40E+04	2.35E+04	1.58E+04	7.64E+03	1.655404	4 505 402	4. 200 - 03	5. 95E+03	3. 20E+03	3.888+03	4. 57F + 0.3	P	3. 455 +65		6.51E-03	116
SIZE	CHO.	26	64	7.2	36	118	141	164	187	210	226	000	256	513	302	325	0 7 6	0			
SCATTER	PROBE	5.075+08	6.12E+07	5.45E+07	4.15E+07	3.08E+07	2.31E+07	1.69E+07	1.525+07	1.135+07	A 78E+OF	0010000	3.39E+06	3.96E+06	5.93E+06	5.65E+05	0000	1.700.100		*0-320 *G	1.4
SIZE	(OH)	2	M	5	1	6	11	12	14	+ 12		0 1	10	21	23	25	22	10	4110	INC	0 03

AFWL CIRRUS STUDY BY AFGL
TO 19 HAR 78 30 SECOND AVERAGING
INTERNAL STAFT+*17*91:30*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MH)
TYPE: SHALL SNOW

AFHL CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 HAR 78 3G SECOND AVERAGING
INTERVAL START:*17:20:30*
PARTICLE SIZE DISTRIBUTIONS (UNDHERZ/H**3-HH)
IYPE: SMALL SNOM

P (48)	ALT (KH) 8.003	TEHP (C)	FROSTPOINT -35.1	118.8 NT (N/M3)	116.1 TOTALS 9.49E-05
PPECIP	3.05E-01	••••			0. 0. 2.95E-06
SIZE	743	1433	2813	3848 4193 4538	5228
CLOUD	0. 2.53E+04	0. 6.38E+03	1.87E+03 7.69E+02 0.		0. 0. 9.19E-05
SIZE (MU)	26	118	164	256	348
SCATTER	1.24E+09 5.11E+06	6.26E+06 3.69E+06 1.99E+06	1.98E+06 5.69E+05 5.67E+05 5.67E+05	2.83E+05 8.52E+05 2.84E+05	4.81E-05
SIZE	20 10 10	r 6 11	11 11 12 12 13 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 15 15 15 15 15 15 15 15 15 15 15 15	21 22 23	ZZ ZZ ZWC MED D
P (48)	ALT (KM) 8.007	TEMP (C) -33.6	FROSTPOINT -34.6 TAS (M/S)	119.0 NT (N/H3)	TOTALS 4.39E-03
PRECIP PROBE	6.39E+02 5.86E+00	••••			6.71E-04 219
SI 7E	743	1433	2468 2813 3158 3503	3848 4193 4538 4883	5228
CLOUD	8.33E+05 5.74E+05 1.98E+04	1.65E+04 6.25E+04 4.28E+04	2.43E+04 1.08E+04 2.16E+04 1.63E+04	7.98E+03 4.43E+03 5.27E+03 6.28F+03	4.32E+03 3.82E-03 118
SIZE (MD)	469	95 118 141	164 187 210 233	256	24.0
SCATTER	4.45E+08 8.72E+07 6.92E+07	5.24E+07 4.33E+07 3.25E+07	2.36E+07 2.36E+07 1.91E+07 9.11E+06	5.41E+06 3.41E+06 3.13E+06 6.27E+06	3.99E+06 6.35E-04
STZE	NMIN	7 6 11	16	23 25 25	ZZ TWC MED D

AFML CIRRUS STUDY BY AFGL
MARYA 30 SECOND AVERAGING
INTERVAL STATI*;17221400*
PARTICLE SIZE DISTREBUTIONS (NUMBER/M**3-MM)

AFML CIRRUS STUDY BY AFGL
19 MAR 7 8 30 SECOND AVERAGING
INTERVAL START:**17*22*100*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MM)
TYPE: SMALL SNOW

P (MB) 355.5	ALT (KH)	F. 007		TEMP (C)	-33.1		FROSTPOINT	-37.2		TAS (M/S)	119.6		NT (N/43)	97.3		TOTALS	7.8E-05	121
PRECIP	.0	0.	. 0	.0	0.	.0	.0	.0	0.	.0	.0	0.	0.0	0.0	0.		.0	0
SIZE	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	.0	.0	.0	.0	1.59E+03	.0	0.	0.	1.652+03	.0	9.90E+02	.0	.0	.0	.0		7. 25E-05	121
SIZE (MU)	58	64	72	96	118	141	164	187	210	233	256	518	302	325	348			
SCATTER PROBE	1.33E+09	1.985+06	1.13E+06	5.65E+05	1.13E+06	2.82E+05	2.84E+05	2.82E+05	1.135+06	2.84E+05	.0	.0	.0	.0	2.82E+05		2.61E-05	10
SI7E (MU)	2	m	2	7	6	11	12	14	16	18	19	21	23	52	27		INC	MED O
355.2	ALT (KH)	8.012		TEMP (C)	-33.3		FROSTPOINT	-36.3		TAS (H/S)	119.9		NT (N/H3)	6212.6		TOTALS	1.698-03	130
PRECIP P (48)	2.42E+02 ALT (KM)			O. TEMP (C)	033.3	0.	g. FROSTPOINT	036.3	.0	0. TAS (M/S)	0. 119.9	0.	0. NT (N/H3)	0. 6212.6	0.	T01 ALS		222 130
	2.42€+02	6.76E+00	0.	.0	1778 033.3	0.	0.	0.	.0	.0	.0	0.	.0	.0	.0			
PRECIP	465 2-426+02	743 6.76E+00	1088 0.	1433 0.	1778 0.	2123 0.	2468 0.	2813 0.	3158 0.	3503 0.	3848 0.	4193 0.	4538 0.	4883 0.	5228 0.		2.53E-04	
SIZE PRECIP	2.225405 465 2.425402	1-92F+05 743 6.76F+00	1088 0.	2.32F+03 1433 0.	1778 0.	7. 04E+03 2123 0.	5.546+03 2468 0.	5.34E+03 2813 0.	5.75E+03 3158 0.	8. 09E+03 3503 0.	5. 93F+03 3848 0.	2,216+03 4193 0.	1.746+03 4538 0.	1.37F+03 4883 0.	1.03E+03 5228 0.		2.53E-04	222
CLOUD SIZE PRECIP PROBE (MU) PROBE	2.225405 465 2.425402	7 43 6.76E+00	72 0. 1088 0.	95 2.325+03 1433 0.	7 118 3.01E+04 1778 0.	141 7.048+03 2123 0.	164 5.54F+03 2468 0.	187 5.34F+03 2813 0.	5.75E+03 3158 0.	233 8.09E+03 3503 0.	256 5.93F+03 3848 0.	279 2.21F+03 4193 0.	302 1.748+03 4538 0.	325 1.37F+03 4883 0.	348 1.03E+03 5228 0.		2.53E-04	124 222

AFML CIRPUS STUDY BY AFGL

TO TO TO A STUDY BY AFGL

TO THE REAL START:*-1772.113.0*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

AFHL CIRRUS STUDY PV AFGL

FLIGHT F78-08 ON 19 MAR 78 30 SECOND AVERAGING

INTERVAL STATISTICATES (NUMBER/M**3-MM)

TYPE: SMALL SNOW

	(5,6)	355.4	ALT (KH)	8.007		TEMP (C)	-33.1		FROSTPOINT	-38.6		TAS (M/S)	119.4		NT ENZM31	214.1		TOTALS	1.50E-05	76
01000	PEELIF	PROBE	.0	0.	0.	.0	0.	0.	.0	0.	.0	.0	.0	0.0	0.	0.	.0		0.	0
3613	3715	(MD)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
On O	CLUOD	PRORE	0.	8.38E+03	.0	.0	0.	.0	9.28E+02	0.	.0	0.0	.0	.0	0.	.0	.0		1.608-05	46
24.12	2776	(40)	56	64	7.2	9.6	118	141	164	187	210	233	256	519	302	325	348			
CCATTEO	SCHILL	PRORE	1.54E+09	.0	2.84E+05	2.81E+05	2.84E+05	.0	5.62E+05	.0	.0	0.	.0	.0	0.	.0	0.0		1.49E-05	2
24.10	3716	(HA)	2	2	5	7	6	11	12	14	16	18	19	21	23	52	27		IMC	MED D
1074	(44)	355.3	ALT (KH)	8.009		TEMP (C)	~33.2		FROSTPOINT	~35.9		TAS (M/S)	119.2		NT (N/M3)	1.666		TOTALS	7 .91E-04	193
	PPECIP	PROBE	4.84E+02	0.	0.	.0	.0	.0	• 0	0.	0.	0.	.0	0.	.0	0.	0.		4.82E-04	217
	SIZE	(NA)	465	743	1088	1433	1778	2123	2468	2813	3158	1503	3848	4193	4538	4883	5228			
	GROND	PROBE	0.	2.535+04	0.	2. 36E+03	1.60E+03	1.19E+03	9.34F+02	1.545+03	1.66E+03	2.72F+03	9.	0.	4.84F+02	9.69E+02	8.66E+02		3.10E-04	129
	SIZE	(MA)	26	67	72	9.6	118	141	154	187	210	233	256	518	302	325	348			
	SCATTER	9809G	1.365+09	E. 60F+06	1.995+06	4.55 6+06	2.84E+05	2.27E+06	1.716+06	2.84F+05	5.69E+05	0	2.85F+05	5.68F+05	0.	0.			3.325-05	1.0
	3/12	CHO	0	. ~	ישי		0	11		1	. 4		0.0	21	2.6	25	22		THE	MED D

AFML CIRRUS STUDY BY AFGL
19 HAR 76 30 SECOND AVERAGING
INTERVAL STAFF**17:23:00*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: SMALL SNOW

AFWL CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 HAR 78 30 SECOND AVERAGING
INTERVAL STAPT:*17:24:00*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-HH)
TYPE: SMALL SNOW

355.4	ALT (KH)	8.009		TEMP (C)	-33,1		ROSTPOINT	-39.4		TAS (M/S)	119.6		IT (N/M3)	1316.6		TOTALS	1.23E-04	7.4
PRECIP PROBE	3.05E-01				.0	.0	0.	.0	.0	.0	.0	.0	.0	.0	.0		2.95E-06	293
ST ZE	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	3. 18E+04	4. 20E+04	3.92E+03	4. 70E+03	3. 17E+03	.0	1.86E+03	7.69E+02	8. 30E+02	.0	0.	.0	0.	.0	0.		1.20E-04	73
SIZE (MU)	56	64	72	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	1.56E+09	4.82E+06	3.97E+06	4.25€+06	1.13E+06	1.98E+06	1.70E+06	1.98E+06	5.66E+05	5.67E+05	8.50E+05	8.50E+05	2.82E+05	.0	0.		5.19E-05	14
SIZE (MU)	2	m	2	~	6	11	12	14	16	18	19	21	23	52	27		INC	MED D
355.3	ALT (KH)	8.009		TEMP (C)	+33.1		FROSTPOINT	-39.5		TAS (M/S)	119.1		NT (N/43)	4.50.5		TOTALS	2.88E-05	47
PRECIP	.0	0.	0.	0.	0.	.0	0.	.0	.0	.0	0.	.0	.0	.0	.0		0.	0
SIZE (HU)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	0.	1.68E+04	0.	0.	1.60E+03	1.188+03	0.	0.	0.	0.	0.	0.	0.	.0	.0		2.88E-115	1.4
SIZE	3.6	64	7.2	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	1.60E+09	5.69E+B5	0.	0.	0.	2.84E+05	0	0.	0.	0.	0.		0.	0.	0.		1-445-05	2
							12											0

AFML CIRRUS STUDY BY AFGL

19 MAR 78 30 SECOND AVERAGING

INTERVAL START:*12724330*

PARTICLE SIZE DISTREBUTIONS (NUMBER/M**3-MH)

TYPE: SMALL SNOW AFML CIRRUS STUDY BY AFGL
19 HAR 78 50 SECOND AVERAGING
INTERVAL STAPT+17123130*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MM)

9 (48) 355.3	ALT (KM)	8.011		TEMP (C)	-33.2		FROSTPOINT	-39.6		TAS (M/S)	119.8		NT (N/43)	526.2		TOTALS	4.66E-05	76
PRECIP	0.	.0	.0	. 0	.0	.0	0.	0.	.0	0.	.0	.0	.0	.0	.0		.0	0
SIZE	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	.0	1.68E+04	.0	2.35E+03	1.60E+03	1.18E+03	9.32E+02	ئ	• 0	.0	.0	.0	.0	.0	.0		4.66E-05	7.6
SIZE (MU)	26	64	7.2	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	1.62E+09	2.55E+06	1.99E+06	3.41E+06	1.14E+06	1.42E+06	1.146+06	2.85E+05	5.68E+05	8.51E+05	2.83E+05	2.85E+05	.0	2.85E+05	.0		3.77E-05	12
SIZE	2	M	2	7	6	11	12	14	16	18	19	21	23	25	27		IMC	MED 0
355.3	ALT (KH)	8.010		TEMP (C)	-33.1		FROSTPOINT	-39.6		TAS MISI	119.3		NT (N/43)	1095.4		TOTALS	2 . 20E-04	122
	_																9	
PRECIP	9.14E-01	1.46E+00	0.	.0	.0	.0	0.0	.0	.0	.0	.0	.0	0.	.0	.0		8.83E-0 6	293
SIZE PRECIP		313	1086 0.	1433 0.	1778 0.	2123 0.	2468 0.	2813 0.	3158 0.	3503 0.	3848 0.	4193 0.	4538 0.	4883 0.	5228 0.		8.83E-0	293
-		743	1086														2.11E-04 8.83E-0	
SIZE	465	743	1086				9.32E+02		1.66E+03		9.95E+02	1.11E+03	0.					
CLOUD SIZE P	465	49 3.37E+04 743	72 3.95E+03 1086	95 0.	118 3.20E+03	141 1.18F+03	164 9.32E+02	187 C.	1.66E+03	9. 06E+02	256 9.95E+02	279 1.11E+03	302 0.	325 0.	548 0.			

FLIGHT E78-08 ON 19 HAR 78 30 SECOND AVERAGING INTERNAL STATI*17125180*
PARTICLE SIZE OISTRIBUTIONS (NUMBER/H**3-MM)
TYPE: SHALL SNOW

	946			
	30 SECOND AVERAGING		3-84)	
AFGL	SECOND	*0	PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MM)	
UDY AY	3.0	732610	(NUMB	MONS
SST	7.8	T 1	IONS	ALL
IRRU	MAR	STAR	IRUI	1 SM
FWLC	19	RVAL	DISTR	TYPE : SMALL SNOW
4	NO 80	INTE	SIZE	
	E78-1		SCLE	
	FLIGHT E78-08 ON 19 MAR 78 30 SECON		PART	

346,7	ALT (KM)	TEMP (C) -34.6	FROSTBOINT -39.9	122.4 NT (N/M3) 12306.2	707ALS 2.65E-03 141
PRECIP PROBE	1.04E+03		0000		0. 1.02E-03
SIZE	743	1433	2468 2813 3158 3503	4 4 4 4 8 4 4 8 8 4 4 8 8 8 8 8 8 8 8 8	5228
CLOUD	7.16E+05 4.10E+05	1.60E+04 4.20E+04 1.38E+04	1.36E+04 4.49E+03 8.08E+03 2.65E+03	3.88E+03 0. 1.04E+03 2.08E+03	1.86E+03 1.63E-03 94
SIZE (MU)	964	118	164 187 210 233	256 279 302 325	848
SCATTER	9.645+08	2.77 E+ 07 2.10 E+ 07 1.44 E+ 07	1.08E+07 1.05E+07 9.12E+06 5.53E+06	4.15E+06 3.32E+06 3.32E+06 1.11E+06	1.93E+05 3.36E-04 18
STZE (MU)	2 10 10	c r 6 11	N 4 9 8	23 23 25 25	INC MED B
953.5	ALT (KH) 8.045	TEMP (C)	FROSTPOTNT ~39.9	121.2 NT (N/43) 425.9	3.67E-35
PRECIP					0
SIZE	743		2468 213 3158 3158	4193	5228
CLOUD	3, 16E+04 1,66E+04	0.000	7.59E+02		3.67E-05
SIZE	4 9	95	164	256	0 d d d d d d d d d d d d d d d d d d d
SCATTER	3,366+86	2.52E+06 2.52E+06 1.12E+06	3.59E+05 8.41E+05 1.12E+05 5.60E+05	2.81E+05 2.81E+05 0.	3.006-05
SIZE	N 10	W F &	12 7 9 1	23 23 23	TWC O WED O

FLIGHT E78-08 ON 19 MAP 28

SG SECOND AVERAGING
INTERVAL STARTIF17.255130*
PARTICLE SIZE DISPRIBUTIONS 'NUMBER/H**3-MM)

FLIGHT E78-08 ON 19 MAP 78 30 SECOND AVERAGING INTERVAL STAFF*17F26530*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-HH)
TYPE: SMALL SNOM

P (MB)		ALT (KH)	8.252		TEMP (C)	-35.2		FROSTPOINT	-38.6		TAS (M/S)	121.4		NT (N/43)	33032.5			4 . (5E-03	
PRECIP		1 . 6 UF + 0 Z	4.716-01	0.0	0,	0.	0.	.0	0.	0.	.0	0.	0 *	0.	.0	. 0		1.24E-04	21.7
SIZE		465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD		1.195.06	1. 07E+06	3.49E+04	6.00E+04	1.43E+05	4.54E+04	3. C2E+04	1. 05E+04	8.13E+03	9.74E+03	8. 79E+03	4. 328+03	2.96E+03	2.03E+03	1.36E+03		3.93E-03	83
SIZE		92	64	7.2	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER		5.22E+08	9.89E+07	7.95E+07	7.166+07	4.60E+07	3.23E+07	1.79E+07	2.84E+07	1.56E+07	8.64E+06	5,31E+06	6.425+06	4.46E+06	5.56E+06	5.30E+06		6.90E-04	1.8
SIZE		2	3	5	7	6	11	12	14	16	18	19	21	23	52	2.2			MED D
(PM) q		ALI (KH)	8.198		TEMP (C)	-34.0		FROSTPOINT	-4.3.1		TAS (M/S)	122.7		NT (N/43)	20.7		TOTALS	1 * 00E-05	26
PRECIP		* 0	0 •	.0	.0	. 0	.0	. 0	0.	.0	.0	0.	0.	.0	.0	0 •		0.	0
SIZE		465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4,883	5228			
00000	3000	*0	0.	0.	0.	0.0	0.	8.98E+02	0.	0.	0.	0.	0.	0.		0.		1. 00E-05	46
3215	000	26	64	7.5	50	118	141	154	187	210	233	256	279	302	325	348			
SCATTER	PROBE	1.83E+09	0.				2.77F+05	0		0	0		0.	0 -				1.63F-05	
3212	(40)	2	*	u		0	* *	2 2	17.	16		0	21	2.5	200	27	4	TWC	MED O

FLIGHT E78-08 ON 19 MAR 78 30 SCCOND AVERAGING PARTICLE SIZE SISTEMBLES ON 19 TYPE: SWALL SNOW

FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*17:28:00**
PARTICLE SIZE DISTREBUTIONS (NUMBER/M**3-MM)
TYPE: SMALL SNOW

(48) d	ALT (KM)	8.423	TEMP (C)	-36.7		FROSTPOTNT	7-41-7		TAS (N/S)	121.6		NT (N/M3)	25358.8		TOTALS	3-FRF-03	1117
PRECIP	2.65E+02	4.786-01	. 0	0.0	0.0	0.*	0.	0 *	0.	0.	0.		. 0	0		1.808-04	217
STZE	465	743	1433	1778	2123	2458	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	8.785+05	8.82E+05	1.846+04	5.96E+04	2.55E+04	2.10E+04	6. 79E+03	1.79E+04	1.42E+04	1.76E+04	2,175+03	2.81E+03	3.63E+03	2.36E+03		3.505-03	115
SIZE	26	64	36	118	141	164	187	210	233	256	579	302	325	34.8			
SCATTER	6.44E+08	7.86E+07 5.19E+07	5.32F+07	3.37E+07	2 × 37 E + 07	1.87E+07	1.67E+07	1.84E+07	8.08E+06	5.85E+06	5.85E+06	4.18E+05	3.905+06	5.01E+06		6.01E-04	19
SIZE	~	m w	~	6	11	13	14	16	1.8	19	2.1	23	52	27		THE	
P (MB) 340.2	ALT (KM)	8,309	TEMP (C)	-35.6		FROSTPOINT	-38.3		TAS MYS)	121.5		NT (N/43)	5535.5		TOTALS	6. 21E-04	7.8
PRELIP	.0	0.0	0.	.0	.0	0.	.0	0.	0.	.0	0.0	.0	0.	.0		.0	0
SIZE	465	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	3.458+05	1.81E+05 7.72E+03	6.92E+03	2,665+34	3.49E+03	5.48E+03	3.02E+03	2.44E+03	3.55E+03	0.	.0	0.	0.0	0.		6.21E-04	7.8
SIZE	26	63	36	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	1.275+09	1.515+07	1.065+07	8.095+06	6.69E+06	4.18E+06	2.50E+06	2.51E+06	2.23E+06	1.678+06	1.40E+06	1.12E+06	5.57E+05	.0		1.18E-04	17
SIZE	2	n w	1	0	ri i	12	44	16	1.3	19	21	23	52	27		IMC	MED D

FLIGHT E78-08 ON 19 MAP 75 30 SECOND AVERAGING INTERVAL STAPT:*17+28:30*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/N**3-MM)
TYPE: SHALL SNOM AFML CIRRUS STUDY BY AFGL
TO SECOND AVERAGING
TO SECOND AVERAGING
PARTICLE SIZE DISTREBUTIONS (NUMBER/M**3-MM)
TYPE: SMALL SNOW

0	332.5		ALI ING	604.0	TEMB IP	0 22-	2 4 2 2	FUNTOTORIOR	8 - 1	0 . 1 .	TAC INTEL	121.7	****	NT CN/MZI	C 8 35 2 4	7.30000	TOTALS	1.015-02	119
0+0000	PROBE	4. 215403	4.745-01	0			, ,					0.		0.		0.		3.445-04	217
36.15	CHON	4.65	743	1088	14.33	1778	2121	2468	2813	6.1 5.R	3503	3848	4193	453B	4883	5228			
C1 000	PPORE	1.795+116	1.975+36	7. 48E+04	5.29F+0&	1.32F+05	7. 305 + 04	5.94E+04	3. 245+04	7. 06F+04	3. 19F + 04	2.63E+04	2.28E+04	1.53E+04	1.035+04	6.34E+03		9.79E-03	118
SIZE	(MI)	36	5	7.2	9.5	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	PROBE	2.66F+08	1.715+08	1.508+08	1.13E+08	8.23E+07	6.34E+07	3.92E+07	4.65E+07	3.31E+07	1.895+07	1.146+07	9.74E+06	1,195+07	8.90E+06	6.11E+06		1.24E-03	18
SIZE	(90)	2	м	2	7	6	11	12	14	16	18	19	21	23	52	27		INC	MED D
P (48)	337.3	ALT (KH)	8,368		TEMP (C)	-36.1		FROSTPOINT	-39.9		TAS (M/S)	121.3		NT (N/M3)	2350.9		TOTALS	3.535-04	96
PRECIP	PROBE	.0	0.	0.	0.	.0	0.0	0.	.0	0.	0.	.0	.0	.0	. 0	.0		0.	0
SIZE	(MD)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	PAGBE	6. 28E+04	6.50E+04	7.77E+03	9.22E+03	6. 29E+03	4.64E+03	2.74E+03	7.57E+02	8.15E+02	1.77E+03	0.	2.18E+03	0.0	0.	0.		3.53E-04	96
SIZE	(40)	26	64	72	9.6	118	141	164	187	210	233	256	513	302	325	348			
SCATTER	38044	1.70E+09	8.65 €+06	5.30E+06	6.42E+06	2.23E+06	3.63E+06	1.95E+06	2.23E+06	1.67E+06	8.37E+05	8.39E+05	2.795+05	.0	1.115+06	*0		1.23E-05	15
SIZE	(NA)	2	n	5	1	6	1.1	12	14	16	18	19	21	23	52	27	0111	INC	MED 0

AFML CIRRUS STUDY BY AFGL
30 SECOND AVERAGING
INTERVAL START:*17129180*
PARTICLE SIZE DISTREBUTIONS (NUMBER/M**3-MM)

FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING INTERVAL START*17*30:00*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MH)

P (MB)		ALT (KM)	4.604		TEMP (C)	-38.1		FROSTPOINT	-41.9		TAS (M/S)	121.7		NT (N/43)	0 33 63 6	6.67363	TOTALS	6.70E-03
PROBE		2.53E+03	.0	.0	.0	.0	.0	.0	.0	.0	0.	.0	.0	0.	0			217
SIZE (MU)		465	743	1088	1433	1778	2123	2468	2813	3158	3593	3848	4193	4538	4883	5228		
CLOUD		5. 96E+05	7.83E+05	1.16E+04	1.15E+04	6. 27E+04	2.90E+04	Z. 10E+04	1.81E+04	2.85E+04	2.22E+04	1.17E+04	4. 35E+03	4.69E+03	5. 06E+03	4.51F+03	4. 19F-03	119
SIZE (MU)	36	60.	T (21	45	118	141	104	187	210	233	256	518	305	325	348		
SCATTER	1.165400	7 705 407	C C C C C C C C C C C C C C C C C C C	2.20E+U/	3 4.E.C. 0.7	3 6456407	4 565407	1.30C+U/	C + C 2 E + U /	1.42E+U/	8.90E+06	3.62E+06	6.12E+06	6.13E+U6	2.50E+06	3.90E+06	5.74E-04	18
SIZE (MU)	0	J P	טיי		- 0	**	11	1 1	* *	01	10	510	23	62	52	27	TWC	MED D
330.7	ALT (KH)	8 503	206.00	TEND CO.	-27 7		CONSTRUCTOR	-10 3	3 .	10770	IN CALL	101.	NT INVEST	1000000	24030.5		4.90E-03	128
PRECIP	4.34F+02	4.765-01	0.100							•			•		• 0	.0	2.84E-04	217
SI ZE	465	74.7	1088	1633	1778	2123	2468	2813	4 + 5 6	25.02	40.00	4 0 2	45 73	7. 8 8 7	200	5228		
CLOUD	6.27E+05	8.00F+05	1.55E+04	2-76F+04	4-705+04	2.44E+04	1.745+04	1.88F+04	2. 36F+04	2.575+04	1.565+04	7.595+03	7.60F+03	7.60F403		4. 152+03	4.62E-03	126
SIZE	26	64	7.2	96	118	141	164	187	210	233	256	279	302	325		0 10		
SCATTER PROBE	7.82E+08	8.63E+07	6.20E+07	6.48E+07	2.89E+07	3.14E+07	2.03E+07	2.09E+07	1.42E+07	1.00E+07	7.23E+06	3.62E+05	5.01E+06	2.23E+06	2 805406	3.035.00	5.76E-04	1/
SIZE (HU)	2	m	5	7	6	11	12	14	16	18	19	21	23	52	27	13		den o

AFML CIRRUS STUDY BY A FGL

ARP 78 30 SECOND AVERAGING

INTERVAL STARIT*-17129:330*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MH)

AFWL CIRRUS STUDY BY AFGL

FLIGHT E78-09 ON 19 MAP 78 30 SECOND AVERAGING

INTERVAL STAPT:*12130130*

PARTICLE SIZE DISTREMUTIONS (UNBERZW**3-MH)

TYPE: SMALL SNOW

324.5	ALT COM	A. 6.71		TEMP (C)	-38.3		FROSTPOINT	-45.4		TAS (M/S)	121.5		NT (N/H3)	4.424		TOTALS 6.68E-05 101
PRORE	0.	. 0	.0	0.	0.	.0	.0	.0	0.	.0	.0	0.	.0	.0	. 0	.0
SIZE	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	2226	
CLOUD	3.13E+04	1.65E+04	.0	0.	1.57E+03	.0	9.16E+02	.0	1.63E+03	• 0	.0	0.	.0	•	•	6.68E-05 101
SIZE (MU)	56	64	72	95	118	141	104	187	210	233	256	612	302	325	•	
SCATTER PP09E	2.42E+09	1.06E+07	5.57E+05	1.12E+06	C./8E+U5	0.000	3 300.00	C. (OE + U >	•	•	•	•	0.	0.78E+U5		2.85E-05 2
SIZE (MU)	~	F	5 1			1 .	17	* *	01+	0 0	24	17	0 0	27		INC MED D
328.1	ALT (KH)	8.556		1EAP 101	-21.1	FDOCTDOTAL			1740 14701	122	1000	12 (N/42)	12776.0	****	TOTALS	8.61E-03 122
PRECIP	2.57E+03	.0		• •												2.56E-03 217
SIZE (MU)	465	143	1000	1778	2123	2468	2813	3158	3503	3848	4193	4538	LARE	5228		
CLOUD	1. 19E+06	1. CZE+Ub	4-365+04	8.27E+04	6.13E+84	5.46E+04	3.68E+04	5.67E+04	1.95E+04	6.81E+03	4. 32F+03	4.71E+03	5.13F+03	4.58E+03		109
SIZE	26	4 4 4 5	95	118	141	164	187	210	233	256	279	302	325	348		
SCATTER	9.32E+08	7.916+07	6.19E+07	4.33E+07	3.22E+07	2.19E+07	2.52E+07	1.97E+07	1.05E+07	1.28E+07	6.66E+06	8.32E+06	6.11E+06	5.27E+06		8.2/E-04 19
SIZE	2 1	o Lr	~	6	11	12	14	16	18	19	21	23	52	22	477	MED D

AFML CIRRUS STUDY BY AFGL

PLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING

INTERVAL START:*17:31:00*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: SMALL SNOW

FLIGHT E78-08 ON 19 HAR 78 30 SECOND AVERAGING INTERVAL START**1732:00*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MM)
TYPE: SMALL SNOW

P (MB)	ALT (KH)	8.585		TEMP (C)	-39.1		FROSTPOTNT	-43.3		TAS (M/S)	121.0		NT (N/M3)		•	TOTALS	0.	0
PRECIP	.0	.0	0.	.0	.0	.0	.0	0.	0.	0.	0.	. 0	. 0		0		0.	0
STZE	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4.893	5228			
CLOUD	.0	.0	.0	.0	0,	.0	.0	0.	.0	0.	0.	0.	.0	.0	0.		•0	0
SIZE (MU)	56	64	72	96	118	141	154	187	210	233	556	579	302	325	348			
SCATTER PP08E	2.48E+09	1.12E+07	.0	0.	.0	.0	.0	.0	. 0	0.	.0	.0	.0	.0	0.		2.22E-05	~
SIZE (MU)	2	mı	5		6	11	15	14	16	18	19	21	23	52	27		INC	0 034
P (MB) 323.1	ALT (KH)	8.661		TEMP (C)	-38.6		FROSTPOINT	-42.6		TAS (M/S)	120.6		NT (N/M3)	0.0		TOTALS	.0	0
PRECIP	.0	0.	.0	.0	0.	.0	.0	0.	.0	.0	.0	.0	.0	.0	0.		0.	0
SI ZE	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	.0	0.	.0	•0	.0	0.	.0	.0	0.	0.0	0.	0.	.0	.0	0.		.0	0
SIZE (MU)	56	64	12	96	118	141	164	187	210	233	256	518	302	325	348			
SCATTER PROSE	2.43€+09	8.99E+06	.0	.0	.0	.0	.0	.0	0.	0.	.0	.0	0.	.0	0.		2.16E-05	2
SIZE (MU)	2	m (5		6	11	12	14	16	18	149	21	23	52	27		INC	MED D

AFML CIRVUS STUDY MY AFGL
FLIGHT F78-08 ON 19 MAR 78 30 SECOND AVERAGING
PARTICLE SIZE DISTRIBUTIONS (UMBER/M**3-MM)
TYPE: SMALL SNOW AFAL CIRRUS STUDY BY AFGL
FLIGHT F78-08 ON 19 MAR 78 30 SEGOND AVERAGING
PARTICLE SIZE DISTREBUTIONS (NUMBER/M**3-MM)
TYPE: SMALL SNOW

(48) d	321.4	ALT CKM	404	2000	TEND (C)	-39.2		FROSTBOTAT	-4.7.2	3.5	TAS (M/S)	123.2	200	NT CN/MEN			40440	, TOTALS	
PPECIP	PROBE	0	.0	.0	0.	0.	0.	0.	0.	0.	0.0	0.		0.	. 0	. 0		0	
3218	CHO	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	PROBE	0.	.0	0.	0.	0.	0.	0.	.0	0.0	.0	0.	.0	0.	0.	.0		0-	0
SIZE	(OE)	26	64	72	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	PRORE	2.47E 209	1.295+07	.0	.0	0.	0.	.0	0.	0.	.0	.0	.0	.0	.0	.0		2.23E-05	2
SIZE	(NA)	2	3	S	7	σ	11	12	dr.	16	18	19	21	23	52	27		INC	MED 0
(6k) d	322.3	ALT (KM)	1.677		TEMP (C)	-38.9		FROSTPOINT	-42.9		TAS (M/S)	120.0		NT (N/M3)	0.0		TOTALS	0	0
PPECIP	PROBE	0.	0.	.0	.0	0.	0.	0.	.0	.0	0.	.0	0.	.0	.0	.0		0.	0
SIZE	(MD)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	PRORE	0.	•0	.0	0.	.0	.0	0.	•0	.0	.0	.0	0.	.0	.0	.0		0.	0
SIZE	(MC)	26	64	72	9.6	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	PPOBE	2.56E+09	1.13E+07	.0	0.	• 0	.0	.0	.0	.0	.0	.0	0.	.0	.0	.0		2.296-05	2
SIZE	(an)	2	M	2	1	6	11	12	14	16	18	19	21	23	52	27		IMC	MED D

AFWL CIRRUS STUDY BY AFGL

PLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*17:33:00*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: SMALL SNOM

AFML CIRRUS STUDY BY AFGL

FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING

PARTICLE SIZE OISTRIBUTIONS (NUMBER/M**3-HH)

TYPE: SMALL SNOW

P (MB)	ALT (KH)	8.709		TEMP (C)	-39.0		FROSTPOINT	-43.7		TAS IM/SI	129.0		NT (N/M3)	0.0		TOTALS	0.	0
PRECIP	.0	.0	.0	.0	0.	.0	.0	.0	0.	.0	0.	.0	.0	.0	.0		.0	0
SIZE	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	0.	.0	.0	0.	.0	.0	.0	.0	.0	.0	• 0	0.	0.	.0	•0		.0	0
SIZE	26	64	12	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER PROBE	2.62E+09	1.48E+07	.0	.0	.0	.0	.0	0.	.0	.0	.0	0.	.0	.0	0.		2.37E-05	2
SI7E (MU)	2	M	2	2	6	11	12	14	16	18	19	21	23	52	22		INC	MED D
321.1	ALT (KM)	8.703		TEMP (C)	-39.1		FPOSTPOINT	-42.9		TAS (M/S)	126.7		NT (N/43)	0.0		TOTALS	0.	0
PRECIP	0.	0.	0.	0.	0.	.0	0.	0.	0.	.0	0.	0.	0.	0.	0.		.0	0
SIZE	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	0.	0.	0.	0.	0.	.0	0.	0.	0.	.0	0.	.0	.0	.0	0.		0.	0
SIZE	26	64	7.2	9.6	118	141	164	187	210	233	952	279	302	325	348			
SCATTER PROBE	2.42E+09	1.50E+07	.0	0.	.0	.0	.0	.0	0.	0.	0.	0.	.0	0.	.0		2.19E-05	2
SIZE	2	M	5	2	6	11	12	14	16	18	19	21	23	25	27		INC	MED D

AFUL CIPRUS STUDY BY AFGL
FLIGHT F78-18 ON 19 MAP 78 30 SECOND AVERAGING
PARTICLE INTERVAL START:*17134130*
TYPE: SMALL SNOW

P (48)	320.3	ALT (KH)	8.719		TEMP (C)	-39.0		FROSTPOINT	-43.4		TAS (M/S)	127.5		NT (N/M3)	0.0		TOTALS	0.	0
PRECIP	PRORE	0.	.0	0.	0.	0.	0.	0.	.0	0.	0.	0.	0.	0.	0.	0.		.0	0
SIZE	(MD)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	PROBE	0.	0.	.0	.0	0.	0.	.0	.0	0.	0.	0.	0.	0.	0.	.0		0.	0
SIZE	(MD)	56	64	7.2	66	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	PRORE	2.61E+09	1.38E+07	.0	.0	0.	0.	.0	0.	.0	.0	0.	.0	.0	.0	0.		2.35E-05	2
SIZE	(HI)	2	*	2	7	6	11	12	14	16	18	19	21	23	52	27		IMC	0
(MB) d	321.3	ALT (KM)	8.698		TEMP (C)	0.65-		FROSTPOINT	-43.3		TAS (M/S)	127.9		NT (N/43)	0.0		TOTALS	.0	0
PRECIP	PROBE	.0	.0	.0	.0	.0	0.	0.	.0	0.	.0	.0	.0	.0	0.	0.		.0	0
SIZE	(UM)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	PROBE	0.	0.	0.	.0	0.	0.	0.	.0	0.	.0	0.	.0		0.	0.		.0	0
SIZE	(MD)	56	64	72	96	118	141	164	187	210	233	256	579	302	325	348			
SCATTER	PROBE	2.64E+09	1.54E+07	0.	.0	0.	0.	0.	0.	0.	0.	0.	.0	.0	.0	.0		2.39E-05	2
SIZE	(MC)	2	2	2	1	6	11	12	14	16	18	19	21	23	52	27		IMC	MED D

AFML CIRRUS STUDY BY AFGL

TO THE F78-08 ON 19 MAR 78 30 SECOND AVERAGING

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: SMALL SNOW

AFML CIRRUS STUDY BY AFGL

10 HAR 78 30 SECOND AVERAGING

INTERNAL START**1755500*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MM)

TYPE: SMALL SNOW

AFML CIRRUS STUDY BY AFGL
19 MAR 79 30 SECOND AVERAGING
INTERVAL START:*1735:00*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**5-HM)
TYPE: SMALL SNOW

(8k) d	321.1	ALT (KH)	8.703		TEMP (C)	-38.9		FROSTPOINT	-19.7		TAS MYSI	124.6		NT (N/43)	1940.4		TOTALS	3. 19E-04	06
PRECIP	PROBE	8.20E+00	1.31E+01	4.91E-01	0.	.0	.0	.0	.0	.0	0.	.0	.0	.0	0.	.0		8.46E-05	262
SIZE	CHO	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	PROBE	1.84E+05	6.47E+04	.0	.0	1.076+04	4.55E+03	8.97E+02	1.486+03	7.98E+02	8.716+02	0.	.0	.0	.0	.0		2.348-04	19
SIZE	Caro.	92	64	12	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	PROBE	2.80E+09	2.91E+07	4.10E+06	4.09E+06	5.46E+06	5.44E+06	2.45E+06	3.27E+06	5.42E+05	5.46E+05	5.47E+05	5.47E+05	8.19E+05	8.16E+05	2.73E+05		9.51E-05	14
SIZE	(AD)	2	8	2	1	σ	11	12	14	16	18	19	21	23	25	27		INC	
(8H) d	320.7	ALT (KM)	8.711		TEMP (C)	-38.9		FROSTPOINT	-42.3		TAS (M/S)	126.7		NT (N/43)	4240.9		TOTALS	4. 51E-04	74
PRECIP	PROBE	.0	0.	.0	.0	.0	.0	0.	0.	.0	.0	0.	.0	.0	.0	.0		.0	0
SIZE	CHO	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4000	5228			
CLOUD	PROBE	1.51E+05	1.198+05	1.49E+04	1.33E+04	2.56E+04	5.57E+03	4. 39E+03	0.	7.83E+02	.0	0.	1.04E+03	.0	0.	.0		4.51E-04	74
SIZE	(HI)	92	64	72	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	PROBE	2.31E+09	5.46E+07	3.48E+07	3.088+07	1.66E+07	1.69E+D7	8.02E+06	8.83E+06	7.49E+06	4.01E+06	4.01E+06	2.41E+06	1.34E+06	2.945+06	1.60E+05		3.11E-04	1.8
IZE	C N	2	M	5	1	6	11	12	14	16	18	19	21	23	52	27		LH	O Dat

AFML CIRRUS STUDY BY AFGL

19 MAR 78 30 SECOND AVERAGING
INTERVAL START**1736#30*

PARTICLE SIZE DISTREBUTIONS (NUMBER/H**3-MM)

TYPE: SMALL SNOW AFWL CIRRUS STUDY BY AFGL
FLIGHT E78+08 ON 19 MAR 78 30 SECOND AVERAGING
FARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MM)
TYPE: SMALL SNOW

321.5	ALT (KH)	8.694		TEMP (C)	-38.5		FROSTPOINT	-40.1		TAS MYSI	123.2		NT CANASI	1792.0		TOTALS	1. (7E-03	194
PRECIP	3.32E+02	4.85E+01	1.48E+00	0.	.0	.0	0.	.0	0.	.0	.0	.0	.0	.0	.0		5.96E-04	246
SIZE (HD)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	9.25E+04	4. 08E+04	7.66E+03	9.08E+03	7.72E+03	.0	1.798+03	.0	.0	.0	9.68E+02	3.21E+03	1.67E+03	8.655+02	7. 48E+02		4.69E-04	147
SIZE (MD)	56	64	7.2	9.6	118	141	164	187	210	233	256	513	302	325	348			
SCATTER PROBE	2.45E+09	5.97E+07	3.08E+07	2.75E+07	1.38E+07	1.93E+07	1.21E+07	1.07E+07	1.07E+07	4.96E+06	2.20E+06	1.93E+06	2.21E+06	2.74E+05	2.205+06		3.07E-04	16
SIZE (MU)	~	m	2	7	6	11	12	14	16	18	19	21	23	52	27		INC	MED D
320.6	ALT (KM)	8.714		TEMP (C)	-38.9		FROSTPOINT	-40.3		TAS (M/S)	126.2		NT (N/43)	14826.3		TOTALS	1.67E-03	14
PRECIP	.0	0.	0.	.0	0.	.0	0.	0.	.0	0.	0.	.0	.0	0.	.0		.0	0
SIZE	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
PROBE	5.438+05	4. 05E+05	2.61E+04	6. 21E+04	1.04E+05	2.90E+04	7.91E+03	4. 35E+03	3.92E+03	8.535+02	1.885+03	0.	.0	.0	0.		1.67E-03	14
SIZE	92	64	72	98	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	2.08E+09	8.79E+07	5.84E+07	4.37E+07	3.08E+07	2.52E+07	1.87E+07	1.935+07	1.74E+07	8.58E+06	3.48E+06	4.29E+06	4.02E+06	3.48E+06	2.68E+06		5 . 32 E-04	17
SIZE	2	m	2	1	6	11	12	14	16	18	19	21	23	52	22		INC	MED O

AFML CIRRUS STUDY BY AFGL

19 MAR 78 30 SECOND AVERAGING

10 INTERVAL START:*12:37:00*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: SMALL SNOM

AVERAGING	(- HH)
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING	INTERVAL STARTS*17:38:00* PARTICLE SIZE DISTRIBUTIONS (NUMBER/W**3-MM) TYPE: SMALL SNOW

321.5	ALT (KM) 8.694	TEMP (C) -38.2	FROSTPOINT -38.7	TAS (M/S) 120.9	NT (N/H3) 55€01.1	9.63E-03
PRECIP	4.37E+02 4.82E-01			•••		2.87E-04 217
SIZE	743	1778	2468	3848	4538 4883 5228	
CLOUD	2.28E+06 1.62E+06 6.64E+04	1.42E+05 2.54E+05 1.07E+05	5.45E+04 2.35E+04 4.92F+04	2.95E+04 2.46E+04 1.20E+04	9.61E+03 7.68E+03 4.80E+03	9.35E-03
SIZE	26	95 118 141	187 210	233	302 325 348	
SCATTER PROBE	8.58E+08 2.59E+08 2.03E+08	1.60E+08 1.14E+08 8.87E+07	6.87E+07 6.37E+07 5.53E+07	2.11E+07 1.80E+07	1.80E+07 1.15E+07 1.37E+07	1.94E-03
SIZE	NMG	11	14 14 14 14 14 14 14 14 14 14 14 14 14 1	13	23	THC DAY
P (MB) 321.9	ALT (KM) 8.685	TEMP (C)	FROSTPOINT	TAS M/S) 121.1	34035.9	9.46E-03
PRECIP	1.67E+03 3.72E+01 1.50E+00			••••		1.736-03
SIZE	74.3	1433	2468 2813 3158	3503	4538 4883 5228	
PROBE	1.61E+06 9.14E+05 3.90E+04	6.72E+04 1.66E+05 7.83E+04	4.97E+04 1.90E+04 4.66E+04	2.95E+04 1.67E+04 1.09E+04	1.11E+04 1.12E+04 8.21E+03	7.736-03
SIZE	4.9	118	164	253 256 279	325	
SCATTER	1,29E+09 2,14E+08 1,41E+08	1.18E+08 9.69E+07 6.38E+07	5.16E+07 4.96E+07 3.44E+07	2.21E+07 1.51E+07	1.09£+07 1.04£+07 9.25£+06	1.476-03
SIZE	NMG	7 6 11	15 4 15	22 1 18	25 27	INC NED D

AFML CIRPUS STUDY BY AFGL

FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL STARTING (NUMBER/M**3-MM)

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

PLIGHT E78-08 ON 19 MR 76 30 SECOND AVERAGING INTERVAL START:17173813.2*
PARTICLE SIZE NTSTRIBUTIONS (NUMBER/M**3-MM)
TYPE: QULL-ROSE

(48) d	321.6	ALT COM!		160.0	TEND (C)	-18.1	•	FROSTBOTAT	- 18.4		TAC IN/CI	121.0	16113	12 47 17 17	21.505 3	6 • 00: • 3	5.61E-03
PRECIP	PROBE	7.475+03	6. 34E+01	1.695+00	0	. 0	0.	. 0	0.	0	0					. 0	2.435-03
SIZE	CHA	437	7.06	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4770	4676	
CLOUD	PROBE	1.346+06	7.43F+05	1.315+04	5.71E+04	1. 15E+05	7. 06E+04	3.50E+04	1.87E+04	2.75F+04	2. 50E+04	2. 64E+04	1.47E+04	1.635+04	1.815+04	1.37E+04	3.18E-03
SIZE	(140)	26	147	67	87	108	128	148	169	189	209	230	250	27.1	291	311	
SCATTER	PROBE	1.61E+09	1.95E+08	1.35E+08	1.26E+08	8.42E+07	6.28E+07	4.25E+07	3.97E+07	3.25E+07	2.00E+07	1.58E+0?	9.18E+06	1.05E+07	8.33E+06	8.61E+06	1.306-03
37.12E	נאמו	2	3	s	7	6	11	12	14	16	18	19	21	23	52	27	TWC MED 0
P (48)	321.8	ALT (KH)	6.588		TEMP (C)	-38.2		FROSTPOINT	5.04-		TAS (M/S)	119.7		NT (N/H3)	80227.3		1. 39E-02
PRECIP	PROBE	5.65E+02	9.68E-01	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	4.02E-04
SIZE	CMC	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228	
CLOUD	PROBE	3.82E+06	2.20E+06	7.07E+04	2. 39E+05	4.89E+05	1.84E+05	1. 00E+05	3.75E+04	5.87E+04	3. 52E+04	1.98E+04	1.76E+04	1.31E+04	9.78E+03	6. 13E+03	1.356-02
SIZE	CON	56	64	72	56	118	141	164	187	210	233	256	513	302	325	348	
SCATTER	PROBE	7.08E+08	3.38E+08	2.53E+08	2.03E+08	1.48E+08	1.20E+08	7.42E+07	9.62E+07	6.82E+07	3.11E+07	2.72E+07	2.80E+07	2.24E+07	2.07E+07	1.75E+07	2.65E-03 19
SIZE	(AU)	2	2	2	1	6	11	12	14	16	18	19	21	23	52	27	INC MED D

AFML CIRRUS STUDY BY AFGL
19 HAR 78 30 SECOND AVERAGING
19 HAR 78 10 SECOND AVERAGING
10 TERVAL START**17139102*
PARTICLE SIZE DISTREBUTIONS (NUMBER/H**3-MM)
TYPE: BULL-ROSE

	O AVERAGING		*3-HM)	
AFML CIRRUS STUDY BY AFGL	FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING	INTERVAL START: *17140102*	PARTICLE SIZE DISTRIBUTIONS (NUMBER/N**3-MM)	TYPE: BULL-ROSE
	FLIGHT E7		PARTICL	

320.7	ALT (KH) 8.710	TEMP (C) -38.3	-36.8 TAS (M/S)	19055.5 TOTALS	16
PRECIP	6.89E+02 1.35E+01 0.				197
SI ZE	706	1316 1622 1927	2538 2843 3149 3454	3760 4065 4370 4676	
PROBE	9.87E+05 5.55E+05 2.10F+04	5.01E+04 9.37E+04 4.54E+04	1.39E+04 3.45E+04 2.31E+04 2.46E+04	1.18E+04 8.16E+03 5.66E+03 4.22E+03	64
SIZE	26	108	169 189 209 230	250 271 291 311	
SCATTER PROBE	1.56E+08	9.03E+07 6.64E+07 4.74E+07	3.43E+07 3.13E+07 1.21E+07 8.31E+06	8.30E+06 8.56E+06 7.77E+06 6.42E+06	1.02E-03 18
SIZE (MU)	NPU	r 6 11	119	21 25 25	MED 0
P (MB)	ALT (KH) (.699	TEMP (C) -38.2	FROSTPOINT -39.6 TAS (M/S)	NT (N/M3) 40877-5 TOTALS	1. 356-02
PRECIP	5,49E+03	8,94E+00			5.82E-03 203
SIZE	437	1316 1316 1622 1927	2233 2538 2843 3149	3760 4065 4370 4676	
CLOUD	2.37E+06 1.10E+06	3.87E+04 9.24E+04 1.74E+05 6.97E+04	5.80E+04 3.85E+04 8.59E+04 7.88E+04	4.21E+04 3.68E+04 3.22E+04 2.52E+04	6.436-03
SIZE (MU)	26	67 108 128	169	250 271 291 311	
α	804	8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	8.41E+07 9.64E+07 7.59E+07 3.78E+07	.36E+07 .60E+07 .27E+07 .86E+07	.916-03
SCATTER	5.08E+08	3.06E+08 2.62E+08 1.87E+08	8.41 7.59 3.78	2.04 2.36 2.60 2.27 1.86	2.91

FLIGHT E78-08 ON 19 MAR 78
30 SECOND AVERAGING
INTERVAL SARTI-17:39132*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MH)

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL STAFT:1714.0132*
PARTICLE SIZE DISTRIBUITIONS (UNMBER/H**3-MM)
TYPE: BULL-ROSE

P (MB)	ALT (KH)	TENP (C)	FROSTPOINT -39.7	TAS (M/S) 125.7	NT (N/H3)	7.37E-04
PROBE	1.71E+02 2.61E+00 0.				:::	1.50E-04 196
SIZE	706	1316	2233	3454	4370	
CLOUD	3. 09E+05 9. 02E+04	2.27E+04 3.60E+04	9. 02E+03 5. 78E+03	4.85E+03 5.34E+03 2.36E+03	1.82E+03 1.40E+03 1.05E+03	5.87E-04
SIZE	26	108	0 0 0 0 0 0 0 0 0 0 0 0	230	271 291 311	
SCATTER PROBE	2.60E+09 7.96E+07	2.89E+07 2.13E+07	1.16E+07 1.05E+07	4.58E+06 2.97E+06 2.16E+06	1.89E+06 2.70E+06 1.35E+06	3.22E-04
SIZE (MU)	New		124	1118	23 23	INC MED D
321.1	ALT (KH) 8.702	TEMP (C) -38.3	FR05TP0:NT	124.9	NT (N/H3) 38418.9	1.44E-02 138
PRECIP	7.08E+03	3.88E+00 5.84E-01 0.				6.85E-03 198
SIZE (MU)	437	1315 1316 1622	1927 2233 2538	3454	4065	9
CLOUD	1.62E+06 1.04E+06	3.31E+04 9.84E+04	5.24E+04 5.43E+04 3.24E+04	1.08E+05 9.70E+04 6.04E+04	5.698+04	7.586-03
SIZE	26	108	128	209	271	311
SCATTER	5.58E+08	3.27E+08 2.81E+08 1.81E+08	1.60E+08 9.25E+07 1.12E+08	8.18E+07 4.41E+07 3.32E+07	2.56E+07 2.42E+07 1.66E+07	2.91E-03
SIZE	NM	2	11 12 14	18 19	23	INC HED D

AFML CIRRUS STUDY BY AFGL
30 SCCOND AVERAGING
INTERVAL START:**17:44:102**
INTERVAL START:**11:41:102**
INTERVAL START:**11:41:102**
INTER DISTRIBUTIONS (NUMBER/H**3-MH)

AFML CIRRUS STUDY BY AFGL

PARRAGING

TOTAL START: 17142:102*

PARTICLE SIZE DISTRIBUTIONS (UNHBER W** 3-MM)

TYPE: BULL-ROSE

317.9	ALT (KM) 8.771	TENP (C)	FROSTPOINT -40.2	TAS (M/S) 125.3	11110.9	1.88E-03
PRECIP	5.92E+02 1.51E+01 0.		:::			5.71E-04 198
SIZE	437 706 1011	1316	2233 25538 25843	3454	4370	
CLOUD	8.92E+05 3.25E+05 8.46E+03	3.03E+04 6.18E+04 2.16E+04	2, 20E+04 1, 24E+04 1,78E+04	9.71E+03 9.61E+03 7.13F+03	5.48E+03 4.22E+03 3.21E+03	1.315-03
STZE (MU)	47	108	169	230	291	
SCATTER	2.10E+09 1.13E+08 6.37E+07	5.19E+07 3.67E+07 3.48E+07	1.67E+07 2.08E+07 1.62E+07	1.05E+07 8.64E+06 5.95E+06	8.91E+06 5.14E+06 3.24E+06	7.095-04
SIZE (MU)	NMW	7 6 II	12 14 15	18 17 17	23	TWC MED D
P (MB)	ALT (KM) 8.719	TEMP (C)	FROSTPOINT	127.6	11083.8	1.98E-03
PRECIP	6.93E+02 1.23E+01					6.41E-04 196
SIZE	706	1316	2233	3454	4370	
CLOUD	6.76E+05 2.84E+05	7.78E+04	1.58E+04 8.11E+03 2.46E+04	8.61E+03 2.10E+03 7.03E+03	6.47E+03 5.96E+03 4.42E+03	1.34E-03
SIZE	26	108	169	209	271 291 311	
SCATTER	1.316+09	6.83E+07 4.60E+07	2.21E+07 2.63E+07	9.58E+06 6.92E+06 5.84E+06	6.12E+06 5.05E+06	7.44E-04
STZE (MU)	NEW		122	118	23	INC MED D

AFML CIRRUS STUDY BY AFGL

10 MAR 78 30 SECOND AVERAGING

10 MARAL START**17142132*

10 SIZE DISTRIBUTIONS (UNUBER/M**3-MH)

17 PPE: BULL-ROSE AFML CIRRUS STUDY BY AFGL

10 HAR 78

10 SECOND AVERAGING

INTERVAL START:*17:4/132**

FARTICLE SIZE DISTRIBUTIONS (NUMBER/N**3-MM)

TYPE: 9ULL-ROSE

5.02E-03 FROSTPOINT 126.1 ALT (K4) 8.794 TEMP (C) 29295.5 (N/43) LAS 2 1.71E+03 4.17E+01 1.64E+00 1.685-03 PRECIP 1,95E+06
33,808E+06
7,54E+07
7,54E+07
5,47E+07
5,47E+07
5,47E+07
5,47E+07
6,47E+07
1,57E+07
1 3.34E-03 PROBE SIZE (MU) 1.066+09
11.576+09
11.576+09
11.576+08
11.576+08
11.576+08
11.576+08
11.576+07
11.576+07
11.576+07
11.576+07
11.576+07
11.576+07
11.576+07
11.576+07
11.576+07
11.576+07 1.516-03 SCATTER SIZE 1.38E-03 ALT (KM) 8.767 -38.5 11427.8 318.0 FROSTPOINT 126.1 -38.9 (W/S) MAS 3.88E+02 1.04E+00 3.01E-04 PRECIP 192 437 706 1011 1316 1522 1927 2233 22538 22843 3454 3454 3454 4676 3, 76E+05 3, 78E+05 6, 44E+03 2, 01E+04 5, 97E+04 1, 39E+04 1, 39E+04 1, 38E+03 4, 26E+03 3, 39E+03 6, 78E+03 4, 56E+03 1.08E-03 CLOUD 26 47 67 1108 1128 1128 1128 1128 1138 9 220 220 220 311 311 2.55E+09 5.86E+07 5.86E+07 5.00E+07 5.00E+07 1.56E+07 1.56E+07 1.36E+07 1.46E+07 4.83E+06 4.83E+06 5.35E+06 5.35E+ 5.21E-04 SCATTER 223344444444 SIZE

AFML CIRRUS STUDY BY AFGL
MAR 78 30 SECOND AVERAGING
INTERVAL START:*17443102*
PARTICLE SIZE DISTRIBUTIONS (MUMBER/M**3-MM)
TYPE: BULL-ROSE

FLIGHT E78-08 ON 19 MAR 75 36 SECOND AVERAGING
INTERVAL START**1*44402*
PARTICLE SIZE DISTRIGUTIONS (MUNDER/M**3-MH)
TYPE 3 ULL-ROSE

P (NB)	310.0	ALT CKM1	A. 922	776	TEMP (C)	-19.0		FROSTPOTAL	-42.7		TAS (M/S)	124.0		NY CN/HRS	16575.3		TOTAL	1.986-03	3
PRECIP	PROBE	6.94E+02	1.11.6	0		0.	0	0.	.0	0.	0	0.	0.		.0	0		6.365-04	106
SIZE	(NA)	437	786	10 %	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PROBE	5.576+05	5. 04E+05	3.01E+04	1.79E+04	6.09E+04	1. 55E+04	1. 12E+04	7.53E+03	1.63E+04	1.48E+04	5.42E+03	7.23E+03	6.75E+03	6. 30E+03	4.64E+03		1. 35E-03	8.7
SIZE	CHAI	56	47	67	87	108	128	148	169	189	602	230	250	271	291	311			
SCATTER	PROBE	2.54E+09	1.145+08	6.21E+07	4.46E+07	3.56E+07	2.46E+07	1.72E+07	1.75E+07	1.53E+07	6.57E+86	3.28E+06	4.11E+06	1.09E+06	6.01E+06	3.83E+06		5.35E-04	117
SIZE	(AC)	2	m	2	1	6	11	12	14	16	1.8	19	21	23	25	27		INC	MED O
P (MB)	314.9	ALT (KM)	8.835		TEMP (C)	-39.1		FROSTPOINT	4.04-		TAS (M/S)	125.3		NT (N/H3)	10477.9		TOTALS	2 . (GE-03	132
PRECIP	PROBE	8.295+02	3.29E+01	2.74E+00	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		8.98E-04	205
SIZE	(MA)	437	7 86	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PROBE	2.06E+05	3.26E+05	1.27E+04	1.52E+04	5. 51E+04	1.40E+04	1.81E+04	9. 93E+03	1.60E+04	1. 17E+04	9.63E+03	3. 57E+03	4. 11E+03	4. 73E+03	3.715+03		1. 10E-03	86
SIZE	CHO	26	24	67	8.7	108	128	148	169	189	503	230	250	271	291	311			
SCATTER	PROBE	1.83E+09	1.09E+08	6.41E+07	5.78 €+07	4.14E+07	2.595+07	1.84E+07	2.38E+07	1.38E+07	8.92E+06	4.33E+06	5.95E+06	5.67E+86	5.93E+06	3.50E+06		6.40E-04	18
SIZE	(MC)	2	m	2		6	11	12	14	16	18	19	21	23	52	27		INC	O OJH

FLIGHT E78-08 ON 19 HAR 78 30 SECOND AVERAGING INTERVAL START**17*4432*
PARTICLE SIZE DISTRIBUTIONS (UNHBER/M**5-MM) AFML CIRRUS STUDY BY AFGL

FLIGHT E78-08 ON 19 HAR 78 30 SECOND AVERAGING
INTERVAL START:*17143332*

PARTICLE SIZE DISTRIBUTIONS (UNHBER/M**3-MH)

TYPE: BULL-ROSE

G (NB)	309.4	ALT CKM	A. 052	2000	TEMP (F)	-40.2		FROSTPOTNT	1.44-		TAS (M/S)	124.4		NT CH/HTS	5.007 E		TOTALS	1 - 16 F - 0 3	128
PRECTO	PROBE	4.83F+02	1.70F+01	5.555-01	0	. 0	9.		0.	0.	0.	9.	0.	0.				4.96F-84	202
SIZE	CHO	4.37	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PROBE	3.48E+05	1.83E+05	8.54E+03	1. 02E+04	2.96F+04	1.16E+04	1. 01E+04	5.86E+03	1. 08E+04	4.93E+03	4. 33E+03	2.40E+03	2.64E+03	2.91E+03	2. 26E+03		6.68E-04	40
SIZE	CMO	56	47	67	87	108	128	148	169	189	502	230	250	27.1	291	311			
SCATTER	PROBE	2.47E+09	8.22E+87	3.72E+07	3.15E+07	3.12E+07	1.83E+07	1.37E+07	1.15E+07	1.15E+07	3.83E+06	4.38E+06	2.74E+06	3.83E+06	3.28E+06	2.19E+06		4.136-04	1.8
SIZE	(MA)	2	m	2	1	6	11	12	1.4	16	18	19	21	23	52	27		INC	MED D
P (48)	312.5	ALT (KH)	8.885		TEMP (C)	-39.5		FROSTPOINT	9.04-		TAS MISI	124.5		NT (N/H3)	5466.5		TOTALS	6.95E-04	26
PRECIP	PROBE	1.80E+02	2.11E+00	.0	0.	.0	.0	*0	0.	9.	.0	0.				.0		1.53E-84	195
SIZE	CHO	437	7.06	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4865	4370	4676			
CLOUD	PROBE	3.458+05	1.73E+05	4. 26E+03	1. 02E+04	3. 11E+04	1.53E+04	9. 07E+03	1.66E+03	3. 59E+03	7.82E+03	5.38E+03	1.198+03	1. 40E+03	1.64E+03	1.21E+03	-	5.42E-04	12
SIZE	(NA)	56	14	67	18	108	128	148	169	189	503	230	250	271	162	311			
SCATTER	PROBE	2.90E+09	6.50E+07	2.77E+07	1.90E+87	1.77E+07	1.09E+07	6.25E+06	7.88E+06	7.06E+06	4.89E+06	2.99E+16	1.36E+06	1.98E+86	8.15E+05	5.43E+05	-	2 - 39E-04	16
SIZE	(MI)	2	m	u	1	6	11	12	14	16	18	19	21	23	52	22		3	0 03

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 30 SECOND AVERAGING
INTERNAL START**17:45:02*
PARTICLE SIZE DISTRIBUTIONS (UNMBER/H**3-HM)
TYPE: BULL-ROSE

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 76 50 SECOND AVERAGING
PARTICLE SITE DISTREBUTIONS (NUMBER/M**3-MM)
TYPE: SHALL SNOW

(48) d	308.7	ALT (KH)	8.969		TEMP (C)	4.04-		FROSTPOINT	-42.3		TAS MYSI	126.8		NT (N/43)	20720.9		TOTALS	4 . 04E-03	110	I NG	
PRECIP	PROBE	4.97E+02	5.51E+00	.0	.0	.0	.0	0.	.0	.0	.0	0.	.0	.0	.0	.0		4.53E-04	219	BY AFGL 30 SECOND AVERAGING 6134* UMBER/N**3-NH)	
SIZE	CHO	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228				30 SE 314+ (NUMBER	MON C
CLOUD	PROBE	8.73E+05	5.86E+05	1.85E+04	6.62E+04	1.02E+05	4.45E+04	2. 02E+04	1. 30E + 04	1.79E+04	6.83E+03	8.43E+03	3. 13E + 03	3. 72E+03	4. 41E+03	3. 08E+03		3.59E-03	66	AFML CIRRUS STUDY BY AFGL IGHT E78-08 ON 19 HAR 78 INTERNAL STARTF417446134* PARTICLE SIZE DISTR BUTTONS (NUMBER/H**3-HH)	TILE STALL
SIZE	(MA)	56	64	72	96	118	141	164	187	210	233	256	279	302	325	348				AFN INTERV	
SCATTER	PROBE	1.83E+09	1.438408	9.91E+07	7.9% E+07	5.88E+07	4.33E+07	2.57E+07	2.70E+07	2.19E+07	1.15E+07	8.28E+06	7.21E+06	7.22E+06	7.75E+06	3.74E+06		8.535-04	18	AFML CIRRUS S FLIGHT E78-08 ON 19 HAR 78 INTERNAL STARTH PARTICLE SIZE DISTR BULTON	
SIZE	CHOS	~	m	r	7	6	11	12	14	16	18	19	21	23	52	27		INC	MED D		
P (48)	308.8	(H)	196		(0)	-40.3		DINT	-43.9		181	125.7		431	1528.7		TOTALS	5.73E-04	86		
	n	ALT (KH)	8.967		TENP (C)	4-		FROSTPOIN	1		TAS (M/S	12		NT CN/43	352		10	5.73		ING	
PRECIP		1.61E+02 ALT (.0	O. TEMP	4-	.0	G. FROSTP	1-	.0	O. TAS CH	0. 12	.0	_	0. 352	.0	10	1.52E-04 5.73	199	FGL COND AVERAGING (/#*3-44)	
SIZE PRECIP	PROBE		4.18E+00		.0	.0	.0	0.	2538 04	2843 0.	O. TAS	.0	3760 0.	_	.0	.0	10		199	JDY RY AFGL 30 SECOND AVERAGING 71451378 (NUMBER/M**3-MM)	750
	(HU) PROBE	1.61E+02	706 4.18E+00	1011	1316 0.	1622 0.	1927 0.	2233 0.	2538 0.	5.35E+03 2843 0.	3149 G. TAS	3454 0.		D. NT	4370 0.	4676 0.	10			TE CIRRUS STUDY RY AFGL H MAR 78 PS SECOND AVERAGING AL STARTFITTS 532* THE STARTFITTS (NUMBER/N**3-MH)	ייבי מטרר אחמר
SIZE	PROBE (HU) PROBE	437 1.61E+02	706 4.18E+00	8.51E+03 1011	5.02E+03 1316 0.	1622 0.	1.39€+04 1927 0.	4.99E+03 2233 0.	7.41E+03 2538 0.	5.35E+03	4.86E+03 3149 0. TAS	3, 19E+03 3454 0.	0.	5.21E+02 4065 0. NT	1. 04E+03 4370 0.	8.04E+02 4676 0.	10	1.52E-04		AFME CIRRUS STUDY BY AFGL 108 ON 19 MAR 78 TO SECOND AVERAGING INTERVAL STARTF*17*45532* SIZE DISTRIBUTIONS (NUMBER/M**3-MM)	3000
CLOUD SIZE	(MU) PROBE (MU) PROBE	437 1.61E+02	47 9. 12E+04 706 4.18E+00	67 8.51E+03 1011	87 5.02E+03 1316 0.	108 2.57E+04 1622 0.	128 1.39E+04 1927 0.	148 4.998+03 2233 0.	169 7.41E+03 2538 0.	189 5.35E+03	209 4.86E+03 3149 0. TAS	230 3.19E+03 3454 0.	250 0.	271 5.21E+02 4065 0. NT	291 1.04E+03 4370 0.	311 8.04E+02 4676 0.		1.52E-04	72	AFME GIRRUS STUDY BY AFGL 19 HAR 78 37 SECOND AVERAGING INFERVAL START**17**5127* PARTICLE SIZE DUSTR BUTTONS (NUMBER/**3-44)	3055

1.10E-02 TAS (M/S) 127.1 52717.9 308.5 ALT (KH) 8.973 TEMP (C) FROSTPOINT -41.2 1.356+03 1.24E-03 219 PRECIP 2.55E.05 1.48E.05 1.24E.05 1.24E.05 1.32E.05 5.95E.04 2.45E.04 2.45E.04 2.45E.04 1.3EE.04 1.3EE.04 1.3EE.04 1.3EE.04 1.3EE.04 1.3EE.04 9.78E-03 PROBE SIZE 7.016+08 2.776+08 11.556+08 11.556+08 9.096+09 55.666+07 55.286+07 57.286+07 11.716+07 11.4776+07 11.4776+07 11.4776+07 11.4776+07 11.4776+07 1.80E-03 18 SCATTER SIZE TOTALS 1.85E-85 116 FROSTPOINT -43.5 308.8 ALT (KM) 8.967 TEHP (C) TAS (M/S) 127.3 Z1298.1 2.35E+02 5.14E-01 1.416-04 PRECIP 6.636+05 2.936+05 2.936+05 3.406+04 3.406+04 4.006+04 1.806+ 1.716-03 PROBE 2.19E*09 5.93E*08 1.02E*08 3.19E*07 1.73E*07 1.73E*07 1.73E*07 1.73E*07 1.5E*07 1.5E*07 1.3E*07 2.3E*06 2.3E*06 2.3E*06 2.3E*06 2.3E*06 2.3E*06 2.3E*06 2.3E*06 4.26E-04 SCATTER

AFML CIRRUS STUDY BY AFGL
PLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START**173+7790**
PARTICLE SIZE DISTRIBUTIONS (MUMBER/M**3-MM)
TYPE: SMALL SNOM

AFML CIRRUS STUDY BY AFGL
19 HAR 78 30 SECOND AVERAGING
19 TARTY-17*48104*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**5-MM)
TYPE: SMALL SNOW

308.5	ALT (KH)	8.973		TEMP (C)	-40.6		FROSTPOINT	-41.3		TAS (M/S)	128.1		NT (N/43)	63317.3		TOTALS	1.94E-02	136
PRECIP	2.61E+03	1.54E+01	.0	.0	.0	.0	0.	.0	.0	.0	0.	.0	.0	.0	0.		2.28E-03	218
SIZE (MU)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
PROBE	2.21E+06	1.76E+06	6.99E+04	1.16E+05	2. 41E+05	9. 04E+04	6. 51E +04	4. 08E+04	8.04E+04	8. 18E+04	5.94E+04	3.71E+04	3. 53E+04	3.35E+04	2.21E+04		1.71E-02	131
SIZE (MU)	26	64	72	95	118	141	164	187	210	233	256	279	302	325	348			
PROBE	6.58E+08	3.35E+08	2.89E+08	2.43E+08	1.62E+08	1.14E+08	7.62E+07	9.66E+07	7.20E+07	3.57E+07	2.33E+07	1.936+07	2.17E+07	1.916+07	1.43E+07		2.525-03	18
CMU)	2	m	2	1	6	11	12	14	16	18	19	21	23	52	27		INC	MED D
308.6	ALT (KH)	8.972		TEMP (C)	-40.5		FROSTPOINT	-41.1		TAS (M/S)	127.6		NT (N/43)	84190.6		TOTALS	1.895-02	116
PRECIP	1.20E+03	6.38E+00	.0	.0	.0	.0	0.	.0	.0	0.	.0	.0	.0	.0	.0		1.02E-03	218
SIZE (MU)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
PROBE	3.38E+06	2. 34E+06	8.14E+04	1.36E+05	4. 10E+05	1.83E+05	1.26E+05	7.62E+04	1. 09E+05	7.36E+04	3.81E+04	3. 31E+04	2.27E+04	1.56E+04	1. 02E+04		1.78E-02	113
SIZE (MU)	56	64	72	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	3.93E+08	3.53E+08	3.02E+08	2.44E+08	1.71E+08	1.29E+08	7.92E+07	1.02E+08	6.72E+07	3.56E+07	2.95E+07	2.13E+07	2.29E+07	1.60E+07	1.57E+07		2.602-03	18
SIZE (MU)	2	m	2	1	6	11	12	14	16	18	19	21	23	25	27		TWC	HED D

AFML CIPRUS STUDY BY AFGL

FLIGHT F78-08 ON 19 MAR 76 30 SECOND AVERAGING
INTERVAL STAFF1*17*4834*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: SMALL SNOW AFML CIRRUS STUDY BY AFGL

FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START: 17:47734*

PARTICLE SIZE DISTRIBUTIONS (UNHBER/M**5-MM)

TYPE: SMALL SNOM

P (48)	308.4	ALT (KM)	6.975		TEMP (C)	-49.6		FROSTPOINT	-41.2		TAS (M/S)	128.3		NT (N/M3)	57715.5		TOTALS	3.746-02	159
PRECIP	PROBE	1.01E+04	1.66E+02	9.01E+00	0.	0.	0.	0.	.0	.0	.0	0.	.0	.0	.0	.0		1.00E-02	220
SIZE	(AU)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	PROBE	1.37E+06	1.41E+06	6.61E+04	8. 74E+04	9. 37E+04	5.51E+04	5.46F+04	3.07E+04	8.42E+04	1. 40E+05	1.11E+05	8.65E+04	8. 28E+04	7.93F+04	5.65E+04		2. 73E-02	146
SIZE	(40)	56	64	12	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	PPOBE	2.65€+08	5.246+08	5.48E+08	4.46 6 + 08	3.17E+08	2.47E+08	1.38E+08	1.60E+08	1.246+08	6.10E+07	5.07E+07	3.30E+07	4.256+07	3.20E+07	2.88E+07		4.63E-03	1.8
SIZE	(10)	2	m	'n	7	6	11	12	14	16	18	19	21	23	25	27		INC	MED 0
(8k) d	308.2	ALT (KH)	8.979		TEMP (C)	9.04-		FROSTPOINT	6.04-		TAS (M/S)	129.4		NT (N/H3)	48311.4		TOTALS	9.26E-03	113
PRECIP	PROBE	3.90E+02	1.35E+00	.0	.0	0.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		2.99E-04	218
SIZE	(OH)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	PROBE	1.47E+06	1. 40E+06	4.38E+04	1. 02E+05	2. 17E+05	8. 20E+04	6.97E+04	3. 26E+04	5.82E+04	3.59E+04	3. 22E+04	1.12E+04	7.59E+03	5.13E+03	3. 36E+03		8.96E-03	110
SIZE	CHO	56	64	72	95	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	PPOBE	7.66E+08	2.40E+08	1.77E+08	1.51E+03	9.596+07	7.02E+07	4.95E+07	5.87E+07	4.27E+07	2.20E+07	1.18E+07	1.23E+07	1.31E+07	1.34E+07	4.98E+06		1.49E-03	17
SIZE	(AC)	2	2	2	1	6	11	12	14	16	18	19	21	23	52	27		INC	MED D

AFML CIRRUS STUDY BY AFGL
19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*17149:04*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START**1750104*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: SMALL SNOW

308.5	ALT (KH) 8.973	TEMP (C)	FROSTPOINT -49.9	127.5	NT (N/43) 53137.7	1.13E-02 110
PRECIP	6.72E+02 2.73E+00			•••	0	5.43E-04 218
SIZE	743	1778	2468 2813 3158	3503	4538 4883 5228	
CLOUD	1.62E+06 1.51E+06 5.90E+04	1.10E+05 2.72E+05 9.53E+04	7.67E+04 3.45E+04 4.97E+04	3.81E+04 2.33E+04 1.14E+04	1. 02E+04 9.19E+03 5.98E+03	9.72E-03
SIZE	45.0	118	187 210	233 255	325	
SCATTER	8.44E+08 2.53E+08 1.72E+08	1.29E+08 9.86E+07 7.92E+07	5.07E+07 5.71E+07 4.30E+07	2.05E+07 1.99E+07 1.12E+07	1.12E+07 1.22E+07 9.03E+06	1.576-03
SIZE (MU)	NMG	7 6 11	12 14 16	219	25 27 27	TWC YED D
308.2	ALT (KH) 8.979	TEMP (C) -40.8	FROSTPOINT -39.6	128.7	NT (N/43) 62355.5	2.38E-02 148
PRECIP	4.60E+03 4.47E+01 9.47E-01	000	••••			4.26E-03
SIZE (MU)	743	1778	2468 2813 3158	3503	4538 4883 5228	
CLOUD	1.166+06 1.406+06	6.53E+04 1.26E+05 5.38E+04	6.39F+04 4.56F+04 1.02E+05	9.49E+04 7.85E+04 5.13E+04	4.916+04 4.706+04 3.216+04	1.966-02
SIZE	562	118	164 187 210	233 256 279	3225	
SCATTER	3.19E+08	3.16E+08 2.11E+08	1.03E+08 1.17E+08 8.85E+07	3.95E+07 3.71E+07 2.53E+07	2.32E+07 2.11E+07 1.82E+07	3.13E-03
SIZE	NPU		14 14	119	23	INC MED D

3.77E-03 FROSTPOINT -41.3 ALT (KH) 8.978 TEMP (C) TAS MYSI 128.1 NT (N/H3) 16840.9 3.72E+02 3.62E+00 4.76E-01 3.35E-04 219 PRECIP 7. 14E+05 4. 07E+05 4. 07E+06 7. 06E+04 7. 06E+04 1. 72E+04 1. 72E 3.43E-03 CLOUD 26 449 729 729 729 729 730 730 730 748 1.64E+09
1.45E+09
1.45E+08
6.13E+07
3.49E+07
2.35E+07
2.35E+07
2.35E+07
2.35E+07
2.35E+07
3.45E+06
7.41E+06
7.4 7 . 10E-04 223344444442722233342 TOTALS 1.46-02 150 FROSTPOINT -39.9 TAS (M/S) 128.7 308.4 ALT (KH) 8.976 -40.8 NT (N/H3) TEMP (C) 2.24E+03 7.67E+00 1.86E-03 PRECIP 4655 7433 11433 12778 22458 22458 33503 33648 5228 5228 9. x8E+05 9. x8E+05 9. 14E+05 6. 5E+04 6. 5E+04 7. 30E+05 7. 30E+06 7. 08E+06 7. 1.25E-02 CLOUD 2.85E+08 1.32E+08 1.32E+08 1.08E+08 5.45E+07 7.06E+07 7.46E+07 1.66E+07 1.63E+07 1.26E+07 1.21E+07 8.95E+06 1.85E-03 5.00E+08

AFML DIRRUS STUDY BY AFGL
BO 19 MAR 78 B SECOND AVERAGING
INTERVAL START*17*49434*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

AFWL CIRRUS STUDY BY AFGL

10 HAR T 8 30 SECOND AVERAGING

10 INTEVAL START:*17:50:34*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: SMALL SNOW

FLIGHT E78-08 ON 19 MAR 75 30 SECOND AVERAGING INTERVAL START**17551184*
PARTICLE SIZE OLSTRIBUTIONS (NUMBER/H**3-MM)

FLIGHT E78-08 ON 19 HAR 78 30 SECOND AVERAGING INTERVAL START**1752104*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/N**5-MM)
TYPE: SHALL SNOW

P (48)	308.7	ALT (KM)	8.968		TEMP (C)	8.04-		FROSTPOINT	-41.0		TAS (M/S)	126.2		NT (A/H3)	20004 4 4	28043.4		TOTALS	3.735-03	8 2
PRECIP	PROBE	4.56E+02	.0	.0	0.	0.	0.	0.	0.	0.	0.	0.		0		• 0	.0		4.53E-04	217
SIZE	(HI)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	45 38		4000	5228			
CLOUD	PROBE	9.65E+05	8.10E+05	5.97E+04	9.32E+04	1.45E+05	4. 70F+04	3. 08E+04	7.98E+03	1. 10E+04	4. 28E+03	2.82F+03	1-045+03	9.755402	20.00	9. 12E + UZ	8.15E+02		3.27E-03	7.8
SIZE	(HI)	26	64	12	9.5	118	1 44 1	164	187	210	233	256	279	203	0 6	325	348			
SCATTER	PROBE	2.12E+09	1.235+08	5.84F+07	4. AKF+O7	3.75E+07	2.715+07	1.66E+07	1.98E+07	1.395+07	7.246+06	7.516+06	4.836+06	5.09F+06	20.000	6.44E+U5	4.56E+06		6.49E-04	19
SIZE	(UM)	2		2		σ	11	12	14	16	6	0	21	2.0	2 6	52	27		IMC	MED D
(8K) d	309.3	ALT (KH)	P. 976	2	TEND FF	-40		COOSTOOTNI	-40-3		TAC IM/CI	129 0	150.0	***	N CANADA	6343.6		TOTALS	9-385-04	0.6
PECIP	PROBE												,							0
	(MD)	465		0000	1088	0000	11/18	2123	2458	2013	5150	5503	2848	4193	4538	4883	E228	25.50		
C1 0110	PROBE	2 005405	1000000	1. 735 +05	1. 84E + 04	1. 318 + 04	3. 4.3E + 04	1.101+84	1. 135 + 84	3.596+03	6. 96E+U3	2. 53E+US	9. 33E+02	1.03E+03	.0	0-		•	70 700	9. 305.04
3110	(HD)	36	90	5 3	12	96	118	141	164	187	210	233	556	518	302	325		0 * 0		
CONTRACO	PROBE	000000	5. Ube + U3	6.46E+07	1.996+67	2.075+07	1.486+07	3.74E+06	5.835+36	7,168+06	5 29E+06	2.916.06	2,125+06	1,85€+06	2,65€+05	3 436406	201.00	5.28E+U5		2.40E-04
36	(MI)			M)	5	1	6	11	12	14	16	18	19	21	23	36		12		INC

(HH) d	308.7	ALT (KM)	8,968		TEMP (C)	6.04-		FROSTPOINT	-41.2		TAC INICI	10 11 0 11	125.9		NT (N/43)	23647 3	201445		TOTALS	3.25E-03	75
PRECIP	PROBE	0.	.0	.0	.0	0.0	0.	.0	0.			* 0	.0	.0	0.			0.		.0	0
SIZE	S S	465	743	1088	1433	1778	2123	2468	2813	3158	25.03	2000	3848	4193	4538		4000	5228			
CLOUD	PROBE	9.09E+05	1. 05E+06	5.98E+04	7.35E+04	1.68E+05	5.05E+04	2.47E+04	6.56E+03	1-185+04	101111	3. 15E+U3	1.88E+03	0.	.0		.0	.0		3.25E-03	52
SIZE	CHIC	26	54	7.2	36	118	141	164	187	240		533	556	279	302		353	348			
SCATTER	PPORE	1.70E+09	1.43E+08	7.67E+07	6.41E+07	4.798+07	3.61E+07	2.15E+07	3.10E+07	4 915 + 07		100/2/21	8 . 35E+06	6.46E+06	7.27F+06		1 . 80E + 05	9.42E+06		9.24E-04	20
SIZE	(MI)	2	M	5	1	6	11	12	14	16	9	10	19	21	23		62	27			MED D
(6k) d	308.6	ALT (KM)	8.971		TEMP (C)	-40.8		FROSTPOTNT	-40.7			TAS (M/S)	127.3		NT (N/NZ)	100000000000000000000000000000000000000	34703.0		TOTALS	6 . 52E-03	110
POFCIP	PROBE	1.42E+03	0							•	. 0	.0	0.			* 0	*0	0.		1.40E-03	217
SIZE	(MAD)	465	74.7	0 0	1000	1478	24 23	26.68	2 4 4 4 4	5010	5158	3503	784R	4.402	200	40.00	4883	5228			
CL 080	PROBE	1-02F+06	0 6 2 5 4 0 6	3, 705, 60	* * * * * * * * * * * * * * * * * * * *	1. 1/1 105	1.012.00	20070404	+ 0. 2 / C = 2	10 445 404	2. 10E+04	1.358+04	1. 12F + 0 4	1010101	2 0 0 1 1 1 0 2	5.83E+US	2.83E+03	2.635+03		5 125-03	88
CITE	10,	36	0 0	7 1	22	46.	110	141	104	187	210	233	35.6	0.63	617	305	325	21.4	0 4 0		
CCATTED	PROBE	* ***	1.495.03	1.715+08	1.14E+08	8.73E+07	5.56E+U/	4.04E+07	2.79E+U/	3.49E+01	2.26E+07	1 255 + 07		1.005.1	6.92t+Ub	1.12E+07	1 045407		C+ 92E+ UD	20.5.04	10 10 10 1
34.10	(10)	c		*	2	1	0	11	12	14	15	4	0 0	13	12	23	25		17	-	MED D

30 SECOND AVERAGING		** 3-HH)	
FLIGHT E78-08 ON 19 MAR 78 30 SECON	INTERVAL START: *17154104*	PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)	TYPE: SMALL SNOW

308.3	ALT CKM)	A.977		TEMP (C)	-41.2		FROSTPOTA	-41.0		TAS (M/S)	126.3		NT TANATA	15031	ANGLAC	TOTAL	1 - 26 F = 0	2
PROBE	0.	. 0	0.	0.	. 0	0.	.0	.0	.0	.0	0.		0 - 0		. 0		0.	
SIZE	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	45.38	1.882	5228			
CLOUD	6. 00F+05	4.65E+05	5.18E+04	3. 75€+04	7. 04E+04	1.89E+04	6.11E+03	2, 15E+03	.0	0.	0.	1.03E+03	0.		0.		1.26E-03	2.0
SIZE (MU)	26	64	7.2	9.6	118	141	164	187	210	233	256	513	302	335	348			
SCATTER	1.92E+09	1.02E+08	5.23E+07	4.43E+07	3.58E+07	2.96E+07	1.28E+07	1.74E+07	1.095+07	6.14E+06	6.40F + 06	4.28E+06	2.67E+06	5.615+06	5,86E+06		5.79E-04	0+
STZE (MU)	2	m	2	7	6	111	12	14	16	18	19	21	23	25	27		INC	MED
303.7	ALT (KH)	8.964		TEMP (C)	-41.0		FROSTROINT	-41.1		TAS (M/S)	125.9		NT (N/43)	48074.5		TOTALS	4.655-03	7.3
PROBE	0.	0.	.0	.0	.0	.0	.0	.0	.0	.0	. 0	.0	.0	0.0	.0		.0	0
ST 7E	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	6193	4538	4883	5228			
PROBE	1. DEE + D6	1,395+06	1,355+05	1.56E+05	2.715+05	8.415+04	3.000.004	5. 105+03	1.10E+04	1.72E+03	1. A9E+03	1, 056+03	.0	0.	0.0		4.655-03	7.3
SIZE (MU)	26	64	72	36	118	141	164	187	210	233	256	579	302	325	348			
SCATTER	1.658+19	1.69E+08	1.18E+08	9.315+07	5.86E+07	4.76E+07	2.93E+07	4.20E+07	2.37E+07	1.43E+07	8.C6E+05	8.62E+06	9.14E+06	8 35E+06	8.07E+06		1.06E-03	1.8
T ZE	~	M)	5	1	6	1.1	12	1.4	16	18	1.9	21	23	52	27		MC	MED D

2	TLIGHT E/8-US UN 19 MAR /8 58 SECOND AVERAGING INTERVAL START:*17:53:34*	PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)	TYPE \$ SMALL SNOW
---	---	--	--------------------

AFML CIRRUS STUDY BY AFGL

FLIGHT F78-08 ON 19 MAP 78 30 SECOND AVERAGING

INTERVAL START:*17:54:34*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: SMALL SNOW

p (48)	305.2	ALT CKMI	8 070	6.26.0	TEMP (C)	7-17-		FROSTBOTAT	40.4	0.0	TAC IMICI	10101	16.7.8.7	NY CANATA	26624. 3	5005400		2 ADE-DE	71
PRECIP	PRORE	0.	. 0		0.	0.	. 0	0.	. 0										0
SIZE	(MA)	465	743	1088	1433	1778	2123	2468	2843	3158	3503	3848	4193	45.78	4 A A B B	5228			
CLOUD	PROSE	6.576+05	7.00F+05	9.595+04	1. 05E+05	1.63E+05	2.99E+04	9.58E+03	2.87F+03	7.76F+02	8-475+82	0.	2.07F+03	0.	0.	0.		2.40F-03	71
SIZE	(HD)	26	6.5	22	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	PPOBE	1.82E+09	1.29E+08	6.45E+07	4.70E+07	3.66E+07	2.71E+07	1.46E+07	2.20 5+07	1.78E+07	1.17E+07	4.78E+06	5.84E+06	3.72E+06	5.57E+06	3.98E+06		6.36E-04	1.8
SIZE	(MA)	0	(M)	5	7	6	11	12	14	16	18	19	21	23	25	27		INC	MED D
P (48)	308.7	ALT (KM)	8.968		TEMP (C)	-41.1		FROSTPOINT	-41.4		TAS (M/S)	126.0		NT (N/43)	24386.9		TOTALS	2 . 17 E-03	7.1
PRECIP	PROBE	.0	0.	.0	. 0	.0	.0	. 0	0.0	.0	0.	0.	0 *	0.	.0	. 0		0.	0
SIZE	(MAC)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	PROBE	6. 99E+05	6. 95E+05	1.12E+05	7.58E+04	1.265+05	3.37E+04	1. 06E+04	4.37E+03	2.37E+03	8.62E+02	0.*	.0	.0	0.0	.0		2. 17E-03	7.1
SIZE	(MD)	26	64	7.2	9.5	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	PROBE	1.37E+09	1.45E+08	8 . 99E+07	7.53E+07	5.44E+07	4.44E+07	1.96E+07	3.47E+07	2.29E+07	1.64E+07	9.155+06	7.01E+06	6.73E+06	8 * 35E + 06	3.77E+06		8.958-84	1.8
SIZE	(MA)	2	3	3	1	6	11	12	14	16	18	19	2.4	23	52	27		INC	MED D

AFML CIRRUS STUDY BY AFGL

PLIGHT E78-05 ON 19 MAR 78 35 OSCOND AVERAGING

INTERVAL START*+1785504*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MH)

AFML CIRRUS STUDY BY AFGL

PLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING

INTERVAL STARTI*1756*104*

PARTICLE SIZE DISTRIBUTIONS (VUMBER/M**3-MM)

TYPE: SMALL SNOW

307.8	ALT (KH) 8.988	TEMP (C)	FROSTPOINT	-43.6	TAS (M/S) 130.1	NT (N/H3)	TOTALS	. 0
PROBE		•••	.0	•••	• • • • •		•	.0
SIZE	743	1433	2123	2813	3503	4 5 3 8 4 5 6 6 5 6 6 5 6 6 6 6 6 6 6 6 6 6 6 6	5228	
CLOUD	***		0.0	0.0		• • • •	• 0	0 0
SIZE	964	95	141	187	233	302	348	
SCATTER	2.87E+09 3.62E+07		0.0	.0	.00		• 0	2.70E-05 2
SIZE (MU)	el to 1	2 1 0	11	14	19	23	27	INC MED D
308.0	ALT (KM) 8.983	TEMP (C)	FROSTPOINT	-41.0	TAS (M/S) 128.9	NT (N/43)	TOTALS	1.16E-04
PRECIP PROBE				. 0				0.0
SIZE	743	1433	2123	2813	3503	4538	5228	
CLOUD	2.97E+04	1.46E+04 1.09E+04	2.20E+03			.00		1.168-04
SIZE (MU)	264	72	118	187	233	302	325	
SCATTER	2.746+09	9.23E+06 1.11E+07	5.01E+06 6.06E+06	3.43E+06	2.37E+06	7.91E+05 5.27E+05	1.05E+06 1.05E+06	1.485-04
SIZE	2 10	0 to N	4 1 4	14	4 4 4	23	25	INC

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-06 ON 19 MRR 76
 INTERVAL START: *1755134*
 INTERVAL START: *1755134*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*17:56:34*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MH)

308.2	ALT (KM)	8.380		TEMP (C)	-41.4		FROSTPOINT	-45.3		TAS (M/S)	128.6		NT (N/H3)	0.0		TOTALS	.0	0
PRECIP	0.	0.	.0	.0	.0	.0	0.	0.	.0	.0	0.	.0	0.	.0	.0		0.	0
SIZE (MU)	465	243	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	0.	0.	0.	.0	.0	• 0	0.	0.0	.0	.0	.0	0.0	0.	0.	.0		.0	0
SIZE (MU)	56	64	72	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	2.86E+09	5.35E+07	0.	0.	0.	.0	0.	0.	.0	.0	.0	0.	0.	.0	0.		2.78E-05	2
SIZE (MU)	2	M	2	1	6	11	12	14	16	18	19	21	23	25	27		INC	MED D
P (M8)	ALT (KM)	8.988		TEMP (C)	-41.3		FROSTPOINT	-41.9		TAS (M/S)	130.2		NT (N/M3)	0.0		TOTALS	0.0	0
PRECIP PROBE	0															;	.0	0
SIZE (MU)	465	46.2	2 4 4 4	1443	1778	2424	2468	2813	24 5 5 5	2603	2000	2.404	45.38	1.884	E228	2550		
CLOUD	c	• 0		* 0	• •	•	• • •	• •	•		, ,	•		• •	•	• 0		0
SIZE (MU)	20	97	64	220		110	141	101	101	012	253	962	612	200	252	240		
SCATTER		3.26E+09	4.45E+07	.0	.0	•0	0.	0.	.0	.0	.0	.0	.0	.0	.0	.0	2000	3. USE-U2
SIZE		2	M	2	1	6	11	12	14	16	18	19	21	23	52	27		NC C

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL STRITI*17157104*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: SMALL SNOW

	AVERAGING		(-MM)	
AFML CIRRUS STUDY BY AFGL	FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING	INTERVAL START: *17158104*	PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)	TYPE I SMALL SNOW

308.8	ALT (KM)	8.967		TEMP (C)	-41.5		FROSTPOTNT	-44.4		TAS (M/S)	124.7		NT (N/43)	0.0		TOTALC	0.00	0
PRECIP	.0	0.	0.	.0	0.	0.	0.0	0.	0.	0.	. 0	0.0	0.	0.	0.		0.	0
SIZE (MU)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	0.	.0	0.	.0	.0	.0	0.0	0.0	0.	0.	. 5	0.	0.0	0.0	0.		0.0	0
SIZE	56	64	7.2	36	118	141	164	187	210	233	256	279	302	325	348			
SCATTER PROBE	3.15E+09	4°46E+07	0.0	0.0	0.	.0	0.	.0	.0	0,	.0	.0	0.0	0.	0.0		2.99E-05	2
SIZE	2	m	2	7	6	11	12	14	16	13	19	21	23	52	27		IMC	MED D
308-1	ALT (KM)	8,981		TEMP (C)	-41.5		FROSTPOINT	-46.1		TAS (M/S)	127.7		NT (N/43)	0.0		TOTALS	.0	0
PRECIP	.0	0.	.0	0.	.0	0.	.0	.0	. 0	0.0	0.0	0.	.0	0.	0.0		.0	0
SI ZE	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD PROBE	0.	0.	0.	.0	0.	0.0	0.	0.	0.	0.	.0	0.	0.	0.	J.		.0	0
SIZE	56	64	72	9.6	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	2.96E+09	4.48E+07	.0	.0	0.	.0	0.	0.	0.	0.	0.	0.	. 9	0.	0.		2.82E-05	61
SIZE	2	М	2	7	6	11	12	14	16	18	19	21	23	25	27		INC	MED D

AFWL CIRRUS STUDY BY AFGL	FLIGHT F78-08 ON 13 MAR 78 30 SECOND AVERAGING	INTERVAL START# *17*57*34*	PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)	TYPE: SMALL SNOW
	FLIGHT		PART	

		(K S) Q
FLIGHT E78-06 DN 19 HAR 78 30 SECOND AVERAGING	(M**3-HM)	GT034d
JOY PY A	TESESSES INUMBER SNOW	SIZE
AL CIRRUS ST 19 MAR 78	PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM) TYPE: SMALL SNOW	CLOUD
AFF	SIZE DI	SIZE
FLIGHT E78	PARTICLE	SCATTER
		STZE
94		P (MB)
FGL COND AVERAGING	/M**3-MM)	PRECIP

308.9	ALT (KM)	8,965		TEMP (C)	-41.6		FROSTPOINT	-43.7		TAS (M/S)	124.0		NT (N/N3)	0.0		TOTSLC	0.	O
PPECIP	0 .	0.	0.0	0 .	0.	0 .	0.	. 0	0.	0.	0.0	0.	0.	0.	.0		.0	0
SIZE	665	763	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	0.,	.0	0.0	0.0	0.0	0.0	0.0	0 °	.0	0.0	0.*	0.	0.0	0.0	0.		00	0
SIZE (MU)	92	6 2	72	66	118	141	164	187	210	233	556	279	302	325	346			
SCATTER	3.24E+09	5.44E+07	.0	0 a	0.0	0.0	0.0	0.	2.78E+05	*0		0,0	.0	0.0	.0		3,24E-05	2
STZE	2	200	5	7	6	11	12	14	16	18	13	21	23	52	27		IMC	
508°3	ALT (KM)	00 00 00		TEMP (C)	-41°5		FROSTPOINT	-45.4		TAS M/SI	125.7		NT (N/43)	0.0		TOTALS	. 0	0
PRECIP	0.	0 °	0.	0.	0.0	.0	0.	.0	.0	.0	.0	.0	0.	.0	0.0		.0	0
SIZE	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	9.	0.0	0.	0.	0.0	0.0	0.	0.	0.0	0.	0.	0.	0.	9.	0.		0.	0
SIZE	5.6	00 3	72	95	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	3.05E+09	5.55E+07	0.	.0	0.	0.0	0.	0.	0.	0.	.0	0.	.0	9.	0.		2.96E-05	N
SIZE	2	100	2	1	6	11	12	14	16	18	19	21	23	25	27		INC	MED D

AFML CIRRUS STUDY BY AFGL
30 SECOND AVERAGING
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: SHALL SNOW

AFML CIRPUS STUDY BY AFGL
FLIGHT E78-06 ON 19 MAR 75 30 SECOND AVERAGING
INTERVAL START**L8:00109**
PARTICLE SIZE 01STRIBUTIONS (NUMBER/M**3-MH)
TYPE: SMALL SNOW

308.9	ALT (KH)	8,954		TEMP (C)	-41.5		FROSTPOINT	-45.3		TAS (M/S)	123.7		NT (N/H3)	19353,3		TOTALS	6.52E-03	117
PRECIP	1.07E+03	.0	0.0	.0	.0	.0	.0	.0	0.	.0	.0	.0	0.0	0 .	.0		1.055-03	217
SIZE	465	743	1088	1433	1778	2123	2468	2813	3158	2503	3848	4193	4538	4883	5228			
PROBE	4. 31E+05	3.65E+05	3.42E+04	5.21E+04	1. 25E+05	6.27E+84	6.46E+04	2.81E+04	5.11E+04	2.35E+04	1.735+04	3. 20E+03	2. 61E+03	2, 136+03	1. 90E+03		5.47E-03	111
SIZE	58	64	72	56	118	141	164	187	210	233	256	513	302	325	348			
SCATTER	1.80E+09	1.475+08	7.20E+07	6.215+07	4.51E+07	3.25E+07	1.89E+07	2.49E+07	1.86E+07	6.84E+06	5.20E+06	5.20E+06	7.66E+06	5.48E+06	4.38E+05		7.01E-04	18
SIZE (MU)	2	3	5	7	6	11	12	16	16	1.8	19	21	23	52	27		IMC	MED D
509.2	ALT (KM)	8,957		TEMP (C)	~41.5		FROSTPOINT	143.7		TAS (M/S)	122.7		NT (N/43)	8355.1		TOTALS	1.045-03	25
PRECIP	0.	0.	. 0	0.	0.0	.0	0 °	.0	0 °	0.	.0	0.	0.0	0.	0.		0 .	0
STZE	465	743	1088	1433	1778	2123	2458	2813	3158	3503	3848	4,193	4538	4883	5228			
CLOUD	9. 31E+04	1.885+35	2.31E+04	3.65E+04	8. 09E+C	2.65E+114	5.436+03	1.495+103	1.615463	0.	0.	0.	0.	0.	.0		1.045-03	7.5
SIZE	26	64	7.2	20	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	3.105+09	6.775+07	52F4	1.275+07	1.10F+07	8.00F+06	4.40E+06	4. N2F+86	3.326+86	1.385+05	1.37E+05	1.945+06	2.49F+06	1.385+06	8. TIE+05		1.94F-04	1.8
STZE (MU)	2		v	1	. 6	11	12	4	1 4	000	10	2.5	23	25	27		TWC	MED D

FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING INTERVAL START: 18:10134*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: SHALL SNOW AFHL CIRRUS STUDY BY AFGL
30 SECOND AVERAGING
INTERVAL STRATT*12759134*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

9	1911	308.7	ALT (KH)	8,968		TEMP (C)	-41.4		FROSTPOINT	-40.1		TAS IM/SI	125.1		NT (N/M3)	24922,8		TOTALS	7,605-03	114
010200	L'ELI L	PROBE	9.92E+02	0.	.0	0.0	0.	. 0	.0	0.0	.0	.0	*0	.0	0 .	.0	0.0		9.73E-04	217
24.40	377C	CHO	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
Gio	CLOOD	PROBE	4. 28E+05	4.58E+05	5. 27E+04	8.97E+04	1.496+05	9. 60E+04	7.748+04	3.67E+04	6. 42E+04	2.94E+04	1. 05E+04	5.27E+03	3.24E+83	1.98E+03	1.77E+03		6.62E-03	106
2110	2775	(HG)	26	64	7.2	56	118	141	164	187	210	233	256	518	302	325	348			
COATTED	SCALLER	PROSE	1.55E+09	1.615+08	9.38E+07	6.84E+07	4.58E+07	3.88E+07	1.76E+07	2.71E+07	1.765+07	1.14E+07	7.85E+06	9.122E+06	4.87E+06	7.86E+06	3.79E+06		7.87E-04	19
21.15	2115	(MA)	2	M	5	1	6	11	12	14	16	18	19	21	23	52	27		IMC	MED D
0	(AH) 4	309.1	ALT (KM)	8.950		TEMP (C)	-41.5		FROSTPOINT	-43.1		TAS (M/S)	123.2		NT (N/M3)	11444.4		TOTALS	2 . 34E-03	88
000	PRELIE	PROBE	.0	0,0	.0	.0	.0	0.	0.	* 0	0.0	.0	0.	.0	.0	.0	.0		0.	0
20.4.0	3775	(MIN)	465	743	1988	1.433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
0100	CLOUD	PROPE	4. C3E+05	2. 04E+05	3. 06E+04	5.92E+04	1.02E+05	4. CZE+04	2.71E+04	9.68E+03	1,215+04	6. 12E+03	6. 76E+03	0.0	0.	0.	0.		2.34E-03	88
	SILLE	(MA)	26	64	7.2	96	118	141	164	187	210	233	256	279	302	325	348			
1	CALTER	PROBE	2.67E+09	9.335+07	3.80E+07	3.495+07	2.26E+07	.46E+07	.13E+07	1.516+07	7.98E+06	3.58E+06	4.68E+06	2.75E+06	.92E+06	.58E+06	.48E+06		3.85E-04	1.8
0	S		6.7	0	100			400	-	-	-	P.	2	2	-	l le	"		(+)	

AFWL CIRRUS STUDY BY AFGL
19 HAR 78 30 SECOND AVERAGING
INTERVAL START:*18:01:04*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: SMALL SNOW

AFML CIRRUS STUDY BY AFGL
19 MAR 7 8 30 SECOND AVERAGING
19 TART#1418102104*
PARTICLE SIZE DISTREUITONS (NUMBER/M**3-MM)
TYPE: SMALL SNOM

9 (MB)	ALT (KM) 8.963	TEMP (C) -40.9 FROSTPOINT -41.8	TAS (M/S) 125.1 NT (N/M3) 51538.9	10.18E-02 1.18E-02 102
PRECIP	1.88E+03			1.85E-03 217 217 30 SECOND AVERAGING 12134* 1UUBER/H**3-HH)
SIZE	465 743 1088	1433 1778 2123 2468 2813 3158	3503 3848 4193 4538 5228	07 87 A 30 SE 1028347 (NUMBER
CLOUD	7. 02E+05 1.01E+06 2.41E+05	1.91E+05 3.84E+05 1.56E+05 8.80E+04 2.64E+04 5.15E+04	3.63E+04 1.52E+04 1.16E+04 6.60E+03 3.75E+03	50E-03 9,99E-03 217 92 1.85E-03 217 10HT E78-08 10
SIZE (HU)	26	95 118 141 164 187 210	233 256 279 302 325 348	AFH 108 ON INTERV SIZE DI
SCATTER	7.06E+08 2.33E+08 1.42E+08	1.296+08 9.436+07 6.696+07 4.146+07 4.996+07 3.506+07	1.92E+07 1.44E+07 1.44E+07 1.46E+07 9.49E+06	1.50E-03 9.99E-03 19 AFML CIRRUS FLIGHT E78-08 ON 19 MAR 78 PARTICLE SIZE 0157R IBUTION TYPE: SMALL
SIZE (MU)	NWW	115 115 144 16	18 119 23 25 75	C
P (149)	ALT (KH) 8.974	TEMP (C) -41.2 FROSTPOINT -39.6	TAS (M.CS) 125.7 NT (N.M.3) 56567.6	1.595-02 1.595-02 115 ING
PROBE	3.78E+03 0. 0.			3,735-03 217 217 183 SECOND AVERAGING 1134* 1134*
SIZE (MU)	465 743 1088	1433 1778 2123 2468 2813 3158	3503 3848 4193 4538 4538 5228	107 BY A 30 SE 101134* (NUMBER
CLOUD	8.19E+05 1.07E+06 1.54E+05	2.66E+05 4.51E+05 1.76E+05 1.15E+05 4.52E+04 6.14E+04	3,43E+04 2,27E+04 1,16E+04 9,34E+03 7,55E+03 6,74E+03	1.22E-02 3.73E-03 217 95 8 ON 19 MAR 78 8 ON 25 MAR 18 18 25 COND AVER INTERVAL START+18:01134* INTER AND START 18:01134* INTER AND START 18:01 MAR 18:00 MA
SIZE (MU)	26	95 118 141 164 187 210	233 256 279 302 348	3 255
SCATTER	5.28E+08 2.37E+08 1.72E+08	1,34E+08 9,24E+07 6,93E+07 4,69E+07 5,12E+07	2.136+07 1.456+07 9.986+06 1.486+07 1.296+07	1.56E-03 18 FLIGHT E78-08 ON INTER
SIZE (NU)	NMN	7 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	118 221 233 255 275	MED 0

(MB)	308.7	ALT CKM	0000	906.00	TEND IL	100	6.04	FPOCTBOTUT	10 10		TAC (N/C)	124 3	70474	NT CN/MZ	44.0464	******	404	7 275-03	101
PRECIP	PROBE	1.045+03	9. 385-01	0.		. 0		0.0			. 0		0.			. 0	;	7.095-04	217
SIZE	(HD)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228	3		
CLOUD	PROBE	2.24E+06	3.32F+06	4.17E+05	4.56E+05	1.04E+06	4.12F+05	2. 95E+05	1.08E+05	1.40E+05	1.21E+05	7. 37E+04	3.83E+05	3.07E+04	2.46E+04	1.46E+04		3.16F-02	100
SIZE	CHO	56	64	72	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	PROBE	2.63E+08	4.04E+08	3.78E+08	2.93E+08	2.22E+08	1.61E+08	1.02E+08	1.24E+08	9.06E+07	4.99E+07	3.88E+07	3.19E+07	2.65E+07	2.59E+07	1.86E+07		3.42E-03	1.8
SIZE	CHO	2	M	5	7	6	11	12	14	16	18	19	21	23	52	27		IMC	MED D
P (48)	308.6	ALT (KM)	8.970		TEMP (C)	-41.0		FROSTPOINT	-41.0		TAS (M/S)	125.3		NT (N/43)	45405.7		TOTALS	9.345-03	91
PRECIP	PROBE	1.25E+03	.0	.0	.0	.0	.0	.0	.0	.0	0.	.0	.0	.0	.0	.0		1.23E-03	217
SIZE	(Mn)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	PROBE	8.23E+05	8.42E+05	2.14E+05	2.11E+05	4. 10E+05	1.15E+05	6.49E+04	2.64E+04	3. 32E+04	2.16E+04	1.23E+04	5.28E+03	3.63E+03	2.49E+03	2. 22E+03		8.11E-03	3 6
SIZE	(MO)	26	64	72	96	118	141	164	187	210	233	256	279	302	325	348			
SCATTER	PROBE	8.26E+08	2.38E+08	1.31E+08	1.09E+08	7.42E+07	5.22E+07	3.35E+07	4.30E+07	3.52E+07	1.81E+07	1.84E+07	1.16E+07	1.33E+07	1.22E+07	8.93E+06		1.39E-03	19
SIZE	(HD)	2	2	un	1	6	11	12	14	16	18	19	21	23	25	27		IMC	MED D

AFML CIRRUS STUDY BY AFGL
19 MAR 78 30 SECOND AVERACING
19 MAR 78 30 SECOND AVERACING
PARTICLE SIZE 01STREUTIONS (NUMBER/M**3-MM)
TYPE: SMALL SNOW

AFML CIRRUS STUDY BY AFGL
19 MAR 78 30 SECOND AVERAGING
INTERVAL STARTIP18:04:04:04
PARTICLE SIZE DISTREBUTIONS (NUMBER/M**3-MM)
TYPE: SMALL SNOM

P (MR)	ALT CKM)	8.958	244	TEMP (C)	-40.6		FROSTPOINT	-41.3		TAS (M/S)	122.8		NT (N/43)	55311.2		TOTALS	1.175-02	96	9 1	
PRECIP	2.54F+03	0.	.0	.0	.0	0.	.0	.0	0.	.0	0.	.0	0.	0.	0.		2.52E-03	217	BY AFGL 30 SECOND AVERAGING	/H** 3-HH)
SIZE (MU)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228				JOY BY A	SAD4:34*
CLOUD	1.436+06	1.14E+06	2.65E+05	2.45E+05	4. 08E+05	1.50E+05	6.61E+04	1.94E+04	3.06E+U4	2. 20E+04	1.26E+04	5.38E+03	5.23E+03	5.08E+03	4.53E+03		9.18E-03	83	AFML CIRPUS STUDY BY AFGL N 19 MAR 78 30 SECON	INTERVAL START:*18304:34* PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM) TYPE: SMALL SNOW
SIZE	26	64	72	9.6	118	141	164	187	210	233	256	279	302	325	348				AFH-08 ON	SIZE DI
SCATTER	9.72E+08	2.03E+08	1.38E+08	1.10E+08	7.50E+07	5.60E+07	3.95E+07	4.78E+07	4.00E+07	2.21E+07	1.88E+07	1.38E+07	1.05E+07	1.24E+07	7.73E+06		1.446-03	19	AFML CIRPUS FLIGHT E78-08 ON 19 MAR 78	PARTICLE
SIZE (MU)	2	10	r.	7	6	11	12	14	16	18	19	21	23	52	27		INC	MED D		
308.8	ALT (KH)	8.966		TEMP (C)	8.04-		FROSTPOINT	9.04-		TAS (M/S)	124.3		NT (N/H3)	105624.5		TOTALS	3. C2E-02	121	ING	
PRECIP	7.45E+03	0.	0.	0.	.0	0.0	0.	.0	0.	.0	.0	.0	.0	.0	• 0		7.36E-03	217	T BY AFGL 30 SECOND AVERAGING	/M**3-MM)
SIZE (MU)	465	743	1088	1433	1778	2123	2468	2813	3158	3503	3848	4193	4538	4883	5228				JOY BY A	INUMBER SNOW
CLOUD	1.725+06	2. 09E+06	3.37E+05	4.42E+05	7. 53E + 05	3. 24E+05	2. 04E+05	6.56E+04	1.07E+05	8.69E+04	4.21E+04	3.08E+04	2.14E+04	1. 49E+04	1.33E+04		2.29E-02	86	AFHL CIRRUS STUDY BY AFGL	ERVAL STARTI*18:03:34* DISTRIBUTIONS (NUMBER/M**3-MH) TYPE: SHALL SNOW
SIZE (MU)	56	5	72	95	118	141	164	187	210	233	256	579	302	325	348				AFW	ALC:
SCATTER	1.785+08	3.38E+08	3.06E+08	2.53E+08	2.00E+08	1.38E+08	8.54E+07	9.98E+07	7.53E+07	3.95E+07	3.57E+07	2.37E+07	2.75E+07	2.54E+07	1.80E+07		3.01E-03	19	FLIGHT E78-08 0	PARTICLE SIZE
SIZE (MU)	2	M	5	7	6	11	12	14	16	18	19	21	23	52	27		INC	MED D		

000

3.74E-03 FROSTPOINT ALT (KH) 8.354 -41.2 TAS (M/S) 122.6 18379.9 303.4 9.04-(C) dH31 i-Z 7.70E-04 7.68F+02 PRECIP 3.745.05 7.3928.05 7.3928.05 7.556.04 1.4558.05 1.456.05 1.456.05 7.046.03 7.046.03 7.046.03 7.046.03 7.046.03 7.046.03 7.046.03 7.046.03 7.046.03 7.046.03 2.97E-03 82 CLOUD PROBE 2.21E+09 5.62=08 5.62=08 5.62=07 5.48E+07 3.518E+07 1.1E+07 1.1E+07 1.4E+07 4.98E+06 4.47E+06 4.47E+06 4.47E+06 3.60E+06 5.578-04 SCATTER 0 SI7E 1.666-02 309.0 ALT (KM) 8.962 FROSTPOINT 124.2 83950.3 TEMP (C) -40.7 -41.1 TAS 2.535-03 2.65E+03 PRECIP PROBE 465 465 11088 11433 1222 22123 22123 33158 33158 33503 33503 5228 1, 54E 06 1, 86E 06 4, 07E 05 5, 17E 05 5, 17E 05 1, 08E 05 1, 08E 06 1, 58E 04 1, 58E 1.40E-02 86 CLOUD 26 49 72 1118 1141 1164 2210 2210 2213 3302 348 4,55E+08 2,66E+08 1,70E+08 1,97E+08 1,97E+08 2,22E+07 4,64E+07 4,64E+07 1,97E+07 1,9 2.00E-03 SCATTER

SIZE

0

AFUL CIRRUS STUDY BY AFGL

10 MR. 78 30 SECOND AVERAGING

10 THERVAL STAFT**18105:104*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-HH)

TYPE: SMALL SNOW

FLIGHT E78-08 ON 19 MAR 78

TO SECOND AVERAGING
PARTICLE SIZE DISTRIBUTIONS (UNDRERZH**3-MH)
TYPE: SHALL SNOW

309.0	ALT (KH) 8.961	TEMP (C)	-42.7 TAS (M/S)	NT (N/43) 23557.1	5.63E-03
PRECIP PROBE	3.89E+02 9.36E-01				2.83E-04 217
SIZE	743	1433	2813 3158 3503 3848 4193	4538 4883 5228	
CLOUD	4.62E+05 4.47E+05 7.61E+04	1.25E+05 1.65E+05 8.00E+04 5.04E+04	1.04E+04 1.76E+04 1.57E+04 1.06E+04 8.53E+03	6.94E+03 5.64E+03 3.64E+03	5.35E-03 97
SIZE (MU)	26	95 118 141 164	187 210 233 256 279	302 325 348	
SCATTER PROBE	1.98E+09 1.45E+08 7.98E+07	7.56E+07 4.06E+07 4.16E+07 2.49E+07	2.90E+07 2.44E+07 7.95E+06 8.21E+06 7.13E+06	6.85E+06 6.85E+06 4.94E+06	8,32E-04
SIZE	2000	6 11 51	14 16 19 21	23	INC MED 0
P (MB)	ALT (KH) 8.956	FROSTPOINT	-41.6 TAS (M/S) 121.9	17354.0	2.715-03
PRECIP	4.72E+02 0. 0.		•••••		4.70E-04
SIZE (MU)	1088	1455 1778 2123 2468	2813 3158 3503 3848 4193	4.6.3.8 4.883 5228	
CLOUD	2.20E+05 4.12E+05 6.18E+04	1.31E+04 1.31E+05 3.83E+04 1.18E+04	6.03E+03 7.30E+03 1.78E+03 1.95E+03 0.	4.72E+02 9.45E+02 8.44E+02	2.24E-03
STZE	52 4 4 2 6	118	187 210 233 256 279	325	
SCATTER	2.45E+09 1.01E+08 5.36E+07	2.81E+07 2.82E+07 1.33E+07	1.81E+07 1.33E+07 7.50E+06 4.17E+06 3.62E+06	3.61E+06 5.01E+06 3.34E+06	5,20E-04 18
STZE (HU)	N M W A	6 11 2	21 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25	TWC MED D

AFML CIRRUS STUDY BY AFGL

FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING

INTERVAL START;*18:06134*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: SMALL SNOW

P (49)	ALT (KH)	8.966	TEMP (C)		FROSTPOINT	6.54-		TAS (M/S)	124.2		NT (N/H3)	9763.8		TOTALS	2.94E-03
PRECIP	2.96E+02	0.		.0	• 0		•	• • •	• 0	• 0	.0	• • •	• 0		2.33E-04
SIZE	465	1088	1433	2123	2000	\$4 FB	35.70	2000	000	200	0000	4883	2550		
CLOUD	1.54E+05	1. 14E+04	5.61E+04	1.71E+04	6. 64F407	1.12F+04	8. 69F + DZ	9.555+03	7.435403	4 905 404	7 355 603	2. 25F+03		2.715-07	123
SIZE (MU)	26	72	118	141	187	210	233	256	279	302	125	348			
SCATTER	2.75E+09 1.21E+08	5.07E+07	3.08E+07	9.56E+06	1.39E+07	1.15E+07	5.45E+06	4.64E+06	3.00E+06	2.99E+06	4.646+06	2.73E+06		4.53E-04	18
SIZE (MU)	NM	5 2	0 :	11	14	16	18	19	21	23	25	27		INC	MED D
303.2	ALT (KH) 8.957	TEMP (C)	-40.5	FROSTPOINT	-42.5		TAS (M/S)	122.2		NT (N/43)	14375.4		TOTALS	3.05E-03	0.6
PRECIP	4.35E+02	.0	.0	.0	.0	.0	0.	•	.0	0.	0.	0.		4.30E-04	21.7
SIZE (MU)	743	1088	1778	2468	2813	3158	3503	3848	4193	4538	4883	5228			
CLOUD	3.44E+05 2.47F+05	7.32E+04 8.73E+04	1. 11E+05	2.55E+04	9.01E+03	8.11E+03	4. 42E+03	0.	4.32E+03	1.94E+03	8.69E+02	7.77E+02		2. 62E-03	4.60
SIZE (MU)	92	72	118	164	187	210	233	256	279	302	325	348			
SCATTER	2.59E+09 1.14E+08	4.08E+97	2.335+07	1.416+07	1.94E+07	1.03E+07	8.59E+06	5.27E+06	3,33E+06	2.77E+06	2.50E+06	3.61E+06		4-79E-04	17
SIZE	NM	5 2	0, +	12	14	16	18	19	21	23	52	27		INC	MED D

AFHL CIRRUS STUDY BY AFGL
FLIGHT E78+08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL STARTF*18:105534*
PARTICLE SIZE DISTREBUTIONS (NUMBER/M**3-MH)
TYPE* SMALL SNOW

AFML CIRRUS STUDY BY AFGL
19 MAR 78 30 SECOND AVERAGING
PARTICLE SIZE DISTRIBUTIONS INUMBER/M**3-MM)
TYPE: BULL-ROSE

AFWL CIRRUS STUDY BY AFGL
BY ARRIED BY AFGL
PARTICLE SIZE OISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

308.2	ALT (KM)	8.980		TEMP (C)	-40.5		FROSTPOINT	-40.8		TAS (N/S)	127.6		NT (N/M3)	19250.9		TOTALS	3.32E-03	36
PRECIP	7.72E+02	7.70E+00	0.	.0	.0	.0	0.	.0	0.	0.	0.	.0	0.	.0	.0		6.80E-04	194
SIZE	437	904	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	3.04E+05	3.64E+05	8. 34E+04	8.198+04	1.23E+05	7.88E+04	5.91E+04	1. 95E+ 04	3.94E+04	2.68E+04	2.00E+04	1. 40E+04	1.12E+04	8.89E+03	6. 33E+03		2.64E-03	9.4
SIZE (HU)	92	14	29	18	108	128	148	169	189	503	230	250	271	291	311			
SCATTER PROBE	1.64E+09	1.66E+08	9.56E+07	7.54E+07	5.36E+07	5.04E+07	2.20E+07	2.84E+07	2.47E+07	1.06E+07	8.23E+06	6.37E+06	8.76E+06	7.43E+06	4.78E+06		8.84E-04	18
SIZE	2	*	2	7	6	11	12	14	16	18	19	21	23	25	27		TWC	450
308.8	ALT (KM)	8.967		TEMP (C)	5.04-		FROSTPOINT	-42.6		TAS (M/S)	125.0		NT (N/43)	13075.0		TOTALS	6.36E-03	188
PRECIP	3.11E+03	2.87E+02	2.25E+01	2.89E+00	0.	.0	.0	.0	0.	0.	0.	0.	0.	.0	0.		4.41E-03	522
SIZE	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	4-13F+05	2.44F+05	5. 52F +04	6.57E+04	7. 40E+04	4. (8E+04	2. 71E+04	5. 79E+03	1.618+04	1.65F+04	1. 39F + 84	1. 07F+04	1-10F+04	1. 146+04	9.49E+03		1.95E-03	98
SIZE	36	47	67	2.80	108	128	148	169	189	502	23.0	250	271	291	311			
SCATTER	2.196+09	1 775+08	1.246+08	1.015+08	7.195+07	5.78F+07	7.975+07	4-035407	2.815+07	1.515+07	1.245+07	8 115+06	9.735+06	7.025 +06	7.025+06		1.116-03	18
SIZE	0	0 84	7 W		0		12	1 1	**	2 4 4	0 0	24	2 4 5	25	22	4	2	0 0

AFHL CIRRUS STUDY BY A FGL FLIGHT E78-08 ON 19 HAP 78 30 SECOND AVERAGING	INTEQUAL START:*18:09:02*	PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-HM)	TYPE: BULL-ROSE
AFML CIRRUS STUDY BY AFGL BELTGHT F78-08 ON 19 MAR 78 30 SECOND AVERAGING	INTERMA: START: #18:08:02*	PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MM)	TYPE: BULL-ROSE

308.2	ALT (KH)	6.979	TEMP (C)	1 0 1	FROSTPOINT	-37.4		TAS (M/S)	128.1		NT (N/M3)	31003.8		TOTALS	126
PRECIP	2.55E+03	2.68E+00		0	0.	.0	0.	.0	.0	.0	0.	.0	.0	2.38E-03	196
SIZE	437	1011	1316	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676		
CLOUD	1.146+06	3.49E+05	1.46E+05	5.85E+04	2.45E+04	1.21E+04	2.44E+04	2.85E+04	2.61E+04	2.32E+04	2. 45E+04	2.58E+04	1.87E+04	4. 07E-03	66
SIZE	26	67	87	128	148	169	189	509	230	250	27.1	291	311		
SCATTER	1.42E+09	3.03E+08	2.45E+08	1.33E+08	7.88E+07	9.14E+07	7.08E+07	3.01E+07	2.69E+07	1.98E+07	2.14E+07	1.66E+07	1.29E+07	2.48E-03	17
STZE (MU)	~ ~	, r	~ 0	11	12	14	16	18	19	21	23	52	27	INC	MED D
303.6	ALT (KH)	0.910	TEMP (C)	4.0.4-	FROSTPOINT	-43.3		TAS (M/S)	125.8		NT (N/M3)	21775.2		1. ERE-02	191
PRECIP	8.87E+03	5.396+01	5.79E+00	6.11E-01	0.	.0	.0	.0	0.	.0	.0	.0	.0	1.22E-02	222
SIZE (HU)	437	1011	1316	1622	2233	2538	2843	3149	3454	3760	4065	4370	4676		
01000	8.25E+05	5.59E+05	9.32E+04	1.49E+05	4- 38E+04	2.47E+04	3.46E+04	2.51E+04	3.83E+04	2.96E+04	3.14E+04	3. 34E+04	2.77E+04	4.62F-03	108
SIZE (MU)	92	67	87	108	148	169	189	503	230	250	27.1	291	311		
SCATTER	2,135+08	3.78E+08	3.00E+08	2.09E+08	1.085+08	1.12F+08	8-42F+07	4-10F+07	3.375+07	2.45F+07	2.67E+07	2.43E+07	1.54E+07	7-12F-03	18
SIZE	2	m in	1	o :	11	14	1 2		0 +	24	23	25	27	127	MED D

AFML CIRRUS STUDY BY AFGL
19 HAR 76 30 SECOND AVERAGING
INTERVAL START:*18189132*
PARTICLE SIZE DISTRIBUTIONS (UNBER/M**3-MM)

AFML CIRRUS STUDY BY AFGL

PARTICLE SIZE DISTRIBUTIONS (UMBER/M**3-MH)

TYPE: BULL-ROSE

308.2	ALT (KM)	8.978		TEMP (C)	4004-		FROSTPOINT	-39.5		TAS (M/S)	127.6			NT (N/43)	21522.6		TOTALS	1. (DE-02	150
PRECIP PROBE	5.116+03	2.06E+02	6.48E+00	5.69E-01	0.	0.	.0	.0	0.	0.			. 0	.0	.0	0.		5.45E-03	504
SIZE	437	7.06	1011	1316	1622	1927	2233	2538	2843	11 49	11,56	1000	37.50	4065	4370	46.76)		
CLOUD	1.18E+06	4. 09E+05	7. 09E+04	5.96E+04	1. 06E+05	4.385+04	3.84E+04	2.92F+04	4.65E+04	5.835484	7 695 + 56.	20 300 40	3. 39E+04	3. 16E+04	2. 94F+04	2. KAF + A4		4.595-03	105
SIZE	26	14	29	7.8	108	128	148	169	0.00	200	000	000	250	271	291	24.1	110		
SCATTER PROBE	3.43E+08	7. 12E+08	2.50E+08	2.05F+08	1.55E+08	1.09E+08	6-67F+07	7.095+07	5.50F+07	2 465+07		2.19E+U/	1.67E+07	1.65E+07	1.83F+07	O TOEFOR	3.000.0	2.05F-03	18
SIZE	2) L	7	. 0	111	12	7.	46	9 4 4	0 4	13	21	23	25	22	13		MED D
P (4B)	ALT FEMA	100 a	0 * 201	TCMD (C)	101 101		THIONETHON	1 20 1	230.3		182 (4/5)	128.8		NT (BIMZ)	2 000 0	0.136.10	0 .4444	2 275-02	140
PRECIP	4 44.5404	1014111	3.400.400	2.52E+U1			* 52 *			.0	.0	0.		*		. 0	.0		202
SIZE (MU)		437	407	1011	1316	2291	1921	2233	2538	2843	3149	3454	2760	0000	4000	4370	4676		
CLOUD		2.14E+06	1.80E+06	3. 30E+05	3. 71E+05	5.37E+U5	1.505+35	1.19E+05	3. 46E+04	9.56E+04	7.21E+04	1.02F+05	4 445.00	(* SIE * 0 *	1.4/E+U4	7.65E+04	5.87E+04		1.205-02
SIZE		56	14	29	87	108	128	148	169	189	503	230		0.62	271	291	311		
SCATTER		2.71E+08	4.16E+08	5.97E+08	5.24E+08	3.68E+08	2.95E+08	1.72E+08	2.01E+08	1.53E+08	7.61E+07	5 065407	- DO . C	4.27E+07	4.19E+07	4.43E+07	2.74E+07		5,39E-03
SIZE		2	2	5	7	6	11	12	14	16	8.		1.7	21	23	52	22		INC MED D

AFHL CIRRUS STUDY BY AFGL

FLIGHT E78-08 ON 19 MAP 78

INTERVAL STABIT*18:10:02*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-HH)

TYPE: BULL-ROSE

308.1	ALT (KM) 8.982	TEMP (C) -40.5	60	TAS (M/S) 127.6	NT (N/M3) 9165.6 TOTALS	6.135-03
PROBE	3.49E+03 1.54E+02 7.02E+00	• • • •				3.80E-03
SIZE	706	1316	2533	3454	4370	
CLOUD	9.11E+05 1.33E+05	4.72E+04 3.88E+04 1.75E+04	6.89E+03 7.31E+03 1.05E+04	1.43E+04 2.31E+04 1.87E+04	1,89E+04 1,90E+04 1,50E+04	2,335-03
SIZE	26	108	169	230		
SCATTER	5.33E+08 2.62E+08	1.42E+08 9.24E+07 7.65E+07	4.70E+07 4.91E+07 3.88E+07	1.83E+07 1.54E+07 1.14E+07	9.83E+06 7.70E+06 6.90E+06	1.34E-03
SIZE	New	r 0 +	127	18 19 21	23	INC MED D
308.1	ALT (KM) 8.980	TEMP (C) -40.4	FROSTPOINT -40.3	TAS (M/S) 128.1	26694.7	1.205-02
PROBE	6.32E+03 2.15E+02	0.000				6.50E-03
SIZE	7 06	1316	2233	3454	4065	
01010	7.72E+05	1.45E+09 7.17E+04 1.43E+05	6.72E+04 4.41E+04 2.51E+04	3.90E+04 4.92E+04	3.91E+04 3.98E+04 3.08E+04	5.45E-03
SIZE			1173	209	271 271 291 311	
SCATTER	2.82E+08 3.54E+08	2.54E+08 2.06E+08 1.46E+08	1.00E+08 6.63E+07 8.30E+07	3.04E+07 2.35E+07	1.77E+07 1.77E+07 1.19E+07	2.21E-03
17E			125	0 8 6 6	23 25 27	INC

AFHL CIRRUS STUDY BY AFGL
19 NA 19 MAR 76
10 TARTY-18:11:32*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

AFWL CIRRUS STUDY BY AFGL
19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*18112132*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MM)
TYPE: BULL-ROSE

308.5	ALT (KM)	8.973		TEMP (C)	-40.1		FROSTPOINT	-39.3		TAS (M/S)	125.6		NT (N/M3)	24706.5		TOTALS	1.95E-02	177
PRECIP	1.14E+04	6.05F+02	4.55E+01	1.15E+00	.0	.0	0.	.0	.0	.0	.0	0.	.0	.0	0.		1.32E-02	210
SI ZE	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
PROBE	7.54E+05	4.42F+05	4. 66E+04	4.29E+04	9.60E+04	4. 06E+04	3. 70E+04	8.24E+03	5.16E+04	6.41E+04	4. 91E+04	4. 51E+04	5. 03E+04	5.61E+04	4.49E+04		6. 27E-03	116
SIZE (MU)	26	147	67	87	108	128	148	169	189	509	230	250	271	291	311			
PROBE	1.52E+08	4.15E+08	3.78E+08	2.82E+08	2.02E+08	1.56E+08	8.58E+07	1.09E+08	8.31E+07	4.18E+07	3.45E+07	3.02E+07	2.40E+07	2.19E+07	1.67E+07		3.07E-03	1.8
SIZE (MU)	2	M	2	1	6	11	12	14	16	18	19	21	23	25	27		IMC	MED D
308.4	ALT (KM)	8.975		TEMP (C)	-40.3		FROSTPOINT	-39.0		TAS (M/S)	127.2		NT (N/43)	8209.9		TOTALS	6 . 06E-03	175
PRECIP	3.785+03	1.69F+02	4.87E+00	5.73E-01	0.	.0	.0	.0	.0	.0	.0	.0	0.	.0	0.		4.12E-03	205
SIZE	4.37	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
PROBE	4-405+05	1 345405	4-60F+04	1.996+04	3. 56E+04	1.13E+04	1. 09E+04	3. 25E+03	1.58E+04	6.72E+03	1.27E+04	1. 05E+04	1.47E+04	2. 05E+04	1.62E+04		1.94F-03	120
SIZE	36	27	24	87	108	128	148	169	189	509	230	250	271	291	311			
SCATTER	7.725408	2 20E+08	1.485+08	1.23F+08	8.68E+07	5.70E+07	3.92E+07	4.66E+07	2.825+07	1.52E+07	1.04E+07	1.045+07	6.93F+06	8.52E+06	7.20E+06		1.15F-03	17
SIZE	•		n u		. 6	11	12	14	16	00	4	21	23	25	27		TWC	MED D

AFML CIRPUS STUDY BY AFGL
FLIGHT E78-08 ON 19 Mar 78 30 SECOND AVERAGING
INTERVAL START**18:13:02*
PARTICLE SIZE DISTRIBUTIONS (UNBER/M**3-HH)
IYPE: BULL-ROSE AFML CIRRUS STUDY BY AFGL
19 MAP 78 30 SECOND AVERAGING
INTERVAL START:*112:102**
INTERVAL START:*112:102**
TYPE: 9ULL-ROSE

308.1	ALT (KM)	TEMP (C)	-40.3	FROSTPOINT	-39.6		TAS (M/S)	126.2		NT (N/M3)	25879.0		TOTALS	1.84E-02	163
PRECIP	1.06E+04	2.02E+01 5.76E-01		0.	.0	0.	0.	0.	.0	.0	.0	0.		1.12E-02	203
SIZE	706	1316	1622	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	1.23E+06	9.69E+04 6.02E+04	8.88E+04	2.49E+04	1.07E+04	2.57E+04	5.12E+04	6.59E+04	6. 73E+04	6.59E+04	6.45E+04	5. 02E+04		7.15E-03	117
SIZE	26	57.8	108	148	169	189	503	230	250	27.1	291	311			
SCATTER PROBE	1.25E+08	4.39E+08	2.43E+08 1.82E+08	1.08E+08	1.28E+08	9.67E+07	4.48E+07	4.16E+07	3.20E+07	2.95E+07	2.44E+07	2.20E+07		3.61E-03	18
SIZE	N M	5 1	9	12	14	16	18	19	21	23	52	27		IMC	MED D
P (MB)	ALT (KM) 8.974	TEMP (C)	-40.3	FROSTPOINT	-39.4		TAS (M/S)	126.3		NT (N/H3)	11078.6		TOTALS	1.01E-02	200
PRECIP	5.83E+03	1.80E+01	0. 6.40F-01	6.80E-01	.0	.0	.0	0.	.0	.0	.0	.0		7.95E-03	222
SIZE (MU)	437	1011	1622	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	1. 06E+06	6.326+04	4. 27E+04	1. 49E+04	5.74E+03	6. 18E+03	8.70E+03	8.52E+03	9.44E+03	1.43E+04	2.15E+04	1.796+04		2.12E-03	119
SIZE (MU)	26	57	108	148	169	189	209	230	250	271	291	311			
SCATTER	5.37E+08	2.06E+018	1.04E+08	5.665+07	6.01E+07	3.97E+07	1.96E+07	1.745+07	1.53E+07	1.42E+07	3.59E+06	9.67E+06		1.60E-03	1.8
SIZE	2 2	200	0 :	12	14	16	**	19	21	23	25	27		INC	MED 0

AFML CIRRUS STUDY BY AFGL
19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*18131332*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: 9ULL-ROSE

FLIGHT F78-08 ON 19 MAP 78 30 SECOND AVERAGING
1 NTEQUAL STATIFIBIL4:32*
PARTICLE SIZE OISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

P (48)	308.6	ALT (KH)	8.970		TEMP (C)	-40.1		FROSTPOINT	- 49.6		TAS (4/5)	125.3		NT (N/43)	3.8933.1		TOTALS	1.70E-02	132
PRECIP	PROBE	7.60E+03	1.14E+02	2.20E+00	.0	0.	.0	0.	0.	0.	0.	0 *	0.	0 *	.0	.0		7.05E-03	196
SIZE	(MC)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3769	4065	4370	4576			
CLOUD	PROBE	1.89E+06	5.97E+05	1.61E+05	7.84E+04	1.92E+05	1. 02E+05	8.42F+04	4.55E+04	8.84E+04	9.93E+04	9.85E+04	7. 38F +04	7.42E+04	7.46E+04	5.43E+04		9.948-03	109
SIZE	CMO	92	147	29	87	108	128	148	169	189	503	230	250	271	291	311			
SCATTER	PROBE	1.05E+08	4.42E+08	4.17E+08	3.32E+08	2.34E+08	1.748+08	1.08E+08	1.30E+08	9.63E+07	4.46E+07	3.92E+07	2.38E+07	3.14E+07	2.38E+07	1.95E+07		3.46E-03	18
SIZE	CMO	2	3	5	7	6	11	12	14	16	18	19	21	23	52	27		INC	MED D
p (48)	308.5	ALT (KM)	8.973		(3) dw31	-40.1		FROSTPOINT	-39.8		TAS (M/S)	126.2		NT (N/43)	27594.5		TOTALS	1.68E-02	145
PRECIP	PROBE	9.15E+03	1.815+02	4.91E+00	9.	.0	.0	0.	9.	.0	0.0	0.	.0	0.	0.	. 0		8.73E-03	197
3712	S E	437	7.06	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PROBE	1.135.06	5. 39E+05	4. 21E+04	4.77E+04	7.51E+04	1.90E+04	3.788+04	1. 54E+04	5.76E+04	7.06E+04	8.40E+04	5.79E+04	40+369*9	7.72E+04	5.74E+04		8. 06E-03	117
SIZE	(AU)	92	23	19	87	103	128	148	169	189	503	230	250	271	291	311			
TER	PROBE	1.916+08	4.04E+08	3.79E+08	3.05E+08	2.12E+08	1.62E+08	9.18E+07	1.12E+08	8.436+07	3.81E+07	3.17E+07	2.60E+07	2.36E+07	2.07E+07	1.755+07		3.035-03	1.8
SCAT																			
SIZE SCAT		2		2	7	6	11	12	14	16	18	19	21	23	52	27		TWC	HED D

AFML CIRPUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL STAFF**18:15:02*
PARTICLE SIZE DISTRIBUTIONS (UNHBERZM**3-MM)
TYPE: QULL-ROSE AFML CIRRUS STUDY BY AFGL
TO A 19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*18114102*
PARTICLE SIZE DISTRIBUTIONS (UNBER/M**5-HH)
TYPE: RULL-ROSE

(MB) d	308.9	ALT (KM)	8.967		TEMP (C)	-40.1		FROSTPOTNT	-39.9		TAS MASS	126.6		NT (N/H3)	33038.8		TOTALS	1.495-82	126
PRECIP	PROBE	5.81E+03	6.87E+01	2.22F+00	0.		0,	0.	0.	0.	0.	0.	0.	0.	. 63	0.0		5,315-03	195
SIZE	(HI)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PROBE	8. 32E+05	5.20E+05	1. 03E+05	5.85E+D4	1.07E+05	5.138+04	4.75E+04	4.58E+04	1. 05E+05	1.145+05	1.23E+05	9.235+04	7.73E+04	6.48F+04	4.63E+04		9.61E-63	109
SIZE	CMUS	56	24	19	87	108	128	148	169	189	203	230	250	271	291	311			
SCATTER	PROBE	1.20E+08	4.33E+08	3.65E+08	2.93E+08	1.92E+08	1.405+08	8.83E+07	1.10E+08	7.93E+07	3.43E+8?	3.466+07	2.12E+07	1.83E+07	2.13E+07	1.748407		2.84E-03	1.8
SIZE	(MU)	2	*0	5	7	6	11	12	14	16	1.8	19	21	23	25	27		INC	MED D
p (48)	308.6	ALT (KM)	8.970		TEMP (C)	-40.1		FROSTPOINT	-39.8		TAS (M/S)	125.7		NT (N/43)	39887.6		TOTALS	1 - 30E-02	132
PRECIP	PROBE	5.88E+03	9.97E+01	2,74E+00	.0	. 0	.0	0.	. 0	0.	0.	0.	0.0	. 0	0.	0 °		5.53E-03	196
SIZE	(MA)	437	206	1.011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	9195			
CLOUD	PROBE	7.53E+05	7.58E+05	1.31E+05	1.445+05	2.61E+05	1.17E+05	7.40E+04	3.63E+04	5.34E+04	6. 79E+04	4. 70E+04	5.45E+04	5.43E+04	5.40E+04	3.97E+04		7. 50E-03	108
SIZE	CHO	92	24	19	87	108	128	148	169	189	503	230	250	271	291	311			
	1-1	+08	E+08	E+08	2.958+88	2.01E+08	1.67E+08	9.97E+07	* 06E+08	8.22E+07	4.34E+07	3.10E+07	2.80E+07	2.29E+07	2.53E+07	*72E+07		E-03	18
SCATTER	PPOBE	1.25	4.10E+08	3.67E+08	5.95	2.01	1.67	6.97	1.06	8.2	4.3	3.1	2.8	2.20	2.53	1.70		3.11E-0	
SIZE SCATTER		2 1.25	3 4.10	5 3.67	7 2.95	9 2.01			-				21 2.8			1			MED D

FLIGHT E78-08 ON 19 HAR 73 30 SECOND AVERAGING INTERVAL STARTF*18:15:37*
PARTICLE SIZE DISTRIBUTIONS (UNHBER/H**3-MH)

AFML CIRRUS STUDY BY AFGL
19 MAR 78 30 SECOND AVERAGING
INTERVAL START**18116132*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: GULL-ROSE

508.7	ALT (KM) 8.969	TEMP (C) -40.1 FROSTPOINT	TAS MYS!	NT (N/M3) 25311.5	7.63E-03
PROBE	2.70E+03 4.02E+01 5.54E-01				2.49E-03
STZE	706	1316 1622 1927 2233	2538 2343 3149	3760 4065 4370 4676	
CLOUD	6.95E+05 4.20E+05 9.86F+04	7.65E+04 1.13E+05 7.97E+04 7.08E+04	7.93E+04 7.86E+04 6.49F+04	2.40E+04 2.52E+04 2.64E+04 1.92E+04	5.14E-03
SIZE (MU)	26	1200	169	250 271 271 291	
SCATTER PROBE	6.88E+08 2.78E+08	1.52E+08 1.03E+08 8.49E+07 5.81E+07	5.54E+07 4.04E+07 2.43E+07	1.26E+07 1.26E+07 1.39E+07 9.83E+06	1,67E-03
SIZE	NEG	r 6 11 51	1 9 8 0	23 25 25	TWC MED 0
308.9	ALT (KM) 8.963	TEMP (C)	TAS (M/S)	NT (N/93) 60885.3	1.56E-02
PRECIP	7.21E+03	00.00			6.84E-03
SIZE	706	1316	2538	3760 4376 4370 4676	
CLOUD	1, 18E+06 1,25E+06	1.25E+05 2.21E+05 1.35E+05	9.87E+04 1.67E+05 1.90E+05	1. 49 0. 40 5 1. 07 6 + 0 5 8. 27 6 + 0 4 6. 38 6 + 0 4 4. 71 6 + 0 4	1.27E-02 101
SIZE	26	108	189	250 271 271 311	
SCATTER	8.09E+07	7.56E+08 2.56E+08 2.63E+08 1.95E+08	1.42E+08 1.03E+08 5.50E+07	3.12E+07 3.12E+07 3.52E+07 3.06E+07 2.46E+07	4.00E-03
SIZE (HU)	NMU	2 2 4 4 5	199	23 25 25 27	TWC MED D

FLIGHT E78-D8 ON 19 MAR 78 30 SECOND AVERAGING INTERVAL STAFT: 18:17*0.2*
PARTICLE SIZE DISTRIBUTIONS (UNHBER/M**5-MM)
TYPE: GULL-ROSE FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING INTERVAL STAFF1*18115802*
PARTICLE SIZE DISTRIBUTIONS (UMBER/M**5-MM)
TYPE: BULL-ROSE

308.6	ALT (KH)	8.970		TEMP (C)	-40.1		FROSTPOINT	-39.6		TAS (M/S)	124.5		NT (N/H3)	9794.2		TOTALS	1 . :2E-03	16
PRECIP	2.91E+02	1.37E+01	5.54E-01	.0	.0	• 0	.0	.0	.0	0.	.0	.0	.0	.0	.0		3.18E-04	505
SIZE	437	7.06	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	1.39E+05	2.46E+05	3.42E+04	3. 05E+04	6.75E+04	2.70E+04	1.92E+04	9. 16E+03	8.97E+03	1.18E+04	1. 30E+04	4.79E+03	2.66E+03	1.48E+03	1.18E+03		1. 00E-03	77
SIZE	56	14	29	87	108	128	148	169	189	602	230	250	271	162	311			
SCATTER	2.60E+09	1.03E+08	4.49E+07	3.21E+07	2.26E+07	1.69E+07	1.12E+07	1.28E+07	1.06E+07	4.36E+06	4.36E+06	3.54E+06	3.00E+06	1.90E+06	1.095+06		3.64E-04	16
SI 7E	2	2	2	1	6	11	12	14	16	18	19	21	23	52	27		INC	MED D
308.8	LT (KM)	8.966		TEMP (C)	-39.9		FROSTPOINT	-40.5		TAS BAJSI	124.0		4T (N/M3)	24134.4		TOTALS	1. 76E-02	133
	d												-	_				
PRECIP		9.53E+01			0.	.0	* 0	0.	0.	0	. 0	0.	.0	0.	.0		5.43E-03	196
SIZE PRECIP (MU) PROBE	5.82E+03		1.67E+00	0.	0.	.0	* 0	2538 0.	0.	-0	3454 0-	0.	.0	0.0	0.		5.43E-03	196
	437 5.82E+03	9.53E+01	1011 1.67E+00	1316 0.	1622 0.	1927 0.	2233 0.		2843 0.	1149 0-		3760 0.	4065 0.	4370 0.	4676 0.		7. 15E-03 5.43E-03	
SIZE F	437 5.82E+03	3.20E+05 706 9.53E+01	1.16E+05 1011 1.67E+00	6.39E+04 1316 0.	7.48E+04 1622 0.	3.22E+04 1927 0.	2233 0.	2.92E+04	5.86E+04 2843 0.	8.965+04 3149 0.	7.14F+04	6.37E+04 3760 0.	5.89E+04 4065 0.	5.44E+04 4370 0. \	3.98E+04 4676 0.			
CLOUD SIZE P	437 5.82E+03	3.20E+05 706 9.53E+01	1.16E+05 1011 1.67E+00	6.39E+04 1316 0.	3 108 7.48E+04 1622 0.	3.22E+04 1927 0.	7 148 4.56E+04 2233 0.	169 2.92E+04	7 189 5.86E+04 2843 0.	20 8-965+04 3149 0.	7 230 7-14F+04	7 250 6.37E+04 3760 0.	271 5.89E+04 4065 0.	7 291 5.44E+04 4370 0.	3.98E+04 4676 0.			

AFML CIRRUS STUDY BY AFGL
19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*1817132*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/W**3-MM)
TYPE: BULL-ROSE

FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: 9ULL-ROSE

308.4	ALT (KH) 8.975	TEMP (C)	FROSTPOINT -39.2	TAS (M/S) 126.3	NT (N/H3) 6222.8	1.92E-03
PRECIP	5.69E+02 1.04E+00					4.39E-04
SIZE	437	1316	2233	3454	4065	
CLOUD	1.36E+05	8.42E+03 5.01E+03 2.38E+04	1.69E+04 9.82E+03	2.03E+04 1.38E+04 7.08E+03	9.31E+03 1.23E+04 7.99E+03	1.486-03
SIZE	26	108 108	159	230	291	
SCATTER	2.22E+09 1.16E+08	5.01E+07 4.50E+07 2.57E+07 2.36F+07	1.50E+07 1.34E+07 8.85E+06	4.29E+06 2.68E+06 3.22E+06	4.28E+85 1.61E+06 2.68E+06	4.04E-04
STZE (MU)	NMU	r r o +	175	118	25	THC MED D
P (48)	ALT (KH) 8.975	TEMP (C) -40.1	FROSTPOINT -39.3	TAS (H/S) 125.8	9.0886	1.74E-03
PRECIP	4.31E+02 5.23E+00					3.81E-04 195
STZE	786	1316	2533 25538 25643	3149 3454 3760	4676	
CLOUD	2.05E+05 1.26E+05	3.27E+04 3.56E+04 4.44E+04	3.10E+04 1.07E+04 1.96E+04	1.75E+04 7.45E+03 4.75E+03	4.34E+03 3.15E+03	1.36E-03 81
SIZE	25	108	169	2509	311	
SCATTER	2.13E+09 1.25E+08	5.205+07 4.64E+07 2.88E+07 2.10E+07	1.546+07	5.39E+06 4.58E+06 2.42E+06	1.88E+06 3.23E+06	4.44E-04
SIZE	NEW		14 12 14 15 15 15 15 15 15 15 15 15 15 15 15 15	1 1 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	252	TWC MED D

AFML CIRPUS STUDY BY AFGL

SECOND AVERAGING

INTERVAL START:*18:13:02*

PARTICLE SIZE DISREIBUTIONS (NUMBER/M**3-MM)

AFML CIRRUS STUDY BY AFGL

19 MAP 78 30 SEGOND AVERAGING

INTERVAL START:*18:19:10.2*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

708.5	A1 T 45 W.	1000	0.373	TON ON SA	101	0.04	FROSTBOTAT	* 0x-	233.1	The sures	1071	1.634	NT CHANGE	10000	3410.3		S KE ST	100
PRECIP	4.605+02	1 5 5 5 4 9 9	0.000				. 0	0.	. 0			0.	0.				7.675-04	192
SIZE	437	706	1011	1 3 4 5	1622	1927	2233	25 TR	2843	3149	7454	3760	4065	4370	4676			
CLOUD	1.37E+05	1-625+05	2.95F+04	2.01E+04	5. 30F + 04	4. 315+04	2.79E+04	1.40E+04	2.92F+04	3. 00F+04	1.81F+04	9.47E+03	8.59E+03	7- RAF + B3	5.26F+03		1-795-11	92
SIZE	26	17	67	8.7	108	128	148	169	189	209	230	250	27.1	291	311			
SCATTER	1.95E+09	1.395+08	5.80E+07	4.545+07	3.44E+07	2.60E+07	1.56E+07	1.83E+07	1.53E+07	8.32E+06	4.03E+06	2.95E+06	3.76E+06	4.57E+06	4.03E+06		5.49E-04	17
SIZE	2	8	5	7	6	11	12	14	16	1.8	19	21	23	52	27		IMC	MED D
308.5	ALT (KM)	8.973		TEMP (C)	-40.1		FROSTPOINT	-39.5		TAS (M/S)	125.8		NT (N/M3)	10288.1		TOTALS	2.67E-03	101
PROBE	6.49E+02	9.37E+00	.0	.0	0.	.0	.0	.0	0.0	.0	0.	.0	.0	.0	.0		5.88E-04	195
SIZE (MU)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
PROBE	2.40E+05	9. 01E+04	E. 34E+04	3. 02E+04	8.22E+04	5.46E+04	4. 09E+04	1.15E+04	4° 00E+04	2.72E+04	2.35E+04	1.43E+04	9. 39E+03	6. 18E+03	4.52E+03		2. 08E-03	0.6
SIZE (MU)	58	147	29	87	108	128	148	169	189	209	230	250	271	291	311			
SCATTER	1.65E+09	1.62E+08	7.55E+07	6.82E+07	4.58E+07	3.34E+07	2.26E+07	2.37E+07	1.89E+07	6.73E+06	5.66E+86	6.47E+06	3.51E+06	4.57E+06	3.78E+06		6.50E-04	17
ST ZE (MU)	2	PO	5	1	0	11	12	14	16	18	19	21	23	25	27		INC	MED D

FLIGHT E78-08 ON 19 MAR 78 30 SECON) AVERAGING INTERVAL START**1819132*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MH)
TYPE: BULL-ROSE

AFML CIRRUS STUDY BY AFGL
PAIR TO SECOND AVERAGING
PARTICLE SIZE SISTERBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

308.8	ALT (KM) 8.967 TEMP RC) -40.0 FROSTPOINT TAS (M/S) 124.6 NT (N/43) 12715.5	
PPECIP PROBE	5,31£+02 1.05£+00 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	
SIZE (MU)	437 106 106 106 106 106 106 106 106 106 106	
CLOUD	2. 42E*05 2. 13F*05 2. 13F*04 2. 29F*04 2. 18F*04 2. 18F*04 3. 83F*04 3. 95F*04 3. 95F*04 1. 91F*04 1. 91F*04 7. 20E*03 7. 20E*03	
SIZE	266 477 677 1128 677 1289 7289 8311 8311	
SCATTER	1. 87 E + 108 1. 54 E + 108 3. 56 E + 107 3. 56 E + 107 3. 56 E + 107 3. 56 E + 107 4. 41 E + 107 4. 41 E + 107 5. 52 E + 106 5. 53 E + 106 6. 55	
SIZE	MEN 22534 198 198 198 198 198 198 198 198 198 198	
308.6	ALT (KH) 8,970 TEMP (C) -4,0.0 FRDSTPOINT -39.8 TAS M/S) 12337.9 TOTALS Z,38E-03	
PRECIP	3.65E+00 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0	
SIZE (MU)	437 1057 1057 1057 1057 1057 1057 1057 105	
CLOUD	1.03E+05 2.2EE+05 4.2EE+04 4.2EE+04 4.2EE+04 4.2EE+04 4.3EE+04 5.3EE+04 5.3EE-04 5.3EE-04 7.3EE-04 7.6EE-03 7.7EE+03 7.6EE-03 899	
SIZE	226 677 867 1108 1108 1169 230 230 231 231 311	
PROBE	1.94E+09 1.53E+08 6.93E+07 2.53E+07 2.54E+07 1.72E+07 1.72E+07 1.72E+07 1.72E+07 1.72E+07 1.72E+07 1.72E+06 6.20E+06 6.20E+06 6.20E+06 6.20E+06 6.20E+06	
SIZE (MU)	NUNCOTATATATOROUS NINE	

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL STABIT+18:21:02*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/W**3-MM) AFML CIRRUS STUDY BY AFGL
50 SCOND AVERAGING
INTERVAL START**18:20:02*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MM)

303.8	ALT (KH) 8,965 TEMP (C) -40.0 FROSTPOTNT -38.9 TAS (H/S) 124.3 NI (N/H3) 12374.7 TOTALS 4,006-03 1221
PRECIP	1.25E03 5.54E*01 0. 0. 0. 0. 0. 1.03E-03
SIZE (MU)	437 1011 11316 1622 1622 1933 2643 3149 4166 4166 4166 4166
CLOUD	3, 125 + 05 3, 405 = 05 3, 405 = 05 3, 405 = 05 4, 35 = 05 4, 35 = 05 1, 805 = 04 1, 805
SIZE (MU)	25 677 677 1128 1128 1469 220 220 221 311 311
SCATTER PRO9E	1.34E+09 2.01E+08 9.52F+07 6.52E+07 3.4E+07 2.51E+07 2.51E+07 3.4E+07 3.5E+07 3.5E+07 3.5E+07 5.7E+06 5.18E+06 5.18E+06
SIZE	2 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
308.7	ALT (KH) 8.969 TEMP (C) 40.0 FROSTPOINT 439.3 TAS (M/S) 15678.7 TOTALS 9.786.03 467
PPECIP PROBE	7.70E+03 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
SIZE (MU)	4437 1011 1316 1927 1927 2538 2538 3144 3160 44065 4676
CLOUD	2.75E+05 3.25E+05 1.5E+04 4.99E+04 7.21E+04 7.21E+04 7.21E+04 7.31E+04 7.31E+04 7.35
SIZE	2000 2000 2000 2000 2000 2000 2000 200
SCATTER PROSE	1,76E+09 7,87E+07 7,87E+07 4,33E+07 2,06E+07 2,98E+07 8,12E+06 4,87E+06 4,06E+106 6,54E+106 6,54E+106 6,54E+106 6,54E+106
SIZE	N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

AFWL CIRRUS STUDY BY AFGL
30 SECOND AVERAGING
INTERVAL START:*13:11:32*
PARTICLE SIZE DISTRIBUTIONS (UNBER/M**3-MM)
TYPE: BULL-ROSE

AVERAGING	
FLIGHT E78-08 ON 15 MAR 78 30 SECONO AVER. INTERVAL STATI*18:22:32* PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)	LADE & DIE COURT

P (MB)	AI T (KM)	8.960	TENE YOU	-39.A		FROSTPOTNI	-69-6		TAC INVES	1074	155.9	***************************************	NI (N/ 45)	18961.5		7 CTF OF	161
PRECIP	5.88E+03	.0		0.	.0	.0	0.	.0	0.			•				5.025-03	191
SIZE	437	7.06	1316	1622	1927	2233	2538	2843	3149	3454	1760	4065	1. 4.70	4676			
CLOUD	1.05E+05	3.78E+05	6. 18E+04	8.23E+04	3. 76E+04	5. 10E+04	3. 20E+04	6.36E+04	4.56E+04	2.73E+04	1.21F+04	1 - 19F + 04	1. 185 406	1. 07 E+ 04		2.95E-03	06
SIZE (HU)	92	47	87	108	128	148	169	189	503	230	250	271	294	311			
SCATTER	1.76E+09	1.58E+08 8.46F+07	7.11E+07	5.10E+07	3.44E+07	2.29E+07	2.84E+07	1.35E+07	1.02E+07	7.99E+116	6.34E+05	5.52E+06	5.79F+06	4.13E+06		7.35E-04	18
SIZE (HU)	2	m w	7	6	11	12	14	16	18	19	21	23	25	27		INC	0
708.8	ALT (KM)	8.967	TENP (C)	-39.9		FROSTPOINT	-38.6	1	TAS MISS	123.9		NT (N/43)	11856.6		TOTALS	3.648-03	118
PRECIP	1.87E+03	0.0	.0	.0	.0	. 0	. 0	* 0	.0	.0	.0	.0	.0	.0		1.60E-03	191
SIZE (MU)	437	1011	1316	1622	1927	22.33	9562	5492	3149	3454	3760	4065	4370	9294			
CLOUD	1. 39E+05	3.86E+04	3.335+04	6. 09E+04	2.96E+04	5. 55E+U4	5. 15E+U4	40 475 404	4. 5.5E + 04	2.92E+04	7. 22E+03	5.20E+03	3.74E+03	3. 39E+03		2. 04E-03	80
SIZE (MU)	26	24	87	108	128	148	103	103	602	230	250	271	291	311			
SCATTER	2.11E+09	4.98E+07	5.11E+07	3.42E+07	2. UBE + U	1.535.07	1.465+07	10.202.1	5.20E+05	9.85E+06	5.20E+06	5.47E+06	3.28E+06	3.83E+06		5.65E-04	19
STZE (MU)	2	n un	~	6	11	10	14	10	18	19	21	23	52	27			MED 0

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START**18*25102*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**5-MM)

AFML CIRPUS STUDY BY AFGL
FLIGHT E78-08 BW. 19 MAR 78 30 SECOND AVERAGING
INTERVAL STAFT**181813*02*
PARTICLE SIZE OISTRIBUTIONS (MUMBER/M**3-MM)
TYPE: GULL-ROSE

308.8		ALI (KY)	6.967		TEMP (C)	-39.9		FROSTOOINT	5.04-		TAS (M/S)	121.8		NT (N/H3)	11692.0		TOTALS	6.85E-03 161
PRECIP	5.02F403	0.000		.0	. 0	. 0		. 0	. 0	. 0	.0	. 0	* 0		. 0	. 0		191
SIZE	423	7 6	90 /	1011	1316	1022	1361	5533	25.38	5043	57.46	34.54	3760	4865	4370	945.76		
CLOUD	2.83F+05	1 405406	C C C C C C C C C C C C C C C C C C C	2 005-04	* 545.404	4 075 404	1 555.00	1. 225. 104	C. 55E+04	** 005 * 04	2. 615.484	3. 525 + 36	14 375 + 64	1+166+04	1. 00f +0 4	7+ 135 + 03		96
SIZE (MU)	26	17	2 2		80 +	128	87,	7 4	001	000	5000	2000	000	122	263	32.2		
SCATTER PROBE	2.09E+09	1.46F+0R	6-565407	5.92F+07	4.20F+07	3.14F+07	1.75F+07	2.425407	1 505+07	7.795+06	7. OUE + DE	6. 125 + 06	2 065405	3 065 405	4.76E+05	41145160	F. BIE-BE	17
SI7E (MU)	2	*	ır	7	. 0	11	12	14	1 4	18	0 +	24	20	2 6	27			MED D
P (MB)	ALT (KM)	8.965		TEMP (C)	-39.9		FROSTPOINT	-39.5		TAS (M/S)	123.8		NT (N/M3)	19631.3		TOTALS	8 . 41E-03	158
PRECIP	5.94E+03	.0	0.	.0	.0	0.	.0	0.0	.0	.0	0.	.0	.0	.0	0.		5.075-03	191
SIZE (MU)	437	206	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	2.44E+05	4.49E+05	2.15E+04	2.81E+04	5.92E+04	4. 51E+04	3.96E+04	2.26E+04	7.77E+ 04	6.01E+04	2. 71E+04	2.65E+04	1.77E+04	1.19E+04	1. 08E+04		3. 33E-03	46
SIZE	56	14	29	87	108	128	148	169	189	602	230	250	271	162	311			
SCATTER	1.80E+09	1 . 76E+08	8.68E+07	6.51E+07	4.87E+07	7.61E+07	2.16E+07	2.76E+07	2.14E+07	1.10 €+07	9.58E+06	6.58E+06	3.83E+06	4.92E+06	3.28E+06		7.316-04	17
SIZE (MU)	2	2	5	7	6	11	12	14	16	18	19	21	23	25	27		INC	MED 0

FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING INFEVAL STATI*18123132*
PARTICLE SIZE DISPRIBUTIONS (NUMBER/W**3-MM)

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*18:14:32*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

P (MB)	ALT (KM) 8.974	TEMP (C)	0 * 0 * -	FROSTPOINT	-37.7	TAC INVES	125.9		NT (N/H3)	16737.1	TOTALS	1. (96-02
PRECIP PROBE	6.85E+03	1.37E+01 1.16E+00	. 0	.0	.0	• • •		.0	.0	.0	• 0 •	7.54E-03 206
SIZE (MU)	437	1011	1622	2233	2538	2843	3454	3760	4065	4370	4676	
CLOUD	1.03E+06 3.42E+05	5.50E+04 5.03E+04	8.90E+04	2. COE+04	9.89E+03	1.33E+04	7.46E+03	1.42E+04	2.30E+04	3.71E+04	2.93E+04	3.32E-03 122
SIZE (MU)	26	57	108	148	169	189	230	250	271	291	311	
SCATTER	2.08E+08	3.14E+08 2.45E+08	1.65E+08	7.78E+07	9.02E+07	7.35E+07	2.50F+07	1.916+07	1.75E+07	1.72E+07	1.32E+07	2.46E-03
SIZE	0 10	5	6 #1	12	14	16	10	21	23	25	22	TWC MED D
P (MB) 308.9	ALT (KM) 6.965	TEMP (C)	-39.9	FROSTPOINT	-39.2		122.9	3 3 4	NT (N/M3)	12757.8	TOTALS	3.406-03
PRECIP	5.98E+02 5.33E-01	.0	.0		0.0	. 0		. 0	0.0	0.	. 0	4.37E-04 192
SIZE	437	1011	.622	2233	2538	2843	3149	3760	4065	4370	4676	
CLOUD	1.40E+05	5, 19E+04	4. 03E+04	2.59E+U4	2. 19F+04	6.64E+04	3.87E+04	3. 93E+84	1 775+04	1 - 545 + 14	9.83E+03	2.96E-03
SIZE	26	29	108	128	189	189	503	250	27.1	201	311	
SCATTER	1.91E+09	7.41E+07	4.38E+07	3.58E+07	2.7AF+07	1.82E+07	6.895+86	8.27E+06	4.685.405	4.092+00	4.69E+06	7.22E-04
SIZE	2 4	n (n.)	6	11	12	16	18	19	21	52	27	IWC MED 0

AFWL CIRRUS STUDY BY AFGL

FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING

INTERVAL START:*13:25:50.2*

PARTICLE SIZE DISTRIBUTIONS (UNHBER/M**3-MM)

TYPE: 9ULL-ROSE AFML CIRRUS STUDY BY AFGL

10 AMR 78 30 SECOND AVERAGING

INTERVAL START:**18124:02**

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: 9ULL-ROSE

307.1	ALT (KM) 9.004	TEMP (C) -40.2	FROSTPOINT -38.1	TAS (M/S) 125.8	25357.9	1.54E-02 153
PRECIP	8.53E+03 2.33E+02 1.32E+01	5.81E-01 0.		••••		8.59E-03 200
SIZE	437 706 1011	1316	2533	3454 3760	4370	
CLOUD	2.03E+06 3.89E+05 1.40E+05	9.59E+04 8.75E+04 4.32E+04	1.30E+04 1.15E+04 3.29E+04	5.05E+04 5.88E+04 5.70E+04	5.87E+04 6.05E+04 4.61E+04	6.80E-03 116
SIZE	26	108	169	230	271 291 311	
SCATTER	2.84E+08 3.75E+08 2.99E+08	2.49E+08 1.92E+08 1.28E+08	7.73E+07 9.59E+07 6.78E+07	3.46E+07 2.49E+07 2.11E+07	1.84E+07 1.35E+07 1.49E+07	2.45E-03
SIZE (MU)	200	r 6 11	12 14 16	118	23	INC MED D
308.6	ALT (KM) 8.970	TEMP (C) -40.0	FROSTPOINT -38.8	TAS (A/S) 124.4	30979.2	1,02E-02 132
PROBE	4.58E+03 6.35E+01					4.25E-03 196
SIZE	706	1316	2233	3454	4370	
CLOUD	5. 20E+05 6.03E+05	1.03E+09 8.42E+04 1.58E+05	7.49E+04 3.84E+04	5. 30E+04 5. 07E+04 7.63E+04	3.51E+04 4.67E+04 3.38E+04	6.00E-03
SIZE (MU)	26	108	148	209	271 291 311	
SCATTER PROSE	7.48E+08 2.80E+08	1.35E+08 1.35E+08 1.03E+08	5.23E+07 5.17E+07	2.20E+07 1.74E+07	1.36E+07 1.11E+07 9.82E+06	1.668-03
STZE (MU)	NM	010	# F F F	0 8 6 7	23 25 27 27	INC MED D

AFML CIRRUS STUDY BY AFGL

SECOND AVERAGING

THTEWALL START#18125132#

PARTICLE SIZE STURBUTIONS (NUMBER/M**3-MN)

TYPE: BULL-ROSE

AFML CIRRUS STUDY BY AFGL
FLIGHT E 8-00 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL STABILITY.818:26132*
PARTICLE SIZE DISTRIBUTIONS (UMBER/M**3-MM)

301.7	ALT (KM)	5.122		TEMP (C)	-41.2		FROSTPOINT	-41.3		TAS IM/SI	125.2		NT (N/43)	47227.8		TOTALS	7.98E-03	46	
PRECIP	1.08E+03	2.10E+00	. 0	0.	.0	0.0	0.	0.0	0.0	.0	0 *	.0	0.	.0	0 *		8.71E-04	192	
SIZE (MU)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676				
CLOUD	5,16E+85	8.60E+05	2.29E+05	2.17E+05	3. 25E+05	1.36E+05	1.02E+05	5.37E+04	1. 00E+05	9.74E+04	5.89E+04	4.88F+04	3.58E+04	2.63E+04	1.69E+04		7.11E-03	0.6	
SIZE (MU)	26	47	29	87	108	128	148	169	189	503	230	250	271	291	311				
SCATTER	1.055+09	2.80F+08	2.13F+08	1.715+08	1.24E+08	9.66E+07	5.71E+07	6.76E+07	5.41F+07	2.735+07	1.925+07	1.495 407	1.625+07	1.41F+07	1.355407		1.96F-03	18	
SIZE (MU)	0	2 PF	u c	7	. 6	11	12	4	16	1.8	5+	24	2.0	36	27	13	2	MED D	
P (M8)		ALT (KM)	9.000	101	TEMP (C)		Anadonadona	- KOSIKONA	1.000	20000	INS CALLS	15404		NT (N/45)	2040905		TOTALS	1,5/6-00	
PRECIP		8 .84E+03	3.76E+02	1.50E+01	1.17E+00	. 0	.0	.0	.0	0 °	00	.0	0.	.0	.0	.0		9.576-03	
SIZE		437	7.06	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD		1.35E+06	6. 28E+05	2.77E+05	2,36E+05	2,61E+05	7.69E+04	3. 03E+04	8. 33E+03	2.25E+04	3.53E+04	4.63E+04	3.23E+04	3.99F+04	4° 93E+04	3.88F+04		6.16E-03	
SIZE		26	147	67	87	108	128	148	169	189	502	230	250	271	291	111			
SCATTER	PRUBE	4 1.554118	1 42F + 18	4.22F+08	7 TOF + D8	2.39E+08	1 835408	1.10E+08	4 745408	Q 64F+07	5.42F+07	1, 03F+07	2 465407	2 405407	2 345.607	1 21.5437	1.4/46/4	3.39E-03	
SIZE	(96)	c	U P	2 4		- σ		17	1 4 +	* *	0 80	0 0	7.7	120	000	62	12	TWC	

FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING INTEQUAL START**18127102*
INTEQUAL START**18127102*
PARTICLE SIZE DISREBUITONS (NUMBER/M**3-MH)
TYPE: BULL-ROSE AFML CIRRUS STUDY BY AFGL

FLIGHT E78-08 ON 19 MAR 73

30 SECOND AVERAGING

INTERVAL START:*18126102*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

P (48)	ALT (KM) 5.159 TEMP (C)	FROSTPOINT	TAS (M/S)	124.5 NT (N/M3) 66839.4	7.83E-03
PRECIP	5.37E+02 5.26E-01 0.				3.92E-04
SIZE (MU)	437 706 1011 1316	1927	2538 2843 3149	3454 3760 4065 4370	o p
CLOUD	6,92E+05 1,04E+06 4,27E+05 3,08E+05	6,49E+05 3,09E+05 1,93E+05	8,98E+04 1,03E+05	1,68E+04 1,68E+04 1,34E+04	7,446-03
SIZE	26	128	189	230 250 271 291	100
SCATTER	1.53E+09 2.18E+08 1.69E+08	1.08E+08 7.78E+07	5.89E+07	1.55E+07 1.44E+07 1.85E+07 1.61E+07	1.25E+07 1.79E-03 19
SIZE (MU)	0.10.10.10	6 11 6	1 1 1 1 1	223 23 23 23 23 23 23 23 23 23 23 23 23	ZY INC
303.0	ALT (KM) 9.09%	-41.0	FROSTPOIN -41.6	124.6 124.6 NT (N/M3) 64312.0	3.16E-03
PRECIP	1.90E+03 1.26E+01 5.53E-01	0			1.67E-03
SIZE (MU)	437 706 1011	1316 1622 1927	2233	3454 3760 4065	4676
CLOUD	1, 11E+06 1, 29E+06 6, 38E+05	3.62E+05 4.31E+05 1.22E+05	3,53E+04 1,08E+04 3,05E+04	4.50E+04 5.28E+04 3.59E+04 3.17E+04	1.93E+04 6.49E-03
SIZE	26	108	159	250 250 250 251	311
SCATTER	7.49E+08 3.83E+08	4,27E+08 3,25E+08	1,425+08	5,78E+07 4,77E+07 3,33E+07 3,43E+07	3,43E+07 1,85E+07 4,39E-03 17
SIZE	2004	. 6 .	1000	231	25 27 INC MED 0

AFML CIRRUS STUDY BY AFGL.

FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START**18:57:32*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

AFML CIRRUS STUDY BY AFGL
TLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START**18:28:32*
PARTICLE SIZE DISTRIBUTIONS (UNHBER/M**3-MM)
TYPE: BULL-ROSE

(6H) d	294.7	ALT (KM)	9,280		TEMP (C)	-42.6		FROSTPOINT	-43.0		TAS MISI	124.3		NT (N/M3)	126071.5		TOTALS	1.68E-02	82
PRECIP	PROBE	3.42E+03	1.12E+02	6.65E+00	0.	.0	0.	.0	.0	0.	0.	.0	.0	0.	.0	0.		3.54E-03	202
SIZE	(MD)	437	786	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PROBE	2.01E+06	1.86E+86	1.18E+06	7.51E+05	1. 06E+06	4.36E+05	2.88E+05	1. 10E+05	1.60E+05	1. 06E+05	7.87E+04	5.16E+04	3.37E+04	2. 20E+04	1.70E+04		1.32E-02	69
SIZE	(MO)	26	25	29	87	108	128	148	169	189	503	230	250	271	291	311			
SCATTER	PROBE	6.04E+08	3.35E+08	3.80E+08	3.34E+08	2.41E+08	1.74E+08	1.07E+08	1.34E+08	9.67E+07	4.28E+07	4.19E+07	3.00E+07	3-70E+07	2.64E+07	1.80E+07		3.62E-03	18
SIZE	(MA)	2	m	2	1	6	11	12	14	16	18	19	21	23	25	27		INC	0
P (M8)	297.8	ALT (KH)	9.210		TEMP (C)	-42.0		FROSTPOINT	-41.0		TAS (M/S)	124.2		NT (N/M3)	176601.3		TOTALS	1.53E-02	62
PRECIP	PROBE	9.61E+02	3.70E+00	0.	0.	0.	0.	0.	0.	0.	0.	.0	.0	.0	0.	0.		8.03E-04	192
SIZE	(MA)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PROBE	1-42F+86	3-48F+06	9. 94F+115	1. 05F + 06	1.72F+06	6.975405	3. 04F+05	1.055+05	1.155405	7.655484	4-96F+04	2.52F+04	2. 10F + 04	1.755+04	1-175+04		1.45F-02	61
SIZE	(MA)	26	1	24	87	108	4 2 2	4 4 4 5 6 6	0 4	0 8 7	200	230	250	27.5	204	211	4		
SCATTER	PROBE	6.22F+08	4 4254 4 8 8	0 26E+08	4.215+08	2 805408	2 365408	4 4 F F F B B	4 605408	405400	1 + 13E + 0 7	E 225+07	2 045407	0 24 E 4 0 7	7 1.95+07	2 885407	200	4.67F-03	40
	MUS		3 #	5 4		- 0		17	27	***	0 0	0 0	24	23	200	22			NED O

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START*118128128**3-MH)
PARTICLE SIZE OISTRIBUTIONS (NUMBER/W**3-MH)

AFHL CIRRUS STUDY BY AFGL
SIDEND 19 MAR 78
SO SECOND AVERAGING
INTERVAL STAFT**18:29:02*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: 9ULL-ROSE

p (48)	293.7	ALT (KM)	9.301		TEMP (C)	-42.8		FROSTPOINT	-43.4		TAS (M/S)	125.3		NT (N/M3)	148187.4		TOTALS	1.74E-02	80
PPECIP	PROBE	3.33E+03	7.38E+01	2.74E+00	.0	.0	0.	.0	.0	.0	0.	.0	0.	.0	0.	0.		3.23E-03	198
SIZE	CHO	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PROBE	1.48E+06	3.10E+06	7.69E+05	7.02E+05	1.29E+06	5. 09F+05	2.78E+05	9. 73E+04	1.51E+05	1.23E+05	1.02E+05	3.92E+04	3. 22E+04	2.64E+04	1.98E+04		1.41E-02	68
SIZE	(MA)	26	47	19	87	108	128	148	169	189	503	230	250	27.1	291	311			
SCATTER	PROBE	4.93E+08	3.61E+08	4.24E+08	3.57E+08	2.41E+08	1.96E+08	1.15E+08	1.36E+08	1.03E+08	5.47E+07	3.72E+07	3.40E+07	3.18E+07	3.05E+07	2.11E+07		3.83E-03	18
SIZE	(MD)	2	М	2	7	6	11	12	14	16	18	19	21	23	25	27		IMC	0
(6H) d	5.962	ALT (KM)	6.239		TEMF (C)	-42.2		FROSTPOINT	-42.1		TAS (M/S)	124.8		NT (N/M3)	205015.5		TOTALS	1.94E-02	69
PRECIP	PROBE	2.69E+03	3.99E+01	.0	• 0	.0	0 •	.0	0.	.0	• 0	.0	0 •	.0	0.0	0.		2.47E-03	195
SIZE	(HI)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PROBE	1.62E+06	3.91E+06	1.52E+06	1.37F+06	1.80E+06	6.54F + 05	2.51F+05	9-545+04	1.37F+05	1. 08F+05	7.21F+04	4-18E+04	3.32F+04	2. 63F +04	1.915+04		1.69E-02	61
SIZE	(40)	36	147	57	87	108	128	148	169	180	209	230	250	271	291	311	4		
SCATTER	PROBE	7.71F+08	3.945+08	5.25F+0R	4. 59F+08	7. 33F + DR	2.60F408	1.565408	4 75F+08	1 305408	6.74F407	4. 82F407	4 GAFANZ	4-775+117	1 05F+07	3 22E407	2000	5.18F-03	10
34	(MAD)	0	1 10	u	1	0	*	42	1 4	1 4	9 4 4	0 4	24	22	200	27	17	-	WED D

FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
19 MAR 78 30 SECOND AVERAGING
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START**18:30:32*
PARTICLE SIZE DISTREBUTIONS (UNMBER/M**5-MM)
TYPE: BULL-ROSE

P (MB)	293.0	ALT (KH)	9. 747	140.00	TEMP (C)	-43.1		FROSTPOINT	-42.6		TAS (M/S)	130.2		NT (N/MT)	65735.4		TOTALS	7.83F-03	73		GING	
PRECIP	PROBE	1.15E+03	4-49F+01	1.06F+00	0	0.	.0	0.	0.	0.	.0	0.	0.	.0	0.	.0		1.21E-03	203	FGL	30 SECOND AVERAGING	/H++3-HH)
SIZE	(MA)	437	7.06	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676				JOY RY A	30 SE	(NUMBER
0000	PROBE	7.62E+05	1.29F+06	2.66E+05	2.77E+05	5.47E+05	3.148+05	2.08E+05	6.84E+04	1. 22E+05	7.78E+04	2. 17E+04	6.87E+03	6.78E+03	6. 70E+03	5.24E+03		6.62E-03	58	AFWL CIRRUS STUDY BY AFGL	TNTFRVAT STARTS 30 SE	PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM) TYPE: BULL-ROSE
377C	(AU)	92	147	67	87	108	128	148	169	189	503	230	250	271	291	311				AFF	-08 ON	SIZE 01
SCALLER	PROBE	8.30E+08	2.895+08	2.42E+08	1.87E+08	1.24E+08	9.58E+07	5.73E+07	7.13E+07	5.41E+07	2.94E+07	2.00E+07	1.48E+07	1.77E+07	1.46E+07	1.43E+07		2.04E-03	18		FLIGHT E78-08 ON 19 MAP 78	PARTICLE
2715	(MD)	2	m	5	7	6	11	12	14	16	18	19	21	23	52	27		IMC	MED D			
H (MB)	293.1	ALT (KH)	9.316		TEMP (C)	-42.9		FROSTPOINT	-43.2		TAS (M/S)	127.7		NT (N/M3)	359698.2		TOTALS	3.54E-02	99		5 N I	
TRECTA	PROBE	5.09E+03	7.66E+01	0.	.0	0.	0.	0.	.0	.0	.0	.0	.0	0.	.0	0.		4.70E-03	195	FGL	30 SECOND AVERAGING	(M** 3-MM)
371C	()	437	7.06	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676				JDY BY A	30 SE	(NUMBER
CLOUD	PROBE	4.32E+06	5. 16E+06	4. 11E+06	2.67E+06	3. 09E+06	1.15E+06	5.33E+05	1.61E+05	2,175+05	1.80E+05	1.16E+05	7.00E+04	5.91E+04	4.98E+04	3. 63E+04		3. 07E-02	9	AFWL CIRRUS STUDY BY AFGL	8 ON ±9 MAR 78 30 SE INTERVAL START: #18:30:02#	PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM) TYPE: BULL-ROSE
SILLE	(AU)	56	147	67	87	108	128	148	169	189	508	230	250	271	291	311				AFF	TNTERV	SIZE DI
SCALLER	PROBE	5.56E+07	4.49E+08	1.01E+09	9.85E+08	6.80E+08	5.52E+08	3.38E+08	4.05E+08	2.80E+08	1.53E+08	1.29E+08	9.19E+07	9.99E+07	8.44E+07	7.17E+07		1.12E-02	19		FLIGHT E78-08 ON	PARTICLE
3165	(040)	2	10	5	1	6	11	12	14	16	18	19	21	23	52	27		INC	MED 0			

p (#8)	6.262	ALT (KM)	9.320		TEMP (C)	-43.1		FROSTPOTNT	-42.8		TAS IM/SI	131.2	-	NT (N/M3)	34094. 2		TOTALS	1. (25-02	119
PRECIP	PROBE	3.51E+03	4.30E+01	2.10E+00	0.	0.	.0	.0	0.	0.	0.	0.0	0.	.0		.0		3.22E-03	195
SIZE	(MD)	437	7.06	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PROBE	9. 50E+05	5.09E+05	1.70E+05	9.17E+04	2.12E+05	1.24E+05	8.04E+04	5. 52E+04	8.59E+04	7.61E+04	7. 35E+04	4.77E+04	4.27E+04	3.82E+04	2.74E+04		7.00E-03	100
SIZE	CHO	56	47	67	87	108	128	148	169	189	209	230	250	271	291	311			
SCATTER	PROBE.	9.185+08	2.89E+08	2.42E+08	1.77E+08	1.31E+08	8.82E+07	5.42E+07	7.33E+07	5.13E+07	2.55E+07	1.91E+07	1.88E+07	1,506+07	1.42E+07	1.085+07		1.92E-03	1.8
SIZE	(MA)	2	2	2	7	6	11	12	14	16	18	19	21	23	23	27		IMC	MED D
p (48)	293.1	ALT (KM)	9.315		TEMP (C)	-43.0		FROSTPOINT	-42.7		TAS (M/S)	129.5		NT (N/M3)	176008.4		TOTALS	1.74E-02	7.1
PPECIP	PROBE	3.37E+03	8.51E+01	1.59E+00	. 0	.0	0.	.0	.0	.0	.0	.0	0.	.0	.0	0.0		3.50E-US	199
SIZE	(MC)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PROBE	1.07E+06	3.59E+06	1.43E+06	1.04E+06	1.35E+06	4.65E+05	2.41E+05	1.02E+05	1.32E+05	1.10E+05	4. 77E+ 04	3. 11E+04	2.78E+04	2. 48E+04	1.88E+04		1. 416-02	62
SIZE	(MA)	92	147	19	28	108	128	148	169	189	503	230	250	271	291	311			
SCATTER	PROBE	1.94E+08	4.335+08	5.64E+08	4.63E+08	3.32E+08	2.51E+08	1.58E+08	2.00E+08	1.36E+08	7.15E+07	5.45E+07	3.67E+07	3.95E+07	3.59E+07	2.91E+07		5.01E-03	18
SIZE	(MC)	2	ю	r	1	6	11	12	14	16	1.8	19	21	23	25	27	4.00		MED D

FLIGHT E78-08 ON 19 MAR 70 30 SECOND AVERGING 19 MAR 70 30 SECOND AVERGING INTERVAL STATI**18:31:32**
PARTICLE SIZE DISTRIBUTIONS (NUMBER/N**3-MH)

AFML CIRRUS STUDY PY AFGL
PREVAL START**18.33.2**COND AVERAGING
INTERVAL START**18.33.2**
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MH)
TYPE: 9ULL-ROSE

292.8	ALT (KH) 9.321 TEMP (C) -43.1 FROSTPOINT -41.9 TAS (M/S) 130.4 NT (M/M3) 4010.2 TOTALS 2.835-03
PRECIP	1.58E+01 1.58E+01 1.58E+01 0. 0. 0. 1.73E-03
SIZE	437 706 1316 1316 1970 1970 2843 3769 4065 4065 4676
CLOUD	3.65E+05 5.65E+04 1.96E+04 1.96E+04 1.16E+04 1.16E+03 7.94E+03 5.43E+03 1.03E+04 1.03E+04 1.03E+04 1.03E+04 1.103E+04 1.11E+03 1.11E+03 1.11E+03
SIZE (MU)	25 47 677 1108 1169 1169 1169 1169 1169 1169 1169 116
SCATTER	2.09E+09 1.69E+08 1.69E+08 3.05E+07 3.17E+07 2.05E+07 2.05E+07 2.05E+07 7.80E+06 6.20E+06 6.20E+06 6.20E+06 6.20E+06 6.20E+06 6.30E+06 6.30E+06 6.30E+06 6.30E+06
3212	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
292.8	ALT (KH) 9,323 TEMP (C) -43.2 FROSTPOINT -42.6 TAS MYS) 131.2 NT (N/M3) 5,2213.5 TOTALS 8,646-03
PRECTP	2.06E+03 5.15E+01 1.57E+00 0. 0. 0. 0. 0. 2.02E-03
SIZE	437 705 1011 1011 1011 1027 2233 2233 3149 3149 4165 4065 4654
CLOUD	7.5556.05 1.0456.05 2.4776.05 3.056.05 1.256.05 1.256.05 1.356.05 9.195.06 5.95.06 1.756.04 1.756.04 1.756.04 1.756.04 1.756.04
SIZE	266 677 108 1128 1169 1169 1189 1189 1189 1189 1189 118
SCATTER	2.00E+08 2.00E+08 2.00E+08 14E+08 14E+07 9.45E+07 76EE+07 76EE+07 76EE+07 16EE+07 16EE+07 16EE+07 16EE+07 16EE+07 16EE+07 16EE+07 2.16E+07 16EE+07 2.16E+07 16EE+07 2.16E+07
SIZE	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

70TALS 2.24E-03 NT (N/M3) 5128.5 130.7 ALT (KH) 9.319 FROSTPOINT -41.9 585.9 TEMP (C) -43.1 (48) d TAS 1.14E-03 1.21E+03 2.31E+01 PROBE 437 706 11011 11316 11622 11622 12633 22633 22643 2364 33654 44370 4676 4.62E+05
3.67E+05
3.67E+05
1.46E+04
1.46E+04
4.86E+03
2.86E+03
2.86E+03
2.86E+03
2.86E+03
2.86E+03
2.86E+03
3.72E+03
3.72E+03 25 67 67 108 1128 1148 1189 220 220 221 221 311 2,12E+09 1,56E+08 8,2E+08 6,7E+17 5,7E+07 1,97E+07 1,97E+07 1,22E+07 7,52E+06 4,15E+06 4,15E+06 4,15E+06 4,15E+06 4,15E+06 4,15E+06 3,63E+06 3,63E+06 6.17E-04 18 SCATTER 3.90E-03 ALT (KM) 9.319 TEMP (C) -43.1 FROSTPOINT (M/S) 130.6 292.9 (N/H3) 9766.4 -42.2 F 1.62E-03 197 1.71E+03 2.96E+01 1.58E+00 PRECIP 437 706 1011 1316 1622 1927 2233 22538 22643 3464 4370 4676 2.64E+05 1.91E+05 2.67E+04 11.10E+04 11.10E+04 8.65E+03 8.65E+03 8.65E+03 8.65E+03 8.65E+04 1.178E+04 1.78E+04 1.3E+04 1.3E+04 1.3E+04 1.3E+04 1.3E+04 2.28E-03 CLOUD 26 47 67 67 1108 1158 1159 220 220 221 311 1.89E+09 9.99E+08 9.99E+08 7.63E+07 7.63E+07 1.82E+07 2.39E+07 2.39E+07 1.09E+07 1.09E+06 6.49E+06 6.40E+06 6.40E+06 6.40E+06 6.4 7.64E-04 SCATTER 17

AFML CIRRUS STUDY BY AFGL
19 MAR 19 MAR 78 30 SECOND AVERAGING
INTERPRACE TART: *18:32:02**
INTERPRACE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

AFML CIPRUS STUDY BY AFGL
FLIGHT F78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START**18:33:02*
INTERVAL START**18:33:02*
TYPE: 9ULL-ROSE

AFWL CIRRUS STUDY BY AFGL

19 MAR 78 30 SECOND AVERAGING

INTERVAL START:*18134:32*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

AFML CIRRUS STUDY BY AFGL

19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*1813332*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

P (MB)	ALT (KH) 9.310	TEMP (C)	FPOOT POOT	-42.3	TAS (M/S)	NT CN/MZ	6.8669	707ALS 2.50E-03 120
PRECIP	8.09E+02 5.03E+00	•••					•••	6.92E-04
SIZE	437	1316	1927	2538	3149	3760	4370	
CLOUD	4. 29E+05	4.08E+04 1.70E+04	1.10E+04	3.97E+03	1.97E+04	2.06E+04	1. 17E+04 8. C6E+03	1.81E-03 109
SIZE (MU)	26	7.00	128	169	230	250	291	
SCATTER	2.10E+09 1.70E+08	8.21E+07 7.54E+07 5.17E+07	3.28E+07	2.47E+07	9.10E+06	3.64E+06	4.686+06	6.85E-04
SIZE (MU)	2 10	w r 0	11	14	118	23	25	TWC MED D
293.4	ALT (KH) 9.307	TEMP (C)	FROSTPOINT	2.44-	TAS (M/S)	NT (N/43)	14010.5	2.36E-03 98
PRECIP	5.36E+02						0.0	4.13E-04
SIZE	437	1316	1927	2538	3149	3760	4570	
PROBE	2,36E+05 2,22E+05	1.12E+05 8.43E+04	4. 996+04	1.30E+04	2.48E+04	6. 98E+03	1.12E+04 7.34E+03	1.95E-03 88
SIZE	26	780	128	169	209	250	311	
SCATTER	2.38E+09	6.78E+07 5.88E+07	3.15E+07	2.09E+07	7.95E+06	5.565+06	3.18E+06 2.91E+06	5.638-04
SIZE	0.10	10 K 0	11	44	# H +	22	25	INC MED 0

AFWL CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*18134:02*
FARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

TOTALS 6.49E-03 293.5 ALT (KH) 9.307 FROSTPOINT -43.2 TAS (M/S) 129.2 NT (N/H3) 44440.7 TEMP (C) -42.8 1.15E+03 6.60E+00 9.87E-04 PRECIP 437 706 11011 11316 11622 11622 2233 2234 33149 3454 3454 3454 4676 7,34E+05 5,27E+05 5,27E+05 2,82E+05 2,82E+05 2,82E+05 1,28E+05 1,28E+04 4,24E+04 4,24E+04 4,24E+04 1,27E+04 1,77E+04 1,77E+04 5.51E-03 CLOUD 26 47 677 677 1108 1128 1148 1169 2209 2209 2209 2201 2211 2311 1.156*09 2.68*08 2.68*08 1.70*0 1.70*0 8.66*0 8.66*0 8.66*0 1.16*0 1.99*0 1.99*0 1.10*0 1.10*0 1.10*0 1.10*0 1.10*0 1.10*0 1.10*0 1.10*0 1.10*0 1.10*0 1.10*0 1.10*0 1.10* 1,69E-03 SCATTER PROBE 1.44E-02 ALT (KM) 5.303 FROSTPOINT -42.9 -44.3 127.2 293.6 40628.5 (EH) d (N/43) TEMP (C) H 6.48E+03 1.99E+02 5.95E+00 6.55E-03 PRECIP 201 437 706 1011 1316 1522 1927 2233 2234 3254 3454 3454 4676 2.20E+06 5.95E=05 2.13E=05 11.72E+05 9.28E+06 7.70E+06 7.70E+06 11.00E+06 8.92E+04 8.92E+04 8.92E+04 4.51E+04 4.31E+04 7.81E-03 CLOUD 66 SIZE 26 47 47 108 1128 1148 1169 2230 2230 2271 2291 3.446.08 3.096.08 1.736.08 11.736.08 11.376.08 6.106.07 6.796.07 11.896.07 11.896.07 11.896.07 11.896.07 5.60E+08 2.53E-03 SCATTER

AFWL CIRRUS STUDY BY AFGL

FLIGHT E78-08 ON 19 MAR 78

30 SECOND AVERAGING
INTERVAL STAFF1*18135102*

PARTICLE SIZE DISTRIBUTIONS (UNMBER.M**3-MM)

TYPE: 9ULL-ROSE

AFHL CIRRUS STUDY BY AFGL
19 MAR 76
10 SECOND AVERAGING
11NTERVAL START*13135132*
PARTICLE SIZE DISTREBUITONS (UNBER/M**3-NM)
TYPE: BULL-ROSE

	AVERAGING		3-MM)	
AFWL CIRRUS STUDY BY A FGL	30 SECOND	INTERWAL STARTS*18835832*	PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MM)	TYPE: BULL-ROSE

293.4	ALT (KM) 5.309	TEMP (C) -42.8	-42.8 TAS (M/S)	128.1 NT (N/H3) 205270.3	3.20E-02 101
PRECIP PROBE	9.65E+03 6.83E+02 5.45E+01	2.84E+00 6.00E-01 0.			1.24E-02 217
SIZE (MU)	437 706 1011	1316	2233 2538 2843 3149	3454 3760 4065 4370 4676	
CLOUD	3,53E+06 2,46E+06 2,60E+06	1.35E+06 1.79E+06 7.07E+05	3.88E+05 1.17E+05 1.68E+05 1.27E+05	8.58E+04 4.54E+04 4.31E+04 4.09E+04	1.965-02
SIZE	26	87 108 128	148 169 209	230 250 271 291	4
SCATTER	4.42E+07 4.90E+08 9.47E+08	8,42E+08 6,06E+08 4,68E+08	2.74E+08 3.35E+08 2.43E+08 1.18E+98	1.06E+08 7.74E+07 7.45E+07 6.74E+07	9.02E-03
SIZE	N FO LE	V 6 41	2 4 9 8	23 23 25 25 25 25 25 25 25 25 25 25 25 25 25	INC MED D
P (MB) 293.6	ALT (KM) 9,303	TEMP (C) -42.7	FROSTPOINT -42.9	127.8 NT (N/M3) 199701.0	70TALS 2.66E-02
PRECIP	7.10E+03 2.19E+02	0.00.00.00.00.00.00.00.00.00.00.00.00.0		0000	0. 7.29E-03 202
SIZE	706	1316 1316 1622 1927	2233 25538 2563	3454 3760 4065 4370	4676
CLOUD	3, 98E+16	2.69E+85 1.41E+05 1.57E+06 5.44E+05	2.74E+05 9.89E+04 1.45E+05	1,03E+05 7,70E+04 6,03E+04 4,71E+04	3,62E+04 1,93E-02
SIZE	47	108	110000000000000000000000000000000000000	230 230 271 271	ed ed en
SCATTER	1.63E+08 4.04E+08	8.13E+88 7.93E+88 5.84E+88 4.35F+88	2.69E+08 3.45E+08 2.29E+08	1.07E+08 1.07E+08 7.26E+07 8.03E+07	5.14E+07 9.16E-03
SIZE	NP	2 2 2 2	17 17 17 19 19 19 19 19 19 19 19 19 19 19 19 19	23 23 25 25 25 25 25 25 25 25 25 25 25 25 25	ZZ INC MED D

AFML CIRRUS STUDY BY AFGL PLIGHT F78-08 ON 19 MAR? 78 SO SCOND AVERAGING INTERVAL START**18155:02* FARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM) TYPE: BULL-ROSE
AFML CIRRUS STUDY BY AFGL FLIGHT E78-08 ON 19 HAR 78 INTERVAL START**181817802* PARTICLE SIZE 075TRIBUTIONS (NUHBER/H**3-MH).

(4B) d	293.6		ALT (KM)		9.305		TEMD IF!	ובער וכן	1.24-		FROSTPOINT	- 6.1-1	7 . 3 .		TAS (M/S)	128.5	1		NT CN/M33	173003.1		1	TOTALS	2.64E-02	20	
PRECIP	PRORE		7.20F+03		2.26E+02	1.18E+01		* 5	0.	0.0	0.		• •	0.	0.	-		.0	.0	0	*	.0		7.40E-03	201	
SIZE	(M(II)		437		106	1011	1 7 4 5	1316	1622	1927	2233	ar uc	62 20	2843	3149	2454	2000	3/60	4065	4370	2	4976				
CLOUD	PROBE	700	2 75E ± 06	50175100	2.55E+06	1.57F+B6	1000	9. 17E+05	1.50E+06	6.04E+05	T. 7AFADS		1. CIE+U5	2.18E+05	1.82F+35	4 075405	I. UI ETUS	6. 50E+04	5.56E+04	L TEEANL	40 1 00 4 04	3. 55E+04		1.90E-02	7.4	1
SIZE	(1411.3		34	07	147	67	10	87	108	178	4 5 8	2 1	169	189	209		C30	250	271	204	291	311				
SCATTER	20000	THOOL	1. 1.75.07	4.4354.4	4.69E+08	R. NREADR	000000000000000000000000000000000000000	6.76E+08	4.90E+08	3.58F+08	2 18EADR	0010707	2.71E+08	1.94E+08	9. 38F + N 7	1000	D . 38 E + 0 /	6.27E+07	6.43E+07	200100	20/CE+0/	3.90E+07		7.24E-03	9	10
STZF		(00)		2	*	u	6	7	6	4.4		77	14	16	4	01	13	21	23	2 6	52	27			0	0
C (MB)	1011	293.4		ALT (KM)	9.309	00000		TEMP (C)	-42.7			FROSTPOINT	-43.8		137 100 1101	THO THE SHI	127.6		UT CALMER	ST CHICK	179517.6		TOTALS	2 425-83	C . 146 02	82
020000	PRECIP	PROBE		5.17E+03	4 285402	30 - 303 - 7	6.50E+00	5.64E-01	0			*0	0 *	0		• 0	.0	0 -			.0	0		2 125-03	2. TEE- 03	199
21.10	37 TC	(MD)		4.37	706	900	1011	1316	1622	3 10 0	1961	2233	2538	2863	000	3149	3454	3760	7,066	6004	4370	4675	0			
010010	CLUUD	PROBE		2.42F + 0F	2 425405	C. 12E+08	2.83E+06	1. 30F+06	4 355 406	1000000	4.12E+U5	2°18E+05	6-16F+04	406405	10 10 10 10 10 10 10 10 10 10 10 10 10 1	1. UIE + U5	8.30E+04	5. T7F + 04	A CCC +01.	40 20C+04	3.87E+04	2. 03F+N4	2000	4 4.5-02	1. DIE-DE	61
24.40	SILLE	(MA)		26	1.3	+	29	87	40.4	000	128	148	169	0 8	100	502	230	250	24.0	7/7	291	744	344			
	SCALIER	PROBE		2 - FLEFARR	000000000000000000000000000000000000000	4.0/6+00	7.82E+08	7.555408	C 1.75408	204/15400	4.14E+08	2.45E+08	7.22F+88	2 44 54 0 8	201244+2	1.15E+08	9.41E+07	6 875 407		1.00E+0/	6.30F+07	L 645AB7	****	**	00 456-63	18
	17E	(MI)		0		2	2	1			-	2	77 1	- 14	0	0	6			3	52	22				MED D

AFML CIRKUS STUDY BY AFGL
19 MAR 78 30 SECOND AVERAGING
INTERVAL START**18138132*
PARTICLE SIZE DISTRIBUTIONS (UMBER/M**3-MM)
TYPE: BULL-ROSE

AFHL CIRRUS STUDY BY AFGL
19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*18:37:32*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-MM)
TYPE: BULL-ROSE

293.2	ALT (KH)	5.313		TEMP (C)	-45.9		FROSTPOINT	-43.9		TAS (M/S)	128.1		NT (N/43)	152871.3		TOTALS	2.79E-02	137
98084 PR086	9.69E+03	7.61E+02	8.55E+01	1.02E+01	2.39E+00	6.35E-01	.0	.0	.0	.0	.0	.0	0.	.0	.0		1.36E-02	422
SIZE	437	206	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
PROBE	2.72E+06	1.81E+06	2. 37E+06	1. 05E+06	1.11E+06	3.45E+05	1.99E+05	5.90E+04	1.04E+05	1.04E+05	8.49E+04	4. 198+84	4. 03E+04	3.87E+04	3.19E+04		1.43E-02	99
SIZE	56	14	29	87	108	128	148	169	189	503	230	250	271	291	311			
SCATTER	2.92E+08	3.73E+08	6.49E+08	7.64E+08	5.51E+08	4.47E+08	2.52E+08	3.17E+08	2.32E+08	1.17E+08	9.02E+07	7.80E+07	7.22E+07	6.43E+07	5.11E+07		8.60E-03	18
SIZE	2	3	5	7	6	11	12	14	16	18	19	21	23	25	27		TWC	MED U
P (48) 293.6	ALT (KH)	9,303		TEMP (C)	-43.0		FROSTPOINT	-42.4		TAS M/S)	127.6		NT (N/43)	17761.6		TOTALS	3.26F-113	29
PRECIP	2.19E+02	0.	.0	0.	0.	.0	0.	.0	0.	0.	0.	0 -					1 . R 7 F - 0 4	191
SIZE	437	7.06	1011	1316	1622	1927	2233	2538	2843	3149	3454	1760	4065	4370	1,676	0 0 0		
000000 6 808 6	1.69E+05	6.405+05	2-87F+05	2.08F+05	3.78E+05	1.716+05	7-48F+04	2. 03F+04	4. 135 + 114	1.72F+04	1. 05F + 04	2. 445 40 4	1 015403	4. 475 402	2 086 +02	34 305 46	7 08E-03	61
SIZE	26	47	24	2 8	108	128	2 4 4 4 4 4	169	0	200	240	2000	22.5	204	244	211		
SCATTER	2.36F+09	1.72F+08	7.416+07	7.36F+07	5.13F+07	1.22F+07	2.42F+07	2.58F+07	2.075407	7.705+06	6.115406	7 445406	7 745406	C 84.5 405	0042400	2.202.00	7 000 - 00	19
SIZE			o ur		σ		11	4 4		0 4	0 0	24	120	2 0	500	13	2002	MED D

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MR. 78 30 SECOND AVERAGING
INTERVAL START:18:338:02*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/W**3-MH)
TYPE: BULL-ROSE

(MM) d	243.5	ALT (KH)	9.313		TEMP (C)	-43.0		FROSTPOINT	-45.6		TAS (M/S)	127.9		NT (N/M3)	20166.8		TOTALS	2.70E-03	7.4
PRECIP	PAGNE	2.74E+02	1.03E+00	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		2.14E-04	192
SIZE	(N)	437	106	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PROBE	2.69E+05	1.95E+05	2.08E+05	1.24E+05	1.68E+05	1.12E+05	6.67E+04	1. 30E+04	3.23E+04	2.96E+04	1. 99E+04	6. 99E+03	5.27E+03	3.98E+03	2.74E+03		2.49E-03	7.1
SIZE	CHO	56	47	19	87	108	128	148	169	189	209	230	250	271	291	311			
SCATTER	PPOSE	2.10E+09	1.76E+08	7.55E+07	6.81E+07	4.26E+07	3.87E+07	2.01E+07	2.89E+07	1.62E+07	8.745+06	8.47E+06	6.09E+06	5.30E+06	6.89E+06	6.89E+06		8.00E-04	19
SIZE	(MN)	2	2	5	7	6	11	12	14	16	18	19	21	23	25	27			MED D
(8K) d	293.6	ALT (KM)	9.303		TEMP (C)	-42.9		FROSTPOINT	-43.1		TAS (M/S)	127.2		NT CN/M33	9246-6	0.00	TOTALS	5.40F-04	95
PRECIP	PROBE	9	. 0			0.	. 0		.0	0.	0.	0.	0.				•	0	0
SIZE	CHE	227	706	1011	1316	1622	1927	2233	2538	2843	3169	3454	1760	4065	7220	1.676	0/0+		
CLOUD	PROBE	6.75F+114	1.435+05	1 305 405	4-98F+04	8.64F+04	2.63F+04	1 - 48F+04	8-14F+02	1.76F+03	9-55F+02	1.06F+03	0-		•		•	5. 90F-04	56
SIZE	(MA)	36	47	24	200	108	128	2 4 +				230	250	27.4	201	744	211		
SCATTER	PPOBE	0 06 5 4 00	1.215+08	7 1254 07	2. 82 F + 0.7	1-466407	1.365+07	1.005407	1-095-10	6.935406	2.435406	7.73F+06	2 935+06	7 205 406	2 405406	30135400	1 . 005 . 00	7 745-06	18
SIZE	(MA)		U P	n u		0	**	424	7 7	1 1	0 00	0 +	24	120	000	62	12	427	HED D

AFML DIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START**18139:02*
PARTICLE SIZE DISTRIBUTIONS (UNHBER/M**3-MH)
TYPE: BULL-ROSE

AFML CIRRUS STUDY BY AFGL

PARTICLE SIZE DISPRISHUM START:*18140132*

PARTICLE SIZE DISPRIBUTIONS (UNBER/W**3-MM)

TYPE: BULL-ROSE

AFML CIRRUS STUDY BY AFGL
19 MAR 78 30 SECOND AVERAGING
INTERVAL START: *18139:32*
PARTICLE JIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: 9ULL-ROSE

P (48)	293.9	ALT (KM)	6.298		TEMP (C)	-42.8		FROSTPOINT	-44.3		TAS (M/S)	126.7		NT (N/H3)	14524.6		TOTALS	1.39E-03	64.
PRECIP	PROBE	2.51E+02	.0	.0	.0	.0	.0	.0	.0	.0	0.	0.	.0	.0	0.	.0		2.15E-04	+0+
SIZE	(HD)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PRORE	3.40E+04	2. 06E+05	1.68E+05	7.75E+04	1. 22E+05	8. 18E+04	3.07E+04	4.09E+03	8.85E+03	2.89E+03	4. 25E+03	2. 35E+03	1.09E+03	5. 03E+02	4.57E+02		1.17E-03	
SIZE	(HI)	92	14	67	87	108	128	148	169	189	503	230	250	271	291	311			
SCATTER	PROBE	3.01E+09	1.27E+08	4.09E+07	3.15E+07	2.00E+07	1.66E+07	8.82E+06	9.90E+06	8.29E+06	5.08E+06	4.01E+06	1.87E+06	2.41E+06	2.14E+06	1.87E+06		3.395-04	
SIZE	(HD)	2	m	5	1	6	11	12	14	16	18	19	21	23	25	27		IMC	0
(AB) d	293.9	ALT (KM)	9.296		TEMP (C)	-42.9		FROSTPOINT	+46.4		TAS (M/S)	126.0		NT (N/H3)	7986.5		TOTALS	8.07E-04	
PRECIP	PROBE	2.96E+02	.0	.0	0.	.0	0.	0.	.0	.0	0.	.0	.0	.0	.0	0.		2.53E-04	
SIZE	(NA)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PROBE	3.41E+04	1. 17E+05	9. 298+04	6.03E+04	7.53E+04	3. 04E+04	5.98E+03	1.64E+03	8.87E+02	1.93E+03	1. 07E+03	0.	2.96E+02	5.92E+02	5. 39E+02		5.54E-04	***
SIZE	(HI)	92	147	25	87	108	128	148	169	189	503	230	250	271	291	311			
SCATTER	PROBE	3.04E+09	1.24E+08	2.88E+07	2.23E+07	1.67E+07	1.69E+07	7.53E+06	1.02E+07	8.34E+06	3.50E+06	2.69€+06	2.69E+06	3.23E+06	2.42E+06	1.08E+06		3.19E-04	
3218	MU	2	100	u-	1	6	11	12	14	16	18	19	21	23	52	27		HC	2000

AFML CIRRUS STUDY BY AFGL
SECOND AVERAGING
INTERVAL START**18*41*02*
PARTICLE SIZE DISTR BUTTONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

AFWL CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAP 78 30 SECOND AVERAGING
INTERVAL STARTH*18140:102*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

(HB) d	6.562	ALT (KM)	9.296		TEME (C)	-42.8		FROSTPOINT	-45.5		TAS (M/S)	126.4		NT (N/H3)	2.4045		TOTALS	4.02E-04	96
PRECIP	PRUBE	.0	.0	.0	0.	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		.0	0
SIZE	000	437	206	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
00000	PROSE	1.36E+05	5.38E+04	7.16E+04	5.52E+04	5.46E+04	1.90E+04	5.96E+03	1.63E+03	1.77E+03	1.93E+03	.0	.0	.0	.0	.0		4.02E-04	95
SIZE	606)	56	47	29	87	108	128	148	169	189	503	230	250	271	291	311			
SCATTER	38046	2.98E+09	1.19E+08	3.03E+07	2.39E+07	2.12E+07	1.18E+07	8.85E+06	7.51E+06	8.04E+06	3.75E+06	1.61E+06	2.15E+06	2.42E+06	1.34E+06	1.88E+06		2.86E-04	16
SIZE	(04)	2	m	5	7	6	11	12	14	16	18	19	21	23	52	27			MED D
P (MB)	294.1	ALT (KM)	9, 293		TEMP (C)	-42.8		FROSTPOINT	-46.2		TAS (M/S)	124.9		NT (N/M3)	175573.8		TOTALS	1.25E-02	55
PRECIP	PROBE	3.52E+02	5.22E-01	.0	.0	.0	.0	.0	.0	.0	.0	.0	0.	.0	.0	.0		2.58E-04	192
SIZE	(04)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	- AKOHE	1.76E+06	1. 34E+06	3.62E+06	1.46E+06	1.39E+06	4.37E+05	1.76E+05	3.65E+04	6.00E+04	4.88E+04	1.72E+04	8.35E+03	7.55E+03	6.83E+03	4.52E+03		1. 23E-02	55
SIZE	(NO	56	14	29	87	108	128	148	169	189	503	230	250	271	291	311			
SCATTER	PROBE	9.68E+08	3.17E+08	5.49E+08	5.54E+08	3.90E+08	2.99E+08	1.73E+08	2.21E+08	1.62E+08	8 . 46E+07	6.51E+07	4.80E+07	5.32E+07	4.50E+07	3.72E+07		6.05E-03	18
SIZE	(DH)	2	2	5	7	6	11	12	14	16	18	19	21	23	52	27		IMC	MED D

AFHL DIRRUS SIUDY BY AFGL
19 MAR 7 8 30 SECOND AVERAGING
INTERVAL START:*18:42:32*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: GULL-ROSE

AFML CIRRUS STUDY BY AFGL
PLIGHT F78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*11*1137*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/H**3-HM)
TYPE: BULL-ROSE

294.2	ALT (KM)	40.7	1EMF (C)		FROSTPOINT	6.44-		TAS MISS	124,5		NT (N/43)	107192.7		TOTALS	2. (6E-02	140
PRECIP	6.49E+03	8.18E+01	1.34E+01 6.14E-01	1.30E+00	6.92E-01	0.	0.	0.0	0.	0.	0.	.0	0.0		1.08E-02	239
SIZE	437	1011	1516	1927	2233	2538	2843	3149	3454	3750	4065	4370	4676			
CLOUD	1,49E+06	1.51E+06	9.92E+05	2.80E+05	1. 47E+05	4. 41E+04	6. 37E+04	5. 09E+04	4.63E+04	3.23E+04	2.64E+04	2.15E+04	1.82E+04		9.79E-03	61
SIZE	26	29	108	128	148	169	189	503	230	250	271	291	311			
SCATTER	7.42E+08	4.03E+08	2.67E+08	2.22E+08	1.38E+08	1.71E+08	1.09E+08	5.74E+07	5.06E+07	4.118+07	3.70E+07	3.05E+07	2.28E+07		4 - 33E-03	#C
SIZE (MU)	~ ~	in t	- 5	11	12	7 5	16	18	19	21	23	25	22		IMC	MED 0
p (48) 293.7	ALT (KM)	200	-42.9		FROSTPOINT	-42.1		TAS MISI	125.7		NT (N/43)	27685.1		TOTALS	6 . 28E-03	103
PRECIP	1.42E+03	5.47E-01	.0	.0	.0	.0	.0	0.	0.	.0	.0	.0	.0		1.21E-03	193
SIZE (MU)	437	1011	1316	1927	2233	2538	2843	3143	3454	3760	4065	4370	9294			
CLOUD	6. 18E+05	1.696+05	7.81E+04 1.66E+05	9.64E+04	7. 19E+04	3. 21E+04	8.18E+04	7.67E+84	40 70E+04	2.37E+04	2.49E+04	2.61E+04	1.745+04		5.08E-03	93
SIZE (MU)	56	29	108	128	148	169	189	503	230	250	271	291	311			
SCATTER	1.58E+09	1.326+08	1.12E+08 8.62E+07	6.55E+B7	3.18E+07	4.01E+07	2.96E+07	1.56E+07	1.245+07	1.05E+07	9.70E+06	8.62E+06	8.35E+06		1.22E-03	18
SIZE (MU)	2 *	0 10 1	10	11	12	14	16	18	19	21	23	52	27		IMC	MED D

AFUL CIRRUS STUDY BY AFGL

FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING

INTERNAL START:*18443402*

PARTICLE SIZE OISTRIBUTIONS (NUMBER/W**3-MM)

FLIGHT E78-08 ON 19 WAR 78 30 SECOND AVERAGING INTERVAL STAPT:*18:42:102*
FARTICLE SIZE DISTRIBUTIONS (UNBER/M**3-MH)
TYPE: 3ULL-ROSE

4	,		-	0000000		0110	2000	0 = 0 = 0	
3Z	PRECIP	(4B)	SIZE	SCATTER	SIZE	CFOOD	SIZE	PRECIP	(AB)
(MA)	PROBE	293.6	(MA)	PROBE	(MA)	PROBE	(MC)	PROBE	293.9
3.2	7.88E+03	ALT (KM)	2	3.60E+08	26	3.48E+06	437	1.06E+04	ALT (KM)
90	+.23E+02	9.304	2	3.80E+08	14	1.28E+05	706	5.77E+02	862.5
11	2.68E+01		5	5.43E+08	19	1.79E+B6	1011	5.13E+01	
16	2.30E+00	TEMP (C)	1	5.12E+08	187	1.02E+06	1316	6.39E+00	TEMP (C)
1622	0.	-42.9	6	3.69E+08	108	1,23E+06	1622	6,13E-01	-42.8
	.*29E+00		11	2.80E+08	128	5, 51E+05	1927	1.308+00	
-	.37E+00	FROSTPOINT	12	1.65E+08	148	2.58E+05	2233	6.90E-01	FROSTPOINT
38 0		-42.7	14	2 . 05E+08	169	7.88E+04	2538	3,	-42.6
43 0			16	1.53E+08	189	1.18E+05	2843	.0	
0 64		TAS M/S)	18	7.48E+07	209	9.96E+04	3149	0.0	TAS (M/S)
0 45		126.4	19	6.05E+07	230	6.55E+04	3454	.0	125.1
90 09			21	4.42E+07	250	4.65E+04	3760	0 *	
65 0		NT (N/M3)	23	4.50E+07	271	4. 89E+04	4065	.0	NT (N/M3)
20 07		23266.5	52	4.64E+07	291	5.14E+04	4370	0 *	138464.5
76 0			27	3.09E+07	311	40 12E+04	4676	0 .	
		TOTALS							TOTALS
0	9.50E-03	1.515-02	IMC	5.57E-03		1.55E-82		1.31E-02	2.85E-02

SIZE

AFML CIRRUS STUDY BY AFGL

NO 19 MAR 78 30 SECOND AVERACING

INTERVAL STARTI*18144132*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

AFML CIRRUS STUDY BY AFGL
FLIGHT F78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START:*18:43132*
PARTICLE SIZE DISTRIBUTIONS (UNBER/M**3-MH)
IYPE: BULL-ROSE

P (MB) 293.3	ALT (KM)	'. 31D		TEMP (C)	-43.0		FROSTPOINT	-42.9		TAS (H/S)	127.4		NT (N/43)	21520.3		TOTALS	5.72E-03	103
PRECIP	1.16E+03	4.63E+00	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0.	0.		9.75E-04	192
SIZE (MU)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	8.45E+05	2.49E+05	1.46E+05	6.97E+04	1.12E+05	7.64E+04	6. 71E+04	3.58E+04	6.50E+04	7. 09E+04	5. 79E+04	3. 28E+04	2.63E+04	2.11E+04	1.41E+04		4.75E-03	96
SIZE (MU)	56	147	29	87	188	128	148	169	189	503	230	250	271	291	311			
SCATTER	1.55E+09	2.36E+08	1.54E+08	1.12E+08	8.09E+07	5.59E+07	3.65E+07	4.20E+07	3.35E+07	1.52E+07	1.54E+07	7.45E+06	1.01E+07	7.98E+06	7.18E+06		1.20E-03	1.8
SIZE (MU)	2	М	5	7	6	11	12	14	16	1.8	19	21	23	25	27		INC	MED D
P (MB) 293.5	ALT (KM)	5.306		TEMP (C)	-43.0		FROSTPOINT	-43.5		TAS (M/S)	127.2		NT (N/43)	18189.5		TOTALS	2.57E-03	11
PRECIP	2.09E+02	5.16E-01	.0	0.	.0	.0	.0	0.	.0	.0	0.	.0	.0	0.	.0		1.54E-04	192
STZE (MU)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	2.37E+05	2.14E+05	1.55E+05	7.97E+04	1.46E+05	1.05E+05	6. 62E+04	2.85E+04	2.64E+04	2.59E+04	1.80E+04	1.52E+04	6.82E+03	3.05E+03	2. 10E+03		2.41E-03	74
SIZE (MU)	56	23	57	8.7	108	128	148	169	189	209	230	250	271	291	311			
α	.43E+09	.66E+08	.88E+07	5.018+07	.62E+07	.80E+07	.31E+07	. 08E+07	.57E+07	* 06E+06	.19E+06	.46E+06	.93E+06	*66E+06	.26E+06		*26E-04	18
SCATTER	2.4	1.	1	5	M	N	**	2	94	0	1	. 100	2	9	3		0	
SIZE SCATTE	2	-	5 7.	2	9 3		12 1		-	18 9	1	21 3	23 2	25 6	72		9	MED D

AFML CIRRUS STUDY BY A FGL

FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING

INTERVAL STAFT**18144102*

PARTICLE SIZE DISTREBUTIONS (NUMRCR/M**3-MM)

TYPE: RULL-ROSE AFML CIRRUS STUDY BY AFGL
TO 19 MAR 78 30 SECOND AVERAGING
INTERVAL START**18:445:02*
FARTICLE SIZE DISTRIBUTIONS (UNBER/M**3-MM)
TYPE: BULL-ROSE

P (44)	ALT (KH)	4,311		TEMP (C)	-43.0		FROSTPOINT	-43.0		TAS (M/S)	127.3		NT (N/M3)	23457.2		TOTALS	3. (4E-03	8.0
PRECIP	3.16E+02	1.03E+00	.0	0.	.0	.0	0.	.0	0.0	0.	.0	0.	.0	0.	.0		2.46E-04	192
SI ZE	437	7.06	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	1.69E+05	3. 65E+05	1.80E+05	1.07E+05	1.88E+05	9.65E+04	7. 00E+04	2. 52E+04	3.78E+04	2.68E+04	2.21E+04	1.41E+04	8.33E+03	4.94E+03	3. 37E+03		2.80E-03	14
SIZE	56	147	19	87	108	128	148	169	189	503	230	250	271	291	311			
SCATTER	2.24E+09	1.75E+08	8.62E+07	6.79E+07	4.52E+07	3.30E+07	1.84E+07	2.85E+07	2.26E+07	1.14E+07	7.18E+06	5.85E+06	6.39E+06	3.46E+06	7.18E+06		7.90E-04	18
SIZE (MU)	2	m	5	7	6	11	12	14	16	18	19	21	23	25	27		IMC	MED D
P (48) 293.6	ALT (KH)	9,303		TEMP (C)	-43.0		FROSTPOINT	-44.1		TAS (M/S)	126.8		NT (N/M3)	19863.1		TOTALS	4 . 94E-03	114
PROBE 293.6	2.47E+03 ALT (KH)	0. 9.303	.0	0. TEMP (C)	043.0	.0	G. FROSTPOINT	044.1	*0	0. TAS (M/S)	0. 126.8	.0	0. NT (N/%3)	0. 19863.1	0.	TOTALS		191 114
	2.47E+03	.0	.0	1316 0° TEMP (C)	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0 *	TOTALS		
PRECIP	437 2.47E+03	706 0.	1011 0.	0 °	1622 0.	1927 0.	2233 0.	2538 0.	2843 0.	3149 0.	3454 0.	3760 0.	4065 0. N	4370 0.	4676 0.		2.11E-03	
SIZE PRECIP	6.79E+04 437 2.47E+03	1.61E+05 706 0.	1.59E+05 1011 0.	1316 0.	1.89E+05 1622 0.	9.94E+04 1927 0.	7.33E+04 2233 0.	2.20E+04 2538 0.	3.70E+04 2843 0.	3.66E+04 3149 0.	3.07E+04 3454 0.	1.06E+04 3760 0.	7.22E+03 4065 0. NI	4.93E+03 4370 0.	4.48E+03 4676 0.		2.11E-03	191
CLOUD SIZE PRECIP PROBE (MU) PROBE	6.79E+04 437 2.47E+03	1.61E+05 706 0.	1.59E+05 1011 0.	87 1.12E+05 1316 0.	1.89E+05 1622 0.	9.94E+04 1927 0.	148 7.33E+04 2233 0.	2.20E+04 2538 0.	3.70E+04 2843 0.	209 3.66E+04 3149 0.	3.07E+04 3454 0.	1.06E+04 3760 0.	7.22E+03 4065 0. NI	4.93E+03 4370 0.	4.48E+03 4676 0.		2.11E-03	191

AFML CIRRUS STUDY BY AFGL
19 MAR 19 MAR 79 30 SECOND AVERAGING
PARTICLE SIZE DISTREBUTIONS (MUMBER/M**3-MM)
TYPE: BULL-ROSE

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-06 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL STARTI**18145132*
PARTICLE SIZE DISTREBUTIONS (UNBER/M**3-MM)
TYPE: BULL-ROSE

P (MB)	293.6	ALT (KM)	9.305		TEMP (C)	-43.0		FROSTPOINT	-43.8		TAS (M/S)	127.1		NT (N/H3)	37660.0		TOTALS	1.04E-02
PRECIP	PROBE	6.31E+03	.0	0.0	.0	0.0	0.	0.	0.	.0	.0	0.	0.0	0.	0.	0.		5.396-03
SIZE	(MO)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676		
CLOUD	PROBE	3. 05E+05	6.34E+05	2.01E+05	1.17E+05	2. 31E+05	1.57E+05	1.37E+05	4.73E+04	9.86E+04	5.66E+04	3.91E+04	1. 99E+04	1.59E+04	1. 26E+04	1.15E+04		5. U3E-U3
SIZE	1000	26	147	29	87	108	128	148	169	189	503	230	250	271	291	311		
SCATTER	PRUBE	2.03E+09	2.15E+08	1.15E+08	8.16E+07	6.77E+07	4.21E+07	2.85E+07	3.49E+07	1.97E+07	1.47E+07	1.33E+07	6.93E+06	6.93E+06	7.73E+05	4.80E+06		9.56E-04
SIZE	104	2	m	2	1	6	11	12	14	16	18	19	21	23	52	27	4.10	MED D
P (48)	301.	ALT (KM)	9.122		TEMP (C)	-41.3		FROSTPOINT	-45.4		TAS (M/S)	140.5		NT (N/M3)	34593.5		TOTALS	5 - 95 - 93
PRECIP	PROBE	1.15E+03	6.95E+00	0.	0.0	0.	0.0	0.	.0	.0	.0	0.	9.	.0	0.	.0		9.87E-04
91 ZE	(DW)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676		
CLOUD	PROBE	1.22E+35	5.50E+05	2.02E+05	1.45E+05	2. 68E+05	1.25E+05	1. 06E+05	4.35E+04	6.99E+04	6.48E+04	3. 99E+04	2. 31E+04	1. 99E+04	1.72E+04	1.18E+04		4.97E-03
SIZE	(AU)	26	25	67	87	108	128	148	169	189	503	230	250	271	291	311		
SCATTER	PROBE	1.16E+09	2.65E+08	1.86E+08	1.41E+08	9.39E+07	6.65E+07	4.43E+07	5.32E+07	3.545+07	1.76E+07	1.82E+07	1.4GE+07	9.41E+06	9.89E+06	8.94E+06	1	1.445-03
321	in.	2	100	2	1	6	11	12	14	16	18	19	21	23	52	22		NED D

AFML CIRRUS STUDY BY AFGL

FLIGHT E78-08 ON 19 MAR 78

INTERVAL STARIV*18#47102*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

AFWL CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78
30 SECOND AVERAGING
INTERVAL START:*18:46:102*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

P (48)	ALT (KH) 5.257	TEME (C) -62.8	FROSTPOINT -42.9	TAS (M/S) 131.4	NT (N/M3) 52340.3	70TALS 9.18E-03
PRECIP	1.20E+03 2.92E+00	• • • •				9.32E-04
SIZE	437	1316	1927	2843 3149 3454 3760	4065	
CLOUD	1.14E+06 7.06E+05	3. 61E+05 2. 42E+05 3.34E+05	2.23E+05 1.86F+05 8.16E+04	1.45E+05 9.99E+04 6.46E+04 3.78E+04	3.20E+04 2.70E+04 1.75E+04	8.20E-03
SIZE	26	108 108	148	2009 230 250	271 291 311	
SCATTER	7.61E+08 3.02E+08	2.13E+08 1.79E+08 1.27E+08	9.40E+07 4.87E+07 7.11E+07	4.92E+07 2.11E+07 2.12E+07 1.55E+07	1.65E+07 1.65E+07 8.57E+06	1.87E-03
SIZE (MU)	NE	5 2 5	112	16 119 119	23	INC NED D
P (MB)	ALT (KM) 9.029	TEMP (C)	FROSTPOINT -40.9	TAS (M/S) 145.4	76412.1	1,56E-02 127
PRECIP	6.29E+03	4.75E+00 0.	* * * *			6.47E-03
SIZE	437	1316	1927 2233 2538	2843 3149 3454 3760	4370	
CLOUD	2.50E+06 7.75E+05	9.93E+05 5.28E+05 6.85E+05	2.56E+05 1.28E+05 2.97E+04	5.43E+04 3.60E+04 4.61E+04 3.91E+04	3,90E+04 3,90E+04 3,02E+04	9. 10E-03
SIZE	26	108	128	189 209 230 250	291	
SCATTER	2.15E+08 3.70E+08	5.10E+08 4.60E+08 2.96E+08	2.32E+08 1.30E+08 1.64E+08	1.24E+08 5.89E+07 4.64E+07 3.18E+07	3.27E+G7 3.44E+07 2.34E+07	4.35E-03
SIZE	2 10	510	11 12 14	16 18 21 21	25 27 27	IMC MED D

AFML CTRRUS STUDY BY AFGL 19 MAR 78 30 SECOND AVERAGING 19 MAR 78 10 SECOND AVERAGING PARTICLE SIZE DISTREBUTIONS (NUMBER/M**3-MM) TYPE: BULL-ROSE

AFML CIRRUS STUDY BY AFGL
19 HAR 78 30 SECOND AVERAGING
INTERVAL START**18:47:32*
PARTICLE SIZE DISTRIBUTIONS (UNBER/H**3-HH)
TYPE: BULL-ROSE

P (48)	310.3	ALT (KH)	8.934		TEMP (C)	-40.5		FROSTPOINT	-40.1		TAS (M/S)	150.4		NT (N/M3)	91696.3		TOTALS	1.696-02	114
PRECIP	PROBE	5.59E+03	9.35E+01	3.72E+00	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		5.26E-03	196
SIZE	(HD)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PROBE	1.52E+06	1,42E+06	9.67E+05	4.69E+05	6.25E+05	2.63E+05	1.39E+05	4.97E+04	9.18E+04	1.10E+05	9.25E+04	6.21E+04	5.67E+04	5.17E+04	3. 79E+04		1.16E-02	89
SIZE	CHO	92	147	29	8.7	108	128	148	169	189	509	230	250	271	291	311			
SCATTER	PROBE	8.09E+07	3.79E+08	1.05E+09	1.16E+09	7.81E+08	5.80E+08	3.30E+08	4.21E+08	3.05E+08	1.37E+08	1.04E+08	6.99E+07	6.96E+07	6.23E+07	3.75E+07		9.73E-03	*
SIZE	(NH)	2	*	5	1	6	11	12	14	16	18	19	21	23	52	27		IMC	U UUM
p (MB)	320.7	ALT (KH)	8.710		TEMP (C)	-38.7		FROSTPOINT	-39.2		TAS (M/S)	157.6		NT (N/43;	4.7584.4		TOTALS	1.11E-02	72+
PRECIP	PROBE	5.05E+03	1.23E+02	5.24E+00	.0	0.0	0.	0.	.0	0.	0.	0.	0.	.0	.0	.0		4.96E-03	00+
SIZE	(MN)	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	PROBE	1+37E+06	7. 91E+05	5. 02E+05	2.34E+05	3. 01E+05	1.17E+05	6.69E+04	1.64E+04	4°40E+04	4.57E+04	2.72E+04	3.12E+04	3.44E+04	3.81E+04	2.87E+04		6. 18E-03	20
SIZE	(NA)	26	14	29	8.7	108	128	148	169	189	209	230	250	271	291	311			
SCATTER	PPOBE	2.755+07	4.44E+08	2.46E+09	2.72E+09	1.82E+09	1.305+09	6.725+08	8.76E+08	5.94E+08	2.32E+08	1.586+08	1.06E+08	8.89E+07	5.94F+07	3.80F+07		1.69F-02	1
IZE	(MA)	2	**	v	*	6	11	12	14	16	1.8	19	21	23	26	27		CA	0 0 10

AFML CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECOND AVERAGING
INTERVAL START**18149:02*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-WM)
TYPE: BULL-ROSE

AFWL CIRRUS STUDY BY AFGL
FLIGHT E78-08 ON 19 MAR 78 30 SECONO AVERAGING
INTERVAL STAFT:*18:48:02*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MH)
ITYPE: BULL-ROSE

p (MB)	ALT (KM)	8.806		TEMP (C)	-39.4		FROSTPOINT	-40.1		TAS (M/S)	156.8		NT (N/M3)	7 9895 . 2		TOTALS	1.776-02	125
PRECIP	7.04E+03	1.466+02	4.38E+00	.0	0.	.0	.0	.0	0.	.0	.0	.0	.0	.0	0.		6.76E-03	198
SIZE (MU)	437	106	1011	1316	1622	1927	2233	2538	2843	31.49	3454	3760	4065	4370	4676			
CLOUD	2.36E+06	1. 04E+06	1. 09E+06	4.46E+05	4.74E+05	1.59E+05	1.12E+05	3. 76E+04	7.92E+04	1. 03E+05	9. 25E+04	5.52E+04	5.66E+04	5.80E+04	4. 32E+04		1.09E-02	46
SIZE (MU)	56	147	29	87	108	128	148	169	189	503	230	250	271	291	311			
SCATTER	3.39E+07	3.70E+08	2.13E+09	2.63E+09	1.75E+09	1.26E+09	7.01E+08	8.58E+08	6.19E+08	2.53E+08	1.82E+08	1.10E+08	1.12E+08	8.60E+07	5.53E+07		1.81E-02	16
SIZE	2	3	2	7	6	11	12	14	16	1.8	19	21	23	52	27		INC	MED D
P (MB) 323.9	ALT (KM)	8.644		TEMP (C)	-37.9		FROSTPOINT	-38.3		TAS (M/S)	153.9		NT (N/43)	42830.1		TOTALS	1.225-02	149
PRECIP PROBE	6.22E+03	2.34E+02	7.15E+00	1.41E+00	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0		6.56E-03	203
SIZE	437	706	1011	1316	1622	1927	2233	2538	2843	3149	3454	3760	4065	4370	4676			
CLOUD	1.20E+06	7. 02E+05	3.78E+05	2.37E+05	3.45E+05	9.79E+04	5.08E+04	1. 08E+04	2.40E+04	2.15E+04	3.05E+04	3.11E+04	3.40E+04	3.71E+04	2.90E+04		5.65E-03	100
SIZE	56	147	19	87	108	128	148	169	189	209	230	250	271	291	311			
SCATTER	4.468+07	6.73E+08	3.19E+09	3.17E+09	2.04E+09	1.46E+09	7.65E+08	9.07E+08	4.70E+08	1.46E+08	7.68E+07	5.70E+07	4.74E+07	3.51E+07	2.85E+07		1.475-02	14
IZE MU)	2	m	5	1	6	11	12	14	16	18	19	21	23	25	27		0	MED D